

CONSUMER PRODUCTS SERVICES DIVISION

HANDAN CITY JIANERLE TOY CO.,LTD.

Technical Report: (8523)129-0020 June 08, 2023 Date Received: May 09, 2023 Page 1 of 12

HANDAN CITY JIANERLE TOY CO.,LTD.
NORTH OF YINGBIN ROAD MIDWAY, NORTH
DISTRICT OF ECONOMIC DEVELOPMENT ZONE,
ZHOUQU TOWN, HANDAN CITY,
HEBEI PROVINCE, CHINA

Sample Description: Children motorcycle

Vendor: N/A Sample Size: 3

Manufacturer: N/A Style No(s): NEL-R800GS, NEL-R1188GS,

NEL-R1200GS, NEL-R1300GS, NEL-R1600GS, NEL-R1800GS, NEL-R1888GS, TA1166, TA1888, T5, T6, T8, T1188, T1166, T1888, NEL-R1166GS,

NEL-1166

Buyer: N/A SKN/SKU No.: N/A
Labeled Age Grade: NOT PRESENT PO No.: N/A
Appropriate Age Grade: NOT REQUESTED Ref #: N/A
Client Specified Age 3+ Country of Origin: N/A

Grade:

Tested Age Grade: OVER 3 YEARS OF AGE Assortment No.: N/A

UPC Code: N/A Protocol No.: CPSD-AN-06572-USA

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The flammability requirement of solids under ASTM F963-17 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".
- The mechanical hazards requirements of ASTM F963-17, "Standard consumer safety specification for toy safety".

The tested component sample(s) MEET the following requirement(s):

- The soluble heavy metals content in substrate requirements of ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).
- The initial total heavy metals content analysis for soluble heavy metals content in surface coating requirements of ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.1(2).
- The BBP, DBP, DEHP, DnHP and DIDP content requirements in toys, child care articles and watches according to the California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050.
- The total lead content requirements in children products according to the California Proposition 65 settlements of Alameda Superior Court RG 07356892.
- The phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of the Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) and 108(c), 16 CFR 1307).



June 08, 2023 Page 2 of 12

EXECUTIVE SUMMARY:

The tested component sample(s) MEET the following requirement(s):

- The total lead content of 100ppm requirements by composite testing in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).
- The total lead content of 90ppm requirements of 16 CFR 1303, "Ban of lead-containing paint and certain consumer products bearing lead-containing paint" as mandated by Congress in section 101(f) of the Consumer Products Safety Improvement Act (CPSIA) of 2008, Public Law 110-314.

The tested component sample(s) was tested to the following requirement(s) and the data provided is for informational purposes only:

- The initial total heavy metals content analysis for soluble heavy metals content in substrate requirements of ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).

Note: No relevant packaging was provided with the submitted sample(s). Consequently, evaluation of the applicable labelling requirements of the ASTM F963, "Standard Consumer Safety Specification on Toy Safety", was not conducted.

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

Note: At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s).

NOTE: If there are questions or concerns regarding above report, please contact the appropriate lab persons.

Technical questions & concerns: Sam Luo / Ryna Liu/ Jerry Yang

(+86)755-8618-5292 / 8618-5354 / 8613-5643

sam.luo@bureauveritas.com ryna.liu@bureauveritas.com jerry.yang@bureauveritas.com

General Enquiries: Wallace Liu

(+86)755-8618-5212

wallace.liu@bureauveritas.com

BUREAU VERITAS SHENZHEN CO., LTD.

Victor Pang

Assistant Manager

Victor Parg

Toys And Juvenile Products Department



June 08, 2023 Page 3 of 12

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety". Annex A1

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for

testing.

Note: If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products

Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable									
Test	Standard Reference								
Tip Over Test	3 times	1500.53(b)(4)(i)							
Torque Test	4 in-lbs	1500.53(e)							
Tension Test	15 lbs	1500.53(f)							
Compression Test	30 lbs	1500.53(g)							



June 08, 2023 Page 4 of 12

RESULTS:

PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-17)

Section	Requirement	Result
4.1	Material Quality	М
4.3.7	Stuffing Materials	N/A
4.5	Sound-Producing Toys	М
4.6	Small Objects	N/A
4.7	Accessible Edges	М
4.8	Projections	М
4.9	Accessible Points	М
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	М
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	М
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	М
4.18	Holes, Clearances and Accessibility of Mechanisms	М
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (exclude Section 4.25.10 Battery-powered ride-on toys & Section 4.25.11	М
	Toys that Contain Secondary Cells or Secondary Batteries)	
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A



June 08, 2023 Page 5 of 12

RESULTS:

FLAMMABILITY (ASTM F963-17 section 4.2 according to Annex A5)

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	ASTM F963-17 section 4.2 according to Annex A5	Did not ignite.

TOTAL LEAD CONTENT IN SURFACE COATING BY COMPOSITE TESTING ("Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint", Consumer Product Safety Improvement Act (CPSIA) of 2008)

Test Method: U.S. CPSC-CH-E1003.09.1:2011

Eler	ment:	Lea			
Red	uirement: Maximum allowable lir	90 m	g/kg		
	Sample D	escription		Result (Conclusion
	Color / Component	Overall	Potential		
(A)	Silver coating	13	-	Pass	

LT = Less Than

mg/kg = milligrams per kilogram (ppm = parts per million)
Potential = Estimated lead content per component is based on
calculation by component individual weight

* = Average of duplicate analyses

TOTAL LEAD CONTENT IN SUBSTRATE BY COMPOSITE TESTING (100PPM) (Consumer Product Safety Improvement Act (CPSIA) of 2008)

Test Method: U.S. CPSC-CH-E1001-08.3:2012 or U.S. CPSC-CH-E1002-08.3:2012

Analyte	Lead	
Requirement: Maximum allowable limit:	100 mg/kg	

Ana	lyte			Lead (Pb)	
	Sample	Result	Conclusion		
	Color / Component	(mg/kg)			
(A)	White plastic	Motorcycle		LT 10	Pass
	Red plastic	Motorcycle			
	Black plastic	Motorcycle			

LT = Less Than

mg/kg = milligrams per kilogram (ppm = parts per million)

^{* =} Average of duplicate analyses



June 08, 2023 Page 6 of 12

RESULTS:

TOTAL LEAD CONTENT IN CHILDREN PRODUCTS (California Proposition 65 settlements of Alameda Superior Court RG 07356892)

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry or Inductively Coupled Plasma

Spectrometry

		Maximum allowable limit	
Analyte		Lead	
Type 1	Paint and surface coatings	90 mg/kg	
Type 2	Substrate materials	100 mg/kg	

Anal	yte	Lead (Pb)			
	Sample	Result	Conclusion		
	Color / Component	Location	Style	(mg/kg)	
Туре	e 1: Paint and surface coatings				
(A)	Silver coating	13	Pass		
Туре	e 2: Substrate materials				
(B)	White plastic Red plastic Black plastic	Motorcycle Motorcycle Motorcycle		LT 10	Pass

LT = Less Than

mg/kg = milligrams per kilogram (ppm=parts per million)

^{* =} Average of duplicate analyses



June 08, 2023 Page 7 of 12

RESULTS:

TOTAL HEAVY METALS CONTENT - INITIAL ANALYSIS FOR SOLUBLE HEAVY METALS CONTENT IN SURFACE COATING (ASTM F963-17, Section 4.3.5.1(2))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Sample Identity		Co	olor			Loc	Style		
Α	Silver co	ating			Motorcyc	cle			
Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se	
Max. Limit (mg/kg)	25	1000	75	60	60	90			
Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Complyaion
Sample		Conclusion							
Α	LT 7	53	LT 10	35	LT 5	Pass			

mg/kg = milligrams per kilogram (ppm=parts per million) LT = Less Than

As = Arsenic, Ba = Barium, Cd = Cadmium, Cr = Chromium, Hg = Mercury, Pb = Lead, Sb = Antimony, Se = Selenium



> June 08, 2023 Page 8 of 12

RESULTS:

TOTAL HEAVY METALS CONTENT - INITIAL ANALYSIS FOR SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE (ASTM F963-17, Section 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Sample Identity		Co	olor			Loc	Style						
Type I: Substrate other than modeling clay													
A.	White pla Red plas Black pla	tic			Motorcyc Motorcyc Motorcyc	ele							
Analyte	As	Ba	Cd	Cr	На	Pb	Sb	Se					

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit Type I (mg/kg)	25	1000	75	60	60	90	60	500
Max. Limit Type II (mg/kg)	25	250	50	25	25	90	60	500

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se	Conclusion
Sample			Conclusion						
Α	LT 7	200	LT 10	LT 7	LT 5	LT 10	18	LT 10	Data

mg/kg = milligrams per kilogram (ppm=parts per million)

LT = Less Than

ND = None Detected

As = Arsenic, Ba = Barium, Cd = Cadmium, Cr = Chromium, Hg = Mercury, Pb = Lead,

Sb = Antimony, Se = Selenium

Detection limit (mg/kg): As and Cr = 7, Hg = 5, other elements = 10

Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-17. The lead content analysis result of corresponding material herein is for client's reference only.

On an initial analysis for soluble heavy metals content, any individually tested component of greater than the set limit or any composite tested components of greater than 80% of the set limit, the result is inconclusive for the requirement and therefore were retested with soluble heavy metals analysis of ASTM F963-17, Sections 8.3.5 (excluding 8.3.5.5(3)) as specified in Section 8.3.1.3. The result herein is for reference only (show data), please refer to soluble heavy metals content analysis for the corresponding conclusive results.



June 08, 2023 Page 9 of 12

RESULTS:

SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE (ASTM F963-17, Section 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.5 (Excluding 8.3.5.5(3))

Sample Identity	Color	Location	Style				
Type I: Subst	Type I: Substrate other than modeling clay						
Α	White plastic	Motorcycle					
В	Red plastic	Motorcycle					
С	Black plastic	Motorcycle					

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit Type I (mg/kg)	25	1000	75	60	60	90	60	500
Max. Limit Type II (mg/kg)	25	250	50	25	25	90	60	500
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Sample		Result (mg/kg)						(g)		
Α	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	ı	Pass
В	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	-	Pass
С	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	-	Pass

mg/kg = milligrams per kilogram (ppm=parts per million)

CR = adjusted analytical result

LT = Less Than

ND = None Detected

As = Arsenic, Ba = Barium, Cd = Cadmium,

Cr = Chromium, Hg = Mercury, Pb = Lead,

Sb = Antimony, Se = Selenium

Remark:

Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-17. The lead content analysis result of corresponding material herein is for client's reference only.



June 08, 2023 Page 10 of 12

RESULTS:

PHTHALATES CONTENT IN CHILDREN'S TOYS AND CHILD CARE ARTICLES (Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(c), 16 CFR 1307)

Test Method: With reference to U. S. CPSC-CH-C1001-09.3 (April 1, 2010) / CPSC-CH-C1001-09.4 (January 17, 2018).

Sample Identity	Color / Component	Location	Style
A.	Silver coating	Motorcycle	
B.	White plastic Red plastic Black plastic	Motorcycle Motorcycle Motorcycle	

Test Parameter:	Listed Phthalates (See Remark)					
Requirement:	ement: Each 0.1%					
Sample ID	Detected Analyte	Concentration (%)	Conclusion			
A.	ND	ND	Pass			
B.	ND	ND	Pass			

Results reported in percentage

ND = None detected

Detection Limit: Each Phthalate (0.005%)

	LIST OF RESTRICTED PHTHALATES					
Number	Chemical Name	CAS Number				
1.	Butyl benzyl phthalate (BBP)	85-68-7				
2.	Dibutyl phthalate (DBP)	84-74-2				
3.	Di(2-ethylhexyl) phthalate (DEHP)	117-81-7				
4.	Di-iso-nonyl phthalate (DINP)	28553-12-0 & 68515-48-0				
5.	Di-iso-butyl phthalate (DIBP)	84-69-5				
6.	Di-n-pentyl phthalate (DPENP or DnPP)	131-18-0				
7.	Di-n-hexyl phthalate (DHEXP or DnHP)	84-75-3				
8.	Dicyclohexyl phthalate (DCHP)	84-61-7				



June 08, 2023 Page 11 of 12

RESULTS:

BBP/DBP/DEHP/DnHP/DIDP PHTHALATES CONTENT REQUIREMENTS IN TOYS, CHILD CARE ARTICLES AND WATCHES (California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050)

	Color / Component	Location	Style
A.	Silver coating	Motorcycle	
В.	White plastic	Motorcycle	
	Red plastic	Motorcycle	
	Black plastic	Motorcycle	

Test Parameter	BBP	DBP	DEHP	DnHP	DIDP			
Limit (%)	0.1	0.1	0.1	0.1	0.1			
Sample		Result (%)						
Α	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	Pass		
В	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	Pass		

Detection Limit:

BBP = Butyl benzyl phthalate (0.005%)
DBP = Dibutyl phthalate (0.005%)
DEHP = Di(2-ethylhexyl) phthalate (0.005%)
DIDP = Di-n-hexyl phthalate (0.005%)
DIDP = Di-iso-decyl phthalate (0.005%)

Results reported in percentage

LT = Less than ND = None detected



June 08, 2023 Page 12 of 12

RESULTS:



END OF REPORT