

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

CHAOZHOU PERSN CERAMICS INDUSTRY CO., LTD.

FENGAN ROAD, DACHENG VILLAGE, FENG TANG TOWN CHAOZHOU, GUANGDONG, CHINA

Product:

Water Closets with Dual Flush Feature

Products are in compliance with the following code(s):

**Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada**

Products are in compliance with the following standard(s)

ASME A112.19.2-2018/CSA B45.1-18 ASME A112.19.14-2013

File Number: 9531

Revised Date: May 12, 2022

Effective Date: January 2019

Void After: January 2024*


Chairman, Product Certification Committee




Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: CHAOZHOU PERSN CERAMICS INDUSTRY CO., LTD.

Effective Date: January 2019

File Number: 9531

Revised Date: May 12, 2022

Product: Water Closets with Dual Flush Feature

Void After: January 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Water Closets with Dual Flush Feature shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets with Dual Flush Feature shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option. The product shall be marked with the reduced flush volume and the designation ASME A112.19.14 to signify compliance with this Standard. The location of this mark shall be determined by the manufacturer and is not required to be permanent, but it shall be visible after installation. The label shall be intended for removal by the occupant only, and this shall be so stated on the label.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Identification of flush mode options shall be depicted on the actuator. This identification shall be either by graphic display or lettering, or shall be intuitively apparent.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.


Characteristics:

To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: CHAOZHOU PERSN CERAMICS INDUSTRY CO., LTD.

File Number: 9531

Product: Water Closets with Dual Flush Feature

Effective Date: January 2019

Revised Date: May 12, 2022

Void After: January 2024


This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description
GF-A001	Toilet(4/6L)(4.8L)
GF-A002	Toilet(4/6L)(4.8L)
GF-A003	Toilet(3.2/4.2) (3.8L)
GF-A005	(4/6L) (4.8L)
GF-A006	Toilet (4/6L) (4.8L)
GF-A008	Toilet(4/6L)(4.8L)
GF-A010T	one piece, dual flush toilet
GF-A015	one piece, dual flush toilet
GF-A016	one piece, dual flush toilet
GF-A018	one piece, dual flush toilet
GF-A019	Toilet (4/6L) (4.8L)
GF-A020	Toilet (4/6L) (4.8L)
GF-A1854	Toilet (4/6L) (4.8L)
GF-A1874	Toilet (4/6L) (4.8L)
GF-A1878	Toilet (4/6L) (4.8L)
GF-T0509	Toilet (4/6L) (4.8L)

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: CHAOZHOU PERSN CERAMICS INDUSTRY CO., LTD.

Effective Date: January 2019

File Number: 9531

Revised Date: May 12, 2022

Product: Water Closets with Dual Flush Feature

Void After: January 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Additional Company Information

Federated Co-operatives Limited


Model Number	Description
5255542 COOP GOLD	Toilet (4/6L) (4.8L)

RUNFINE INTERNATIONAL COMPANY LIMITED

Model Number	Description
RFA001	Toilet(4/6L)
RFA002	Toilet(4/6L)
RFA003	Toilet(4/6L)
RFA005	Toilet(4/6L)
RFA006	Toilet (4/6L) (4.8L)
RFA008	Toilet(4/6L)
RFA015	one piece, dual flush toilet
RFA016	one piece, dual flush toilet
RFA019	Toilet (4/6L) (4.8L)
RFA020	Toilet (4/6L) (4.8L)
RF549-V	Toilet (4/6L) (4.8L)
RF312033	one piece, dual flush toilet
RF312035	one piece, dual flush toilet
RF321021	Toilet (4/6L) (4.8L)
RF321034	Toilet (4/6L) (4.8L)

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: CHAOZHOU PERSN CERAMICS INDUSTRY CO., LTD.

Effective Date: January 2019

File Number: 9531

Revised Date: May 12, 2022

Product: Water Closets with Dual Flush Feature

Void After: January 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Model Number	Description
RF321035	Toilet (4/6L) (4.8L)