IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, California 91761-2816 • 909.472.4100 Fax 909.472.4244 • www.iapmort.org







CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Effective Date: January 2019 Revised 6/23/2022 Void After: January 2024*

Product: EPA WaterSense High Efficiency Toilets File No. 9530

Issued To: CHAOZHOU PERSN CERAMICS INDUSTRY CO., LTD.

FENGAN ROAD, DACHENG VILLAGE,

FENGTANG TOWN CHAOZHOU GUANGDONG

CHINA

Identification: Each fixture shall be marked with the marking requirements of the applicable performance standard. The product packaging

shall bear the EPA-IAPMO WaterSense label.

Characteristics: Gravity feed vitreous china water closets manufactured in compliance to EPA's WaterSense Tank-Type High Efficiency Toilet

Specification that are equipped with an IAPMO R&T listed anti-siphon ballcock and flush valves, and to be installed in

accordance with the manufacturer's instructions.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been

hief Technical Service Officer

granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):

EPA WaterSense Specification for Tank-Type Toilets (Version 1.2, dated 2014-06-02)

* This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be



This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Flush Mechanism Gravity 0.94 Gravity 0.94 Gravity 0.94 Gravity Gravity Gravity 1.1 Gravity 1.1 Gravity 1.1 Gravity 1.1 Gravity Gravity 0.94 Gravity Rated Flush Volume (Reduced Flush) (gpf) 1.6 1.28 1.28 1.28 1.6 1.6 1.28 Rated Flush Volume (Full Flush) (gpf) Rated Flush Volume (Single or 1.28 0.92 1.28 1.28 1.28 1.28 1.28 1.0 1.0 1.0 0.92 0.92 0.92 0.92 0.92 0.92 0.92 0.92 0.92 0.92 0.92 0.92 Average) (gpf) Flush Type Single Dual Dual Dual Dual Dual Dual Dual Dual Dual GF-T0201TS HET Model Number GF-T0106TS GF-A010TS GF-T0102S GF-T0103S GF-T0201S GF-T0202S GF-T0203S GF-T0204S GF-T0205S GF-A006S GF-A015S GF-A016S GF-A018S GF-A003S GF-A010T GF-A003 GF-A002 GF-A018 GF-A001 GF-A005 GF-A008 GF-A015 GF-A016 **Brand Name** PERSN Certification Date 1/19/2016 1/19/2016 1/19/2016 1/19/2016 1/19/2016 1/19/2016 1/19/2016 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020 7/21/2020

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

7/21/2020	PERSN	GF-T0206TS	Single	0.92		Gravity
7/21/2020	PERSN	GF-T0301S	Single	0.92		Gravity
7/21/2020	PERSN		Single	0.92		Gravity
7/21/2020	PERSN	GF-T0302S	Single	0.92		Gravity
7/21/2020	PERSN		Single	0.92		Gravity
6/23/2022	PERSN	GF-T0509	Dual	1.28	1.1	Gravity
6/23/2022	PERSN	GF-A1854	Dual	1.28	1.1	Gravity
6/23/2022	PERSN	GF-A1874	Dual	1.28	1.1	1.1 Gravity
6/23/2022	PERSN	GF-A1878	Dual	1.28	1.1	1.1 Gravity
6/23/2022	PERSN	GF-A019	Dual	1.28	1.1	1.1 Gravity
6/23/2022	PERSN	GF-A020	Dual	1.28	1.1	1.1 Gravity