

Date:

26 Oct, 2023

Applicant: PINGHU XH CHILDREN PRODUCTS CO., LTD

NO.186, TONGCHE ROAD, XINCANG TOWN,

PINGHU CITY ZHEJIANG

Sample Description:

One (1) group of submitted sample said to be :

Item Name : Electric Ride On Car

Item No. : JC009

Labelled Age Group : 37-95 months.

Packaging Provided By Applicant : Yes(Art work).

Goods Exported To : USA CANADA.

Country Of Origin : China

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager







Test Report	Number: S	SHAH01625381
<u>Tested Samples</u> Submitted Samples	Standard U.S. ASTM F963-17 for Physical And Mechanical Tests Excluding section 4.25, 5.15, 6.5, 6.6,7.2	Result Pass
Submitted Samples	U.S. ASTM F963-17 for Flammability Test of Materials Other Than Textile Materials	Pass
Tested Components of Submitted Samples	U.S. ASTM F963-17 for total Lead content in surface coating	Pass
Tested Components of Submitted Samples	U.S. ASTM F963-17 for total Lead content in non-surface coating materials	Pass
Tested Components of Submitted Samples	U.S. ASTM F963-17 for heavy metal elements test on surface coating material	Pass
Tested Components of Submitted Samples	U.S. ASTM F963-17 section 4.3.5.2(2)(a)(b) for heavy metal elements test on non-surface coating materials	Pass
Submitted Samples	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products	Pass
Submitted Samples	U.S. CFR Title 16 (CPSC Regulations) for Mechanical and Physical Tests	Pass
Submitted Samples	U.S. CFR Title 16 (CPSC Regulations) for Part 1500.3(c)(6)(vi) Flammability Test On Rigid and Pliable Solids	Pass
Tested Components of Submitted Samples	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating	Pass
Tested Components of Submitted Samples	U.S. CFR title 16(CPSC regulations) for Part 1303 total Lead content	Pass
Tested Components of Submitted Samples	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate)	Pass
Tested Components of Submitted Samples	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
Tested Components of Submitted Samples	California Proposition 65 for toys, Consent Judgement No. RG-356892Total Lead Content	

Prepared And Checked By:
For Intertek Testing Services V

For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com





Test Report	Number: 5	SHAH01625381
Tested Samples Tested Components of Submitted Samples	Standard California Proposition 65 for Toys , Consent judgment No. BG-350969 - Phthalate content	Result Pass
Tested Components of Submitted Samples	Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019)	Pass
Submitted Samples	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test	Pass
Submitted Samples	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Cellulose Nitrate and Celluloid	Pass
Tested Components of Submitted Samples	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and amendment SOR/2022-122 on toxic elements test	Pass
Tested Components of Submitted Samples	Phthalates content requirement in Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188	Pass
Tested Components (11) of Submitted Samples	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	Pass (See Comment)
Others To Tested Components of Submitted Samples	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	Pass
Tested components of submitted samples	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass
Tested component of submitted sample	Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122 for total lead content test on products with applied stickers, films or surface coating materials	Pass
*********		**********

The testing scope of the following standard (Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b)) was not applicable to the submitted sample. However, the test results of the sample met the related requirements as stated in this report.

Remark: No samples are submitted for testing. All test results stated in the test reported was referred to our test report SHAH01617083 dated 24, Oct, 2023.

Prepared And Checked By:







Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn

www.intertek.com





Tests Conducted

1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Applicant's Specified Age Group for Testing: For 37-95 months

The submitted samples were	The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances								
Act (FHSA), Title 16, Code of Federal Regulations: -									
<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>							
Impact Test	Section 1500.53(b)	4 x 3.0 ft							
Tip over Test	Section 1500.53(b)	3 times							
Torque Test	Section 1500.53(e)	4 in-lbf							
Tension Test	Section 1500.53(f)	15 lbf							
Compression Test	Section 1500.53(g)	30 lbf							

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.1	Material Quality	Р
4.5	Sound-Producing Toys	NA
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	Р
4.8	Projections	Р
4.9	Accessible Points	Р
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	Р
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	Р
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	Р
4.18	Holes, Clearance, and Accessibility of Mechanisms	Р
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	#
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA



Tests Conducted		
<u>Section</u>	Testing Items	<u>Assessment</u>
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P#
6	Instructional Literature	P#
7	Producer's Markings - Name of Producer/Distributor - Address	# Yes Yes

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass NA = Not Applicable

= The section 4.25, 5.15, 6.5, 6.6,7.2 for Battery-powered Ride-on Toys was not assessed

Date Sample Received: 07 Oct, 2023&23 Oct , 2023 Testing Period: 07 Oct, 2023 To 23 Oct , 2023

2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-17.

Result = Did Not Ignite

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 18 Oct , 2023

(n)



Test Report SHAH01625381 Number:

Tests Conducted

Total Lead (Pb) Content for Surface Coating 3

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result in ppm	Reproting Limit	<u>Limit</u>
rest item	(1)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	20	90

Remark: ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 24 Oct, 2023

Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item			Re	Reproting Limit	<u>Limit</u>				
restitem	(2)	(3)	(4)	(5)	(6)	(7)	(8)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100

Test Item			Re		Reproting Limit	<u>Limit</u>			
rest item	(9)	(10)	(11)	(12)	(13)	(14)	(15)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	22	ND	ND	ND	ND	ND	ND	10	100

Test Item			<u>Re</u>	Reproting Limit	<u>Limit</u>				
Test item	(16)	(17)	(18)	(19)	(20)	(21)	(22)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100

Test Item			Re	Reproting Limit	<u>Limit</u>				
	(23)	(24)	(25)	(26)	(27)	(28)	(29)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100

Remark: ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Intertek Testing Services Wuxi Ltd.

无锡天祥质量技术服务有限公司

Testing Period: 07 Oct, 2023 To 24 Oct , 2023

Tel: +86 510 8821 4567

Fax: +86 510 8820 0428 www.intertek.com.cn

www.intertek.com



Tests Conducted

5 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (ppm) (1)	Reporting Limit (ppm)	<u>Limit</u> (ppm)
Sol. Barium (Ba)	28	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Remark: Sol. = Soluble

ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 24 Oct , 2023



Tests Conducted

6 Heavy Metal Elements Analysis in Non-Surface Coating Materials (Substrate Except Modelling Clay)

As per section 4.3.5.2(2)(a)(b) of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 and acid extraction method were used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item				Result	(ppm)				Reporting Limit	<u>Limit</u>
restricin	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	<u>(ppm)</u>	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item		Result (ppm)							<u>Limit</u>
rest item	(10)	(11)	(12)	(13)	(14)	(15)	(16)	<u>(ppm)</u>	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item		Result (ppm)							<u>Limit</u>
Test item	(17)	(18)	(19)	(20)	(21)	(22)	(23)	<u>(ppm)</u>	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

(N)



SHAH01625381 **Test Report** Number:

Tests Conducted

Test Item	Result (ppm)						Reporting Limit (ppm)		
Test item	(24)	(25)	(26)	(27)	(28)	(29)	Reporting Limit (ppm)	(ppm)	
Sol. Barium (Ba)	7	ND	ND	ND	ND	ND	5	1000	
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90	
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75	
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60	
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500	
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60	
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60	
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25	

Remark: Sol. = Soluble

ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 24 Oct , 2023

7 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products.

Tracking Label Found on the Packaging:

NAME: PINGHU DOMY BABY CARRIAGE CO.,LTD

ADDRESS: No.173 Zhonghua Section, Xinya Line, XincangTown, Pinghu City, Zhejiang Province, China

Date Code: Sep,2023 Batch Number: 2023DM105

Tracking Label Found on the Product:

NAME: PINGHU DOMY BABY CARRIAGE CO.,LTD

ADDRESS: No.173 Zhonghua Section, Xinya Line, XincangTown, Pinghu City, Zhejiang Province, China

Date Code: Sep,2023 Batch Number: 2023DM1015

Note: The tracking label assessment was based on the submitted sample and the information provided by the

applicant. There was no verification on the validity of such information.

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 18 Oct, 2023





Tests Conducted

8 Physical and Mechanical Test

As per U.S. Code of Federal Regulations title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's Specified Age Group for Testing: For 37-95 months

	No. of SampleTested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As Received	1	Р	Р	NA
Impact (1500.53 (b))	1	Р	Р	NA
Flexure (1500.53 (d))	0	NA	NA	NA
Torque (1500.53 (e))	1	Р	Р	NA
Tension (1500.53 (f))	1	Р	Р	NA
Compression (1500.53 (g))	1	Р	Р	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 18 Oct, 2023

9 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Did Not Ignite

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 18 Oct, 2023

10 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(1)	<20	90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 24 Oct , 2023

(N)



Tests Conducted

11 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations title 16 part 1303, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

 Tested component
 Result (%)
 Limit (%)

 (1)
 <0.002</td>
 0.009

The limit was quoted according to CPSC Regulation CFR title 16 Part 1303 for Lead (Pb) content.

Tested Components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Testing Period: $\,$ 07 Oct, 2023 $\,$ To 24 Oct , 2023 $\,$

(in)



Tests Conducted

12 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	Limit (ppm)
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	22	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<10	100
(17)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100
(24)	<10	100
(25)	<10	100
(26)	<10	100
(27)	<10	100
(28)	<10	100
(29)	<10	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 24 Oct , 2023

(N)



SHAH01625381 **Test Report** Number:

Tests Conducted

13 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

<u>Test item</u>		<u> </u>	Result (%)		Limit (%) (Max.)
	(1)	(2)	(3)	(4)	(5)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
<u>Test item</u>		<u> </u>	Result (%)		Limit (%) (Max.)
	(6)	(7)	(8)	(9)	(10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item		F	Result (%)		Limit (%) (Max.)
<u> </u>	(11)	(12)	(13)	(14)	(15)	<u></u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Dioyoloricky primatate (Dorin)						0.1



Tests Conducted

Test item		<u>R</u>	esult (%)			Limit (%) (Max.)
	(16)	(17)	(18)	(19)	(20)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item		<u>R</u>	esult (%)			Limit (%) (Max.)
	(21)	(22)	(23)	(24)	(25)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item		Re	sult (%)			Limit (%) (Max.)
	(26)	(27)	(28)	•	29)	
Dibutyl phthalate (DBP)	ND	ND	ND	1	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND		ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	1	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	1	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	1	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND		ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	1	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	1	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected
Detection Limit = 0.01%

Tested Components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Testing Period: $\,$ 07 Oct, 2023 $\,$ To 24 Oct , 2023 $\,$

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn

www.intertek.com





Tests Conducted

14 Total Lead (Pb) content

With reference to us EPA method 3050B,acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	Requirement (ppm)
(1)	<20	90
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	22	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<10	100
(17)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100
(24)	<10	100
(25)	<10	100
(26)	<10	100
(27)	<10	100
(28)	<10	100
(29)	<10	100

The above limit was quoted from the Consent Judgement No. RG-356892 & BG-350969 settled by superior court of the state of California for the county of Alameda, for toys based on the California Proposition 65.

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 24 Oct , 2023

(n)



Tests Conducted

15 Phthalate Content

With reference to CPSC-CH-C1001-09.3 and by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		Re	esult (%, w/	<u>w)</u>		Limit (%, w/w)
	(1)	(2)	(3)	(4)	(5)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		Re	esult (%, w/	w)		Limit (%, w/w)
	(6)	(7)	(8)	(9)	(10)	
Dibutyl phthalate (DBP)	ŇĎ	ŇĎ	ŇĎ	ŇĎ	ΝĎ	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		Re	esult (%, w/	w)		Limit (%, w/w)
	(11)	(12)	(13)	(14)	(15)	
Dibutyl phthalate (DBP)	NĎ	NĎ	NĎ	NĎ	NĎ	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	



Tests Conducted

		Re	esult (%, w/	w)		Limit (%, w/w)
	(16)	(17)	(18)	<u>w,</u> (19)	(20)	LITTIL (70, W/W)
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		Re	esult (%, w/	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Limit (%, w/w)
	(21)	(22)	(23)	(24)	(25)	LITTIL (70, W/W)
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		Result	(%, w/w)			Limit (%, w/w)
	(26)	(27)	(28)	(29)		
Dibutyl phthalate (DBP)	ND	NĎ	NĎ	NĎ		0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND		0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND		0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND		0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND		0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND		

Remark: The above limit was quoted from the consent judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda, for Toys based on the California Proposition 65.

ND = Not Detected

Detected Limit = 0.01%(w/w)

Tested Components: See component list in the last section of this report

Date Sample Received: 07 Oct, 2023

Testing Period: 07 Oct, 2023 To 24 Oct , 2023

(n)



Tests Conducted

16 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %
(1)	< 0.002
(2)	< 0.001
(3)	< 0.001
(4)	< 0.001
(5)	< 0.001
(6)	< 0.001
(7)	< 0.001
(8)	< 0.001
(9)	0.0022
(10)	< 0.001
(11)	< 0.001
(12)	< 0.001
(13)	< 0.001
(14)	< 0.001
(15)	< 0.001
(16)	< 0.001
(17)	< 0.001
(18)	< 0.001
(19)	< 0.001
(20)	< 0.001
(21)	< 0.001
(22)	< 0.001
(23)	< 0.001
(24)	< 0.001
(25)	< 0.001
(26)	< 0.001
(27)	< 0.001
(28)	< 0.001
(29)	<0.001

Requirement:

The total Lead content shall not exceed 0.009% for surface coating and 0.01% for non-surface coating material (substrate) in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

Tested Components: See component list in the last section of this report.

Date Sample Received: 07 Oct, 2023

Testing Period: $\,$ 07 Oct, 2023 $\,$ To 24 Oct , 2023 $\,$

(N)



Tests Conducted

17 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: For 37-95 months

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

<u>Test</u> <u>Parameter</u>

Drop test 4 x (0.909±0.005) m

Pull test 42.5 ± 2 N Push test 42.5 ± 2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	NA
4	Packaging	
	(a) The opening perimeter is less than 14 inches	NA
	(b) The opening perimeter is more than 14 inches	NA
	Electrical hazard	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	NA
8	Metal edges	Р
9	Wire frames	NA
10	Plastic edges	Р
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	Р
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	
19	Noise limit	Р
	<u>Thermal hazards</u>	
20	Heated surfaces, parts or substances	Р
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA





Tests Conducted

SCOMMUNICIEM		
No.	Testing Items	Assessment
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	<u>Plant seeds</u>	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	·
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass NA = Not Applicable

Date sample received: 07 Oct, 2023

Testing period: 07 Oct, 2023 To 24 Oct , 2023



Tests Conducted

18 Cellulose Nitrate and Celluloid

Cellulose Nitrate/Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

Assessment Requirement
Absent Absent

Date sample received: 07 Oct, 2023 Testing period: 07 Oct, 2023 To 18 Oct , 2023

19 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry and Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result(mg/kg) (1)	Reporting Limit (mg/kg)	Limit (mg/kg)
Tot. Lead (Pb)	ND	10	90
Tot. Mercury (Hg)	ND	0.047	10
Sol. Cadmium (Cd)	ND	5	1000
Sol. Antimony (Sb)	ND	5	1000
Sol. Selenium (Se)	ND	5	1000
Sol. Arsenic (As)	ND	2.5	1000
Sol. Barium (Ba)	ND	5	1000

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and Amendment SOR/2022-122 for prohibition on toxic elements in stickers, films and surface coating materials.

Tot. = Total

Sol. = Soluble

ND = Not detected (less than reporting limit)

Tested Components: See component list in the last section of this report.

Date sample received: 07 Oct, 2023

Testing period: 07 Oct, 2023 To 24 Oct , 2023





Tests Conducted

20 Phthalate Content Test

With reference to method CPSC-CH-C1001-09.3 and followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

Tested Compound		R	esult (mg/k	<u>g)</u>		Limit(mg/kg)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(1) ND ND ND ND ND	(2) ND ND ND ND ND ND	(3) ND ND ND ND ND ND	(4) ND ND ND ND ND ND	(5) ND ND ND ND ND ND	(Max.) 1000 1000 1000 1000 1000 1000
Tested Compound		<u>R</u>	esult (mg/k	<u>g)</u>		<u>Limit(mg/kg)</u> (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(6) ND ND ND ND ND	(7) ND ND ND ND ND	(8) ND ND ND ND ND ND	(9) ND ND ND ND ND ND	(10) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound		<u>Limit(mg/kg)</u> (Max.)				
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(11) ND ND ND ND ND ND	(12) ND ND ND ND ND ND	(13) ND ND ND ND ND	(14) ND ND ND ND ND ND	(15) ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound		<u>R</u>	esult (mg/k	<u>g)</u>		<u>Limit(mg/kg)</u> (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(16) ND ND ND ND ND	(17) ND ND ND ND ND ND	(18) ND ND ND ND ND	(19) ND ND ND ND ND ND	(20) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000



Tests Conducted

Tested Compound		Limit(mg/kg) (Max.)				
	(21)	(22)	(23)	(24)	(25)	<u> </u>
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000

Tested Compound		Result	(mg/kg)	Limit(mg/kg) (Max.)	
	(26)	(27)	(28)	(29)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	1000

Remark: The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Detection Limit = 100mg/kg

ND = Not Detected

Tested Components: See component list in the last section of this report.

Date sample received: 07 Oct, 2023

Testing period: 07 Oct, 2023 To 24 Oct , 2023



Tests Conducted

21 <u>Toxic Elements Analysis</u>

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (mg/kg)							
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
								Limit (ma/ka)
	(0)	(40)		esult (mg/k		(4.4)	(1E)	<u>Limit (mg/kg)</u>
Tot Load (Dh)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	90
Tot. Lead (Pb)	22 <5	<10	<10	<10 <5	<10 <5	<10	<10	1000
Sol. Barium (Ba)		<5 -5	<5 -5			<5 -5	<5 <5	60
Sol. Mercury (Hg)	<5 -5	<5 -5	<5 -5	<5 -5	<5 -5	<5 -5	_	
Sol. Cadmium (Cd)	<5 -5	<5 -5	<5 -5	<5 -5	<5 -5	<5 -5	<5 -5	75 60
Sol. Antimony (Sb)	<5 	<5 	<5 	<5 	<5 .r	<5 	<5 	60
Sol. Chromium (Cr)	<5 -5	<5 -5	<5 -5	<5 -5	<5 -5	<5 -5	<5 -5	60 500
Sol. Selenium (Se)	<5 -2.5	<5 -2.5	<5 -2.5	<5 -0.5	<5 -2.5	<5 -2.5	<5 -2.5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25



Test Report SHAH01625381 Number:

Tests Conducted

Result (mg/kg)							Limit (mg/kg)	
	(16)	(17)	(18)	(19)	(20)	(21)	(22)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
Result (mg/kg)								Limit (mg/kg)
	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	7	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	60
0 1 0 1 1 (O)								
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	500

Remark: mg/kg = Milligram per kilogram

Tot. = Total Sol. = Soluble

Tested Components: See component list in the last section of this report.

Date sample received: 07 Oct, 2023

Testing period: 07 Oct, 2023 To 24 Oct, 2023



Tests Conducted

22 Total Lead (Pb) Content

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (mg/kg)	Limit (mg/kg)
(1)	ND	90
(2)	ND	90
(3)	ND	90
(4)	ND	90
(5)	ND	90
(6)	ND	90
(7)	ND	90
(8)	ND	90
(9)	22	90
(10)	ND	90
(11)	ND	90
(12)	ND	90
(13)	ND	90
(14)	ND	90
(15)	ND	90
(16)	ND	90
(17)	ND	90
(18)	ND	90
(19)	ND	90
(20)	ND	90
(21)	ND	90
(22)	ND	90
(23)	ND	90
(24)	ND	90
(25)	ND	90
(26)	ND	90
(27)	ND	90
(28)	ND	90
(29)	ND	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Remark: Reporting Limit = 10 mg/kg for substrate, 20 mg/kg for coating ND=Not Detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date sample received: 07 Oct, 2023

Testing period: 07 Oct, 2023 To 24 Oct, 2023





Tests Conducted

23 Total Lead (Pb) Content on Products with Applied Stickers, Films or Surface Coating Materials

As per Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component (1)

Result (mg/kg)

Limit (mg/kg)

90

Remark: mg/kg = Milligram per kilogram

Tested Components: See component list in the last section of this report.

Date sample received: 07 Oct, 2023

Testing period: 07 Oct, 2023 To 24 Oct , 2023



Tests Conducted







Tests Conducted

The Samples Were Submitted By The Client, Only For Reference.















Page 29 of 31



Tests Conducted











Tests Conducted

Components List:

- (1) Black coating on metal(chassis).
- (2) Black plastic(steering wheel).
- (3) Red plastic(button on steering wheel).
- (4) Black plastic(seat).
- (5) Black plastic(wheels).
- (6) White plastic(remote control).
- (7) Blue soft plastic(wire covering).
- (8) Red t plastic (button).
- (9) Black plastic(button).
- (10) Transparent adhesive plastic film with white printing(body sticker).
- (11) Black webbing(safety belt).
- (12) White plastic(body).
- (13) Red plastic(body).
- (14) Rose plastic(body).
- (15) Blue plastic(body).
- (16) Yellow plastic(body).
- (17) Orange plastic(body).
- (18) Black plastic(body).
- (19) Dark green plastic(body).
- (20) Green plastic(body).
- (21) Light green plastic(body).
- (22) Pink plastic(body).
- (23) Transparent plastic(body).
- (24) Red transparent plastic(body).
- (25) Black soft plastic(wire covering).
- (26) Green soft plastic(wire covering).
- (27) Yellow soft plastic(wire covering).
- (28) Coffe soft plastic(wire covering).
- (29) Red soft plastic(wire covering).

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

