# intertek

Total Quality. Assured.

Test Report		Number:	SHAH01620533
NO.35	IU WEIHAI INDUSTRY CO.,LTD. 8 JINSHA ROAD XINCANG TOWN IU JIAXING ZHEJIANG CHINA MS.SHEN	Date:	13 Nov, 2023
Item Name Item No. Labelled Age Group Packaging Provided B Goods Exported To Country Of Origin	itted sample said to be : : Ride On Car : WH8809. : Over 3 Years. y Applicant : Yes(Art work). : USA CANADA. : China.	****	****
Tests Conducted: As requested by the ap	plicant, for details refer to attached page(s).	*****	*******
Conclusion: <u>Tested Sample</u> Submitted Sample	<u>Standard</u> U.S. ASTM F963-17 For Physical And Mechanical 4.25, 5.15, 6.5, 6.6,7.2	l Tests Excluding s	<u>Result</u> ection Pass
Submitted Sample	U.S. ASTM F963-23 For Physical and Mechanical 4.25, 5.14, 6.5,7.2	Tests Excluding se	ection Pass
Submitted Sample	U.S. ASTM F963-17 For Flammability Test of Mate Materials	erials Other Than T	extile Pass
Submitted Sample	U.S. ASTM F963-23 For Flammability Test of Mate Materials	erials Other Than T	extile Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 for total Lead content in surface	e coating	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-23 for total Lead content in surface	e coating	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 for total Lead content in non-su	Irface coating mater	ials Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-23 for total Lead content in non-su	0	

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



## intertek Total Quality. Assured.

Test Report SHAH01620533 Number: Conclusion: **Tested Sample** Standard Result **Tested Components** U.S. ASTM F963-17 for heavy metal elements test on surface coating material Pass Of Submitted Sample Tested Components U.S. ASTM F963-23 for heavy metal elements test on surface coating material Pass Of Submitted Sample **Tested Components** U.S. ASTM F963-17 section 4.3.5.2(2)(a)(b) for heavy metal elements test on Pass Of Submitted Sample non-surface coating materials **Tested Components** U.S. ASTM F963-23 section 4.3.5.2(2)(a)(b) for heavy metal elements test on Pass Of Submitted Sample non-surface coating materials Submitted Sample Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Pass Tracking Labels for Children Products Submitted Sample U.S. CFR Title 16 (CPSC Regulations) Mechanical and Physical Tests Pass U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) Flammability Test Submitted Sample Pass On Rigid and Pliable Solids U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for **Tested Components** Pass Of Submitted Sample total Lead content in surface coating U.S. CFR Title 16 (CPSC Regulations) Part 1303 total Lead content **Tested Components** Pass Of Submitted Sample **Tested Components** U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for Pass Of Submitted Sample total Lead content in non-surface coating materials (substrate) Tested Components US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & Pass Of Submitted Sample (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates California Proposition 65 for toys, Consent Judgement No. RG-356892 ---Total **Tested Components** Pass Of Submitted Sample Lead Content Pass **Tested Components** California Proposition 65 for Toys, Consent judgment No. BG-350969 Of Submitted Sample - Phthalate content **Tested Components** Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-Pass Of Submitted Sample 1019) 

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



# intertek

Total Quality. Assured.

Test Report		Number:	SHAH016	20533
Conclusion: <u>Tested Sample</u> Submitted Sample	<u>Standard</u> Canada Consumer Product Safety Act Toys Regulation amendments SOR/2016-195, SOR/2016-302 and SO - Mechanical and Physical test		<sup>7</sup> with	<u>Result</u> Pass
Submitted Sample	Canada Consumer Product Safety Act Toys Regulation 21 with amendments SOR/2016-195, SOR/2016-302 - Cellulose Nitrate and Celluloid	ns SOR/2011-17 2 and SOR/2018	7 section -138	Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation 23 and amendment SOR/2022-122 on toxic elements to		7 Section	Pass
Tested Components Of Submitted Sample	Phthalates content requirement in Canada Consume Phthalates Regulation SOR/2016-188	r Product Safet	y Act	Pass
Tested Component (28) Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation 27(3)(a)&(b) for accessible plastic material in toys for a ge			Pass (See Comment)
Other Components Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation 27(3)(a)&(b) for accessible plastic material in toys for a ge			Pass
Tested Components Of Submitted Sample	Canada Consumer Products Containing Lead Regula	ations SOR/201	8-83	Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Surface Coati SOR/2016-193 Section 6 and amendment SOR/2022 content test on products with applied stickers, films o materials	2-122 for total le	ad	Pass
	1		nple met the	

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





## Tests Conducted

## 1 <u>Physical and Mechanical Tests</u>

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Applicant's Specified Age Group for Testing: Over 36 months

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances							
Act (FHSA), Title 16, Code of Fe	deral Regulations: -						
Test	<u>FHSA</u>	Parameter					
Impact Test	Section 1500.53(b)	4 x 3.0 ft					
Tip over Test	Section 1500.53(b)	3 times					
Torque Test	Section 1500.53(e)	4 in-Ibf					
Tension Test Section 1500.53(f) 15 lbf							
Compression Test	Section 1500.53(g)	30 lbf					

Section	Testing Items	Assessment
4.1	Material Quality	Р
4.5	Sound-Producing Toys	Р
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	Р
4.8	Projections	Р
4.9	Accessible Points	Р
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	Р
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	Р
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	Р
4.18	Holes, Clearance, and Accessibility of Mechanisms	Р
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NR#
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA

SHAH01620533





#### Test Report

SHAH01620533 Number:

Tests Conducted		
Section	Testing Items	<u>Assessment</u>
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P#
6	Instructional Literature	P#
7	Producer's Markings	#
	- Name of Producer/Distributor	Yes
ь I т	- Address	Yes

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass

NA = Not Applicable

The section 4.25, 5.15, 6.5, 6.6, 7.2 for Battery-powered Ride-on Toys was not assessed # =

Date Sample Received: 13 Oct, 2023

Testing Period: 13 Oct, 2023 to 17 Oct , 2023 \*\*\*\*\*\*\* 

Page 5 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





## Tests Conducted

## 2 Physical And Mechanical Tests

As Per The ASTM Standard Consumer Safety Specification For Toy Safety F963-23.

Applicant's Specified Age Group For Testing: Over 36 months

	Undergone The Use And Abuse Tests In 16, Code Of Federal Regulations : -	n Accordance With The Federal Hazardous
Test	<u>FHSA</u>	Parameter
Impact Test	Section 1500.53(b)	4 x 3.0 ft
Tip over Test	Section 1500.53(b)	3 times
Torque Test	Section 1500.53(e)	4 in-Ibf
Tension Test	Section 1500.53(f)	15 lbf
Compression Test	Section 1500.53(g)	30 lbf

Section	Testing Items	<u>Assessment</u>
4.1	Material Quality (Visual Check on Cleanliness)	Р
4.3.7	Stuffing Materials	NA
4.5	Sound-Producing Toys	Р
4.6.1	Toys Intended for Children Under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	Р
4.8	Projections	Р
4.9	Accessible Points	Р
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	Р
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability And Over-Load Requirements	Р
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	Р
4.18	Holes, Clearance, And Accessibility of Mechanisms	Р
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers And Teething Toys	NA

Number: SHAH01620533





Number: SHAH01620533

**Tests Conducted** 

Section	Testing Items	<u>Assessment</u>
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NR#
4.26	Toys Intended to Be Attached to A Crib or Playpen	NA
4.27	Stuffed And Beanbag-Type Toys	NA
4.28	Stroller And Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yoyo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P#
6	Instructional Literature	P#
7.1	Producer's Markings - Name Of Producer/Distributor	Yes
	- Address	Yes
7.3	Toy Chests	NA

The Submitted Samples Were Undergone the Tests in Accordance with Section 8.5 Through Section 8.18 And 8.20 Through 8.26 On Normal Use, Abuse and Specific Tests for Different Types of Toys Whichever Is Applicable.

# = As applicant's request, section 4.25, 5.14, 6.5,7.2 for Battery-operated Toys were not assessed.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 To 06 Nov, 2023

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





**Tests Conducted** 

3 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-17.

Result = Did Not Ignite

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 17 Oct , 2023

4 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-23.

Result = Did Not Ignite

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 17 Oct , 2023

#### 5 Total Lead (Pb) Content for Surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result	Reproting Limit	<u>Limit</u>	
lest Item	(13)	(14)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	20	90

Remark: ppm = parts per million = mg/kg ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

Page 8 of 32

\*\*\*\*\*

SHAH01620533





Number: SHAH01620533

#### **Tests Conducted**

#### 6 Total Lead (Pb) Content for Surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result	Reproting Limit	<u>Limit</u>	
Test lient	(13)	(14)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	20	90

#### Remark: ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov, 2023

#### 7 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item		Result	in ppm		Reproting Limit	<u>Limit</u>
Test lielli	(1+2)	(3+4)	(5+15)	(6+7)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	10	100

Test Item		Result in ppm		Reproting Limit	<u>Limit</u>
Test lielli	(8+9)	(10+11)	(12+27)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	10	100

Test Item		Result in ppm		Reproting Limit	Limit
i est item	(16+17)	(18+19)	(20+21)	(ppm)	(ppm)
Lead(Pb)	ND	ND	ND	10	100

Test Item		Result	in ppm		Reproting Limit	<u>Limit</u>
	(22+23)	(24+25)	(26)	(28)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	18	ND	ND	ND	10	100

Remark: ppm = parts per million = mg/kg ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov, 2023

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





#### Number: SHAH01620533

**Tests Conducted** 

\*\*\*\*\*\*\*\*

#### 8 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tost Itom		Result in ppm Rep					
Test Item (*	(1+2)	(3+4)	(5+15)	(6+7)	<u>(ppm)</u>	<u>(ppm)</u>	
Lead(Pb)	ND	ND	ND	ND	10	100	

Test Item		Result in ppm		Reproting Limit	<u>Limit</u>
Test Item	(8+9)	(10+11)	(12+27)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	10	100

Test Item		Result in ppm		Reproting Limit	Limit
Test Item	(16+17)	(18+19)	(20+21)	(ppm)	(ppm)
Lead(Pb)	ND	ND	ND	10	100

		Result	Reproting Limit	<u>Limit</u>		
Test Item	(22+23)	(24+25)	(26)	<u>(ppm)</u>	<u>(ppm)</u>	
Lead(Pb)	18	ND	ND	ND	10	100

Remark: ppm = parts per million = mg/kg ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





#### Number: SHAH01620533

**Tests Conducted** 

#### 9 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result	<u>(ppm)</u>	Reporting Limit	Limit
	(13)	(14)	<u>(ppm)</u>	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	2.5	25

Remark: Sol. = Soluble

ppm = parts per million = mg/kg spl.wt. = Sample weight ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





#### Number: SHAH01620533

**Tests Conducted** 

#### 10 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-23, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result	(ppm)	Reporting Limit	Limit
	(13)	(14)	<u>(ppm)</u>	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	2.5	25

Remark: Sol. = Soluble

ppm = parts per million = mg/kg spl.wt. = Sample weight ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





#### **Tests Conducted**

#### SHAH01620533 Number:

#### Heavy Metal Elements Analysis in Non-Surface Coating Materials (Substrate Except Modelling Clay) 11

As per section 4.3.5.2(2)(a)(b) of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 and acid extraction method were used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item			<u>R</u>	esult (ppr	<u>n)</u>			Reporting	<u>Limit</u>
Test lielli	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Limit (ppm)	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item			Result	: (ppm)			Reporting	Limit
	(8)	(9)	(10)	(11)	(12)	(15)	Limit (ppm)	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item			<u>R</u>	esult (ppr	<u>n)</u>			Reporting	Limit
	(16)	(17)	(18)	(19)	(20)	(21)	(22)	Limit (ppm)	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

Page 13 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





**Tests Conducted** 

Test Item			Result	: (ppm)			Reporting	Limit
	(23)	(24)	(25)	(26)	(27)	(28)	Limit (ppm)	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Remark: Sol. = Soluble

ppm = parts per million = mg/kg ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

#### 12 Heavy Metal Elements Analysis in Non-Surface Coating Materials (Substrate Except Modelling Clay)

As per section 4.3.5.2(2)(a)(b) of the ASTM standard consumer safety specification on toy safety F963-23, CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 and acid extraction method were used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item			<u>R</u>	<u>Result (ppm)</u>			Reporting	Limit	
restillem	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Limit (ppm)	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

Page 14 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





**Tests Conducted** 

Number: SHAH

SHAH01620533

Test Item	Result (ppm)					Reporting	Limit				
Test lielli	(8)	(9)	(10	D)	(*	(11)		(12)	(15)	Limit (ppm)	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	N	C	٢	ND		ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	N	C	١	1D		ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	N	0	2	1D		ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	N	C	Ν	1D		ND	ND	5	60
Sol. Selenium (Se)	ND	ND	N	C	Ν	1D		ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	N	0	2	1D		ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	N	C	٢	1D		ND	ND	5	60
Sol. Arsenic (As)	ND	ND	N	C	Ν	1D		ND	ND	2.5	25
			_							1	
Test Item	Item Result (ppm)		-	Reporting	Limit						
	(16)	(17)	(18)	(1	9)	(20)	)	(21)	(22)	Limit (ppm)	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	N	D	ND	)	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	N	D	ND	)	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	N	D	ND	)	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	N	D	ND	)	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	N	D	ND	)	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	N	D	ND	)	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	N	D	ND	)	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	N	D	ND	)	ND	ND	2.5	25
				ooult	(nnn	a)					1
Test Item	(23)	(24)	(25	<u>esult</u> 5)		<u>n)</u> 26)	(	(27)	(28)	<u>Reporting</u> Limit (ppm)	<u>Limit</u> (ppm)
Sol. Barium (Ba)	ND	ND	N	C	٢	1D		ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	N	D	Ν	1D		ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	N	D	Ν	1D		ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	N	C	Ν	1D		ND	ND	5	60
				_			1				

Remark: Sol. = Soluble

Sol. Selenium (Se)

Sol. Chromium (Cr)

Sol. Mercury (Hg)

Sol. Arsenic (As)

ppm = parts per million = mg/kg ND= Not detected (Less than reporting limit)

ND

ND

ND

ND

Tested Components: See component list in the last section of this report.

ND

5

5

5

2.5

500

60

60

25

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





#### **Tests Conducted**

#### 13 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products.

Tracking Label Found on the Packaging: Pinghu Wei Hai Industry Co.,Ltd No.358 Jinsha Road, Xincang, Pinghu, Zhejiang, China Batch Number: WH4620061800 Date Code: Oct,2023

Tracking Label Found on the Product: Pinghu Wei Hai Industry Co.,Ltd No.358 Jinsha Road, Xincang, Pinghu, Zhejiang, China Batch Number: WH4620061800 Date Code: Oct,2023

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 To 17 Oct, 2023

#### 14 Physical and Mechanical Test

As per U.S. Code of Federal Regulations title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's Specified Age Group for Testing: Over 36 months

	No. of SampleTested	<u>Sharp Point</u> (1500.48)	<u>Sharp Edge</u> (1500.49)	<u>Small Part</u> (1501)
As Received	1	Р	Р	NA
Impact (1500.53 (b))	1	Р	Р	NA
Flexure (1500.53 (d))	0	NA	NA	NA
Torque (1500.53 (e))	1	Р	Р	NA
Tension (1500.53 (f))	1	Р	Р	NA
Compression (1500.53 (g))	1	Р	Р	NA
Remark: P = Pass				

NA = Not Applicable

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 To 17 Oct, 2023

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Number: SHAH01620533



**Tests Conducted** 

15 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Did Not Ignite

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 To 17 Oct, 2023

#### 16 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(13)	<20	90
(14)	<20	90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

#### 17 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations title 16 part 1303, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result (%)	<u>Limit (%)</u>
(13)	<0.002	0.009
(14)	<0.002	0.009

The limit was quoted according to CPSC Regulation CFR title 16 Part 1303 for Lead (Pb) content.

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

\*\*\*\*\*\*

SHAH01620533





#### **Tests Conducted**

## Number: SHAH01620533

## 18 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(1+2)	<10	100
(3+4)	<10	100
(5+15)	<10	100
(6+7)	<10	100
(8+9)	<10	100
(10+11)	<10	100
(12+27)	<10	100
(16+17)	<10	100
(18+19)	<10	100
(20+21)	<10	100
(22+23)	18	100
(24+25)	<10	100
(26)	<10	100
(28)	<10	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

Page 18 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





**Tests Conducted** 

19 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Test item</u>		Resu	<u>ult (%)</u>		<u>Limit (%) (Max.)</u>
		(1+2+3)	(4+5+15)	(6+7+8)	(9+10+11)	
	Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
	Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
	Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
	Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
	Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
	Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
	Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
	Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1
	<u>Test item</u>		Resu	<u>ult (%)</u>		<u>Limit (%) (Max.)</u>
		(12+27)	(13)	(14)	(17+18+19)	
	Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
	Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
	Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
	Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
	Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
	Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
	Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
	Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1
	Test item		<u>R</u>	<u>esult (%)</u>		<u>Limit (%)</u>
		(20+21+22)	(23+24+	.25) (16.	+26) (28	<u>(Max.)</u>
	Dibutyl phthalate (DBP)	(20121122) ND	ND		ID NI	
	Di-(2-ethylhexyl) phthalate (DEHP)	0.01	ND	Ν	ID NI	0.1
	Benzyl butyl phthalate (BBP)	ND	ND	Ν	ID NI	0.1
	Diisononyl phthalate (DINP)	ND	ND	Ν	ID NI	0.1
	Diisobutyl phthalate (DIBP)	ND	ND	N	ID NI	0.1
	Di-n-pentyl phthalate (DPENP)	ND	ND	N	ID NI	0.1
	Di-n-hexyl phthalate (DHEXP)	ND	ND	N	ID NI	0.1
	Dicyclohexyl phthalate (DCHP)	ND	ND		ID NI	0.1
*********	***************************************	*****	*******	*****	*****	******

Page 19 of 32



Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com

SHAH01620533



**Tests Conducted** 

Number: SHAH01620533

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected Detection Limit = 0.01%

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov, 2023

#### 20 Total Lead (Pb) content

With reference to us EPA method 3050B, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	<u>Result (ppm)</u>	Requirement (ppm)
(13)	<20	90
(14)	<20	90
(1+2)	<10	100
(3+4)	<10	100
(5+15)	<10	100
(6+7)	<10	100
(8+9)	<10	100
(10+11)	<10	100
(12+27)	<10	100
(16+17)	<10	100
(18+19)	<10	100
(20+21)	<10	100
(22+23)	18	100
(24+25)	<10	100
(26)	<10	100
(28)	<10	100

The above limit was quoted from the Consent Judgement No. RG-356892 settled by superior court of the state of California for the county of Alameda, for toys based on the California Proposition 65.

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

Page 20 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





#### **Tests Conducted**

#### 21 Phthalate Content

With reference to CPSC-CH-C1001-09.3 and by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		Result (9	<u>%, w/w)</u>		<u>Limit (%, w/w)</u>
	(1+2+3)	(4+5+15)	(6+7+8)	(9+10+11)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	
		Result (9	%, w/w)		<u>Limit (%, w/w)</u>
	(12+27)	(13)	(14)	(17+18+19)	<u> </u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	
		Result (9	%. w/w)		<u>Limit (%, w/w)</u>
	(20+21+22)	(23+24+25)	(16+26)	(28)	<u>+</u>
Dibutyl phthalate (DBP)	` ND ´	` ND ´	` ND ´	ŇĎ	0.1
Diethyl hexyl phthalate (DEHP)	0.01	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	

Remark: The above limit was quoted from the consent judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda , for Toys based on the California Proposition 65.

ND = Not Detected Detected Limit = 0.01%(w/w)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023 \*\*\*\*\* \*\*\*\*\*



No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



SHAH01620533 Number:



#### **Tests Conducted**

#### 22 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %
(13)	<0.002
(14)	<0.002
(1+2)	<0.001
(3+4)	<0.001
(5+15)	<0.001
(6+7)	<0.001
(8+9)	<0.001
(10+11)	<0.001
(12+27)	<0.001
(16+17)	<0.001
(18+19)	<0.001
(20+21)	<0.001
(22+23)	0.0018
(24+25)	<0.001
(26)	<0.001
(28)	<0.001

#### Requirement:

The total Lead content shall not exceed 0.009% for surface coating and 0.01% for non-surface coating material (substrate) in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

Remark: < = Less Than

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com

SHAH01620533





#### Tests Conducted

#### 23 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: Over 36 months

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety<br/>Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.TestParameterDrop test4 x (0.909±0.005) mPull test42.5±2 NPush test42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	NA
4	Packaging	
	(a) The opening perimeter is less than 14 inches	NA
	(b) The opening perimeter is more than 14 inches	NA
	Electrical hazard	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	NA
8	Metal edges	Р
9	Wire frames	NA
10	Plastic edges	Р
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	Р
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	
19	Noise limit	Р
	Thermal hazards	
20	Heated surfaces, parts or substances	Р
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	·
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 SHAH01620533





#### Number: SHAH01620533

**Tests Conducted** 

No.	Testing Items	Assessment
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	Plant seeds	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass

NA = Not Applicable

Date sample received: 13 Oct, 2023 Testing period: 13 Oct, 2023 to 17 Oct, 2023

#### 24 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

Cellulose Nitrate/Celluloid

Assessment Absent Requirement Absent

Date sample received: 13 Oct, 2023 Testing period: 13 OCT, 2023 to 17 Oct, 2023

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





#### Number: SHAH01620533

**Tests Conducted** 

#### 25 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry and Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result	(mg/kg)	Reporting Limit	<u>Limit</u>
	(13)	(14)	<u>(mg/kg)</u>	(mg/kg)
Tot. Lead (Pb)	ND	ND	10	90
Tot. Mercury (Hg)	ND	ND	0.047	10
Sol. Cadmium (Cd)	ND	ND	5	1000
Sol. Antimony (Sb)	ND	ND	5	1000
Sol. Selenium (Se)	ND	ND	5	1000
Sol. Arsenic (As)	ND	ND	2.5	1000
Sol. Barium (Ba)	ND	ND	5	1000

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and Amendment SOR/2022-122 for prohibition on toxic elements in stickers, films and surface coating materials.

Tot. = Total Sol. = Soluble ND = Not detected (less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

Page 25 of 32



No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



#### **Tests Conducted**

#### 26 Phthalate Content Test

With reference to method CPSC-CH-C1001-09.3 and followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

Tested Compound		Limit(mg/kg) (Max.)			
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(1+2+3) ND ND ND ND ND ND	(4+5+15) ND ND ND ND ND ND	(6+7+8) ND ND ND ND ND ND	(9+10+11) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound		Limit(mg/kg) (Max.)			
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(12+27) ND ND ND ND ND ND	(13) ND ND ND ND ND	(14) ND ND ND ND ND	(17+18+19) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound		Limit(mg/kg) (Max.)			
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP)	(20+21+22) ND 145 ND	(23+24+25) ND ND ND	(16+26) ND ND ND	(28) ND ND ND	1000 1000 1000

Remark: The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

ND

ND

ND

ND

ND

ND

Detection Limit = 100mg/kg ND = Not Detected

Di-iso-nonyl phthalate (DINP)

Di-n-octyl phthalate (DNOP)

Di-iso-decyl phthalate (DIDP)

Tested Components: See component list in the last section of this report.

ND

ND

ND

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023 \*\*\*\*\* \*\*\*\*\*

Page 26 of 32

ND

ND

ND



Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司

Number:

SHAH01620533

. . . . . . .

1000

1000

1000



#### **Tests Conducted**

#### 27 Toxic Elements Analysis

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	(1) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(2) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(3) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	sult (mg/kg) (4) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(5) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(6) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(7) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	Limit (mg/kg) 90 1000 60 75 60 60 60 500 25
Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	(8) <10 <5 <5 <5 <5 <5 <5 <2.5	(9) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	<u>Re</u> (10) <5 <5 <5 <5 <5 <5 <2.5	sult (mg/kg) (1 <1 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	1) 0 5 5 5 5 5 5 5 5 5	(12) <10 <5 <5 <5 <5 <5 <5 <2.5	(15) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	Limit (mg/kg) 90 1000 60 75 60 60 60 500 25
Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	(16) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(17) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(18) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	sult (mg/kg) (19) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(20) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(21) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(22) 36 <5 <5 <5 <5 <5 <5 <5 <2.5	Limit (mg/kg) 90 1000 60 75 60 60 60 500 25
Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	(23) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(24) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	Re (25) <10 <5 <5 <5 <5 <5 <5 <2.5	sult (mg/kg) (26 <1 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	6) 0 5 5 5 5 5 5 5 5 5	(27) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(28) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	Limit (mg/kg) 90 1000 60 75 60 60 60 500 25

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com

SHAH01620533





Number: SHAH01620533

**Tests Conducted** 

Remark: mg/kg = Milligram per kilogram Tot. = Total Sol. = Soluble

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

#### 28 Total Lead (Pb) Content

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (mg/kg)	Limit (mg/kg)
(13)	ND	90
(14)	ND	90
(1+2)	ND	90
(3+4)	ND	90
(5+15)	ND	90
(6+7)	ND	90
(8+9)	ND	90
(10+11)	ND	90
(12+27)	ND	90
(16+17)	ND	90
(18+19)	ND	90
(20+21)	ND	90
(22+23)	18	90
(24+25)	ND	90
(26)	ND	90
(28)	ND	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Remark: Reporting Limit = 10 mg/kg for substrate, 20 mg/kg for coating. ND=Not Detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023

Page 28 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com





**Tests Conducted** 

SHAH01620533 Number:

#### 29 Total Lead (Pb) Content on Products with Applied Stickers, Films or Surface Coating Materials

As per Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

**Tested Component** (13) (14)

Result (mg/kg) <20 <20

Limit (mg/kg) 90 90

Remark : mg/kg = Milligram per kilogram

Tested Components: See component list in the last section of this report.

Date Sample Received: 13 Oct, 2023 Testing Period: 13 Oct, 2023 to 10 Nov , 2023 

Page 29 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



## intertek Total Quality. Assured.

SHAH01620533 Test Report Number: **Tests Conducted** Photo SHAH01620533 SHAH01620533 \*\*\*\*\*\*\* \*\*\*\*\* 

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





**Tests Conducted** 

Number: SHAH01620533



The Samples Were Submitted By The Client, Only For Reference

Page 31 of 32

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





**Tests Conducted** 

Components List:

- (1) Green plastic.
- (2) Red plastic.
- (3) Pink plastic.
- (4) Orange plastic.
- (5) Dark blue plastic.
- (6) White soft plastic (wire covering).
- (7) Black soft plastic(wire covering).
- (8) Dark green soft plastic (wire covering).
- (9) Red soft plastic (wire covering).
- (10) Dark blue soft plastic (wire covering).
- (11) Yellow soft plastic (wire covering).
- (12) Pink soft plastic (wire covering).
- (13) Bright silver coating on plastic(steering wheel, tail body).
- (14) Black coating on metal(chassis).
- (15) Purple plastic(body).
- (16) White plastic(body).
- (17) Black plastic(front fence).
- (18) Transparent plastic(front light).
- (19) Red transparent plastic(trail light).
- (20) Black plastic(steering wheel).
- (20) Black plastic(steelin (21) Black plastic(seat).
- (21) Diack plastic(seal).
- (22) Black plastic(wheels).
- (23) Red plastic(damping device).
- (24) Red plastic(switch button).
- (25) Green transparent plastic (button).
- (26) Black plastic (charger).
- (27) Transparent soft plastic film(spring cover).

(28) Black webbing(safety belt).

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

Page 32 of 32

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Number: SHAH01620533