

Date:

28 Apr, 2023

Applicant: ZHEJIANG JIAJIA RIDE-ON CO.,LTD

XINCANG INDUSTRIAL ZONE PINGHU CITY.

ZHEJIANG, CHINA.

Sample Description:

One (1) group of submitted sample said to be :

Item Name : CHILDREN'S CAR.

Item No.:JJ2099.Labelled Age Group:37-96 months.Packaging Provided By Applicant:Yes(ART WORK).

Goods Exported To : USA.
Country Of Origin : China

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

Tested SampleStandardResultSubmitted Sample SetU.S. ASTM F963-17 Physical And Mechanical TestsPassExcluding Clause 4.25, 5.15, 6.5, 6.6, 7.2

Submitted Sample Set U.S. ASTM F963-17 Flammability Test of Materials Other Than Textile Pass

Materials

Tested Components Of U.S. ASTM F963-17 For Total Lead Content In Surface Coating Pass Submitted Sample

Tested Components Of U.S. ASTM F963-17 For Total Lead Content In Non-Surface Coating Pass Submitted Sample

Tested Components Of U.S. ASTM F963-17 For Heavy Metal Elements Test On Surface Coating Pass

Submitted Sample Material

Tested Components Of U.S. ASTM F963-17 section 4.3.5.2(2)(a)(b) For Heavy Metal Elements Test Pass

Submitted Sample On Non-Surface Coating Materials

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Peter Chen General Manager







Test Report Number: SHAH01560082
Conclusion:

Tested Sample Tested Components Of Submitted Sample	Standard U.S. CFR title 16(CPSC regulations) Part 1303 Total Lead Content	Result Pass
Tested Components Of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 For Total Lead Content In Surface Coating	Pass
Tested Components Of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 For Total Lead Content In Non-Surface Coating Materials (Substrate)	Pass
Tested Components Of Submitted Sample	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
Submitted Sample Set	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products	Pass
Submitted Sample Set	U.S. CFR Title 16 (CPSC Regulations) Mechanical and Physical Tests 1500.48 Sharp Point 1500.49 Sharp Edge 1501 Small parts	Pass
Submitted Sample Set	U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) Flammability Test On Rigid and Pliable Solids	Pass
Tested Components Of Submitted Sample	California Proposition 65 for Toys Consent Judgement No. RG-356892 -Total Lead Content	Pass

California Proposition 65 for Toys Consent Judgment No. BG-350969

Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-

- Phthalate Content

1019)

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Tested Components Of

Tested Components Of

Submitted Sample

Submitted Sample

Peter Chen General Manager



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com

Pass

Pass





Test Report		Number:	SHAH0156	60082
Conclusion: Tested Sample Submitted Sample Set	Standard Canada Consumer Product Safety Act Toys Regulat amendments SOR/2016-195, SOR/2016-302 and Source - Mechanical And Physical Test			Result Pass
Submitted Sample Set	Canada Consumer Product Safety Act Toys Regulat section 21 with amendments SOR/2016-195, SOR/SOR/2018-138- Cellulose Nitrate And Celluloid			Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulat section 23 And Amendments SOR/2016-195 For T			Pass
Tested Components Of Submitted Sample	Phthalates content requirement in Canada Consun Phthalates Regulation SOR/2016-188	ner Product Sa	fety Act	Pass
Tested Components (1)-(15),(20)Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulat Section 27(3)(a)&(b) For Accessible Plastic Material Under 3 Years Of Age			Pass
Tested Components (18),(19)Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulat Section 27(3)(a)&(b) For Accessible Plastic Material Under 3 Years Of Age			Pass See Comment
Tested Components Of Submitted Sample	Canada Consumer Products Containing Lead Reg	ulations SOR/2	2018-83	Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Surface Co SOR/2016-193 Section 6 and amendment SOR/20 content test on products with applied stickers, films)22-122 for tota	al lead	Pass

Comment:

The Testing Scope Of The Following Standard (Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(A)&(B)) Was Not Applicable To The Submitted Sample. However, The Test Result Of The Sample Met The Related Requirement As Stated In This Report.

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

materials

Peter Chen General Manager







Tests Conducted

1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Applicant's Specified Age Group for Testing: For 37 - 96 months.

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances				
Act (FHSA), Title 16, Code of	Federal Regulations: -			
Test	<u>FHSA</u>	<u>Parameter</u>		
Impact Test	Section 1500.53(b)	4 x 3.0 ft		
Tip over Test	Section 1500.53(b)	3 times		
Torque Test	Section 1500.53(e)	4 in-lbf		
Tension Test	Section 1500.53(f)	15 lbf		
Compression Test	Section 1500.53(g)	30 lbf		

Section	Testing Items	Assessment
4.1	Material Quality	Р
4.5	Sound-Producing Toys	Р
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	Р
4.8	Projections	Р
4.9	Accessible Points	Р
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	Р
4.12	Plastic Film	Р
4.13	Folding Mechanisms and Hinges	Р
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	Р
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	Р
4.18	Holes, Clearance, and Accessibility of Mechanisms	Р
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NR#
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA



SHAH01560082 **Test Report** Number:

Tests Conducted		
<u>Section</u>	Testing Items	<u>Assessment</u>
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P#
6	Instructional Literature	P#
7	Producer's Markings - Name of Producer/Distributor - Address	Yes Yes

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass NA = Not Applicable NR= Not requested

= As applicant's request, section 4.25, 5.15, 6.5, 6.6, 7.2 for Battery-operated Toys were not assessed

Date Sample Received: 11 Apr, 2023



Tests Conducted

2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-17.

Result = Did Not Ignite

Date Sample Received: 11 Apr, 2023

Testing Period: 11 Apr, 2023 To 26 Apr, 2023

3 Total Lead (Pb) Content for Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in ppm	<u>Limit (ppm)</u>
(16)	<20	90
(17)	<20	90

Remark: ppm = parts per million = mg/kg

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023



Tests Conducted

4 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result in ppm	Limit (ppm)
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	33	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100

Remark: ppm = parts per million = mg/kg

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr., 2023



Tests Conducted

5 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm)	Limit (ppm)
(16)	(17)	
Sol. Barium (Ba) <5	<5	1000
Sol. Lead (Pb) <5	<5	90
Sol. Cadmium (Cd) <5	<5	75
Sol. Antimony (Sb) <5	<5	60
Sol. Selenium (Se) <5	<5	500
Sol. Chromium (Cr) <5	<5	60
Sol. Mercury (Hg) <5	<5	60
Sol. Arsenic (As) <2.5	<2.5	25

Remark: Sol. = soluble

ppm = parts per million = mg/kg

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023



Tests Conducted

6 Heavy Metal Elements Analysis In Non-Surface Coating Materials (Substrate Except Modelling Clay)

As per section 4.3.5.2(2)(a)(b) of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 and acid extraction method were used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

				<u>R</u>	esult (ppr	<u>n)</u>				Limit (ppm)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
				R	esult (ppr	n)				Limit (ppm)
	(10)	(11)	(12)	(13)	esult (ppr (14)	<u>n)</u> (15)	(18)	(19)	(20)	Limit (ppm)
Sol. Barium (Ba)	(10) <5	(11) <5	(12) <5			-	(18) <5	(19) <5	(20) <5	Limit (ppm) 1000
Sol. Lead (Pb)	. ,			(13)	(14)	(15)	. ,			
Sol. Lead (Pb) Sol. Cadmium (Cd)	`<5 [°]	`<5 [°]	<5	(13) <5	(14) <5	(15) <5	`<5 [°]	`<5 [°]	<5	1000
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb)	<5 <5	<5 <5	<5 <5	(13) <5 <5	(14) <5 <5	(15) <5 <5	<5 <5	<5 <5	<5 <5	1000 90
Sol. Lead (Pb) Sol. Cadmium (Cd)	<5 <5 <5 <5 <5	<5 <5 <5	<5 <5 <5	(13) <5 <5 <5 <5 <5	(14) <5 <5 <5	(15) <5 <5 <5	<5 <5 <5	<5 <5 <5	<5 <5 <5	1000 90 75
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr)	<5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5	(13) <5 <5 <5 <5 <5 <5 <5	(14) <5 <5 <5 <5	(15) <5 <5 <5 <5	<5 <5 <5 <5	<5 <5 <5 9	<5 <5 <5 <5	1000 90 75 60
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se)	<5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5	(13) <5 <5 <5 <5 <5	(14) <5 <5 <5 <5 <5	(15) <5 <5 <5 <5 <5	<5 <5 <5 <5 <5	<5 <5 <5 <5 9 <5	<5 <5 <5 <5 <5	1000 90 75 60 500

Remark: Sol. = soluble

ppm = parts per million = mg/kg

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023



Tests Conducted

7 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations title 16 part 1303, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result (%)	<u>Limit (%)</u>
(16)	<0.002	0.009
(17)	<0.002	0.009

The limit was quoted according to CPSC Regulation CFR title 16 Part 1303 for Lead (Pb) content.

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023

Testing Period: 11 Apr, 2023 To 28 Apr, 2023

8 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(16)	<20	90
(17)	<20	90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023





Tests Conducted

9 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	Limit (ppm)
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	33	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023



Tests Conducted

10 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item			Limit (%) (Max.)			
	(1)	(2)	(3)	(4)	(5)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item			Result (%)			Limit (%) (Max.)
	(6)	(7)	(8)	(9)	(10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item			Result (%)			Limit (%) (Max.)
	(11) ND	(12) ND	(13)	(14)	(15)	
Dibutyl phthalate (DBP)			ND	ND ND	ND ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	0.01	ND			0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

(n)



Tests Conducted

<u>Test item</u>		Limit (%) (Max.)				
	(16)	(17)	(18)	(19)	(20)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.02	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected
Detection Limit = 0.01%

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023



Tests Conducted

11 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products.

Tracking Label Found on the Packaging:

U.S. Importer

Manufacturer: Zhejiang JiaJia Ride-on Co., Ltd.

Industry Park of Xincang, Pinghu,

Zhejiang, China

City, Country: Pinghu, China

Item No.:JJ2099 Date Code: April 2023

Batch Number 3307604824/WJ6

Tracking Label Found on the Product:

U.S. Importer

Manufacturer: Zhejiang JiaJia Ride-on Co.,Ltd.

Industry Park of Xincang, Pinghu,

Zhejiang, China

City, Country: Pinghu, China

Item No.:JJ2099 Date Code: April 2023

Batch Number 3307604824/WJ6

Note: The tracking label assessment was based on the submitted sample and the information provided by the

applicant. There was no verification on the validity of such information.

Date Sample Received: 11 Apr, 2023



Tests Conducted

12 Physical and Mechanical Test

As per U.S. Code of Federal Regulations title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's Specified Age Group for Testing: For 37 - 96 months.

	<u>N</u>	lo. of SampleTested	Sharp Point (1500.48)	<u>Sharp Edge</u> (1500.49)	Small Part (1501)
As Received		1	Р	Р	NA
Impact (1500.53 (b))		1	Р	Р	NA
Flexure (1500.53 (d))		0	NA	NA	NA
Torque (1500.53 (e))		1	Р	Р	NA
Tension (1500.53 (f))		1	Р	Р	NA
Compression (1500.53	(g))	1	Р	Р	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: 11 Apr, 2023

Testing Period: 11 Apr, 2023 To 26 Apr, 2023

13 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Did Not Ignite

Date Sample Received: 11 Apr, 2023





Tests Conducted

14 Total Lead (Pb) content

With reference to us EPA method 3050B,acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	Requirement (ppm)
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	33	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<20	90
(17)	<20	90
(18)	<10	100
(19)	<10	100
(20)	<10	100

The above limit was quoted from the Consent Judgement No. RG-356892 settled by superior court of the state of California for the county of Alameda, for toys based on the California Proposition 65.

Remark: ppm = parts per million = mg/kg

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023





Tests Conducted

15 Phthalate Content

With reference to CPSC-CH-C1001-09.3 and by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		<u>R</u>	esult (%, w/	<u>/w)</u>		Limit (%, w/w)
Dibutyl phthalate (DBP)	(1) ND	(2) ND	(3) ND	(4) ND	(5) ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		<u>R</u>	esult <u>(</u> %, w/	= -		Limit (%, w/w)
	(6) ND	(7) ND	(8) ND	(9) ND	(10) ND	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DNIP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	NB	ND	ND	ND	110	
		·	esult (%, w/			Limit (%, w/w)
Dibutyl phthalate (DBP)	(11) ND	(12) ND	(13) ND	(14) ND	(15) ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	0.01	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
*************	******	******	******	*****	*******	*******

(n)



Tests Conducted

		Limit (%, w/w)				
Dibutyl phthalate (DBP)	(16) ND	(17) ND	(18) ND	(19) ND	(20) ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	0.02	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	

Remark: The above limit was quoted from the consent Judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda , for Toys based on the California Proposition 65.

ND = Not Detected

Detected Limit = 0.01%(w/w)

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023

Testing Period: 11 Apr, 2023 To 28 Apr, 2023

(n)



Tests Conducted

16 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %
(16)	<0.002
(17)	< 0.002

Requirement:

The total Lead content shall not exceed 0.009% for surface coating and 0.01% for non-surface coating material (substrate) in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr. 2023



Tests Conducted

17 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: For 37 - 96 months.

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

<u>Test</u> <u>Parameter</u>

Drop test 4 x (0.909±0.005) m

 Pull test
 42.5±2 N

 Push test
 42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	Р
4	Packaging	<u>.</u>
	(a) The opening perimeter is less than 14 inches	Р
	(b) The opening perimeter is more than 14 inches	Р
	Electrical hazard	·
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	·
7	Small parts	NA
8	Metal edges	Р
9	Wire frames	NA
10	Plastic edges	Р
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	Р
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	
19	Noise limit	Р
	<u>Thermal hazards</u>	
20	Heated surfaces, parts or substances	Р
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA



Tests Conducted

Conducted		
No.	Testing Items	Assessment
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	Plant seeds	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	·
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass NA = Not Applicable

Date Sample Received: 11 Apr, 2023

Testing Period: 11 Apr, 2023 To 26 Apr, 2023

18 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

Cellulose Nitrate/Celluloid Absent Requirement Absent Absent

Date Sample Received: 11 Apr, 2023



Tests Conducted

19 Toxic Elements Analysis

As per method C02.2, C07 and C03, published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: test methods section, by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result	(mg/kg)	Limit (mg/kg)
	(16)	(17)	
Tot. Lead (Pb)	<20	<20	90
Tot. Mercury (Hg)	ND	ND	ND
Sol. Cadmium (Cd)	<10	<10	1000
Sol. Antimony (Sb)	<10	<10	1000
Sol. Selenium (Se)	<10	<10	1000
Sol. Arsenic (As)	<10	<10	1000
Sol. Barium (Ba)	<10	<10	1000

Remark: mg/kg = Milligram per kilogram

Tot. = Total Sol. = Soluble

ND = Not Detected (<0.047 mg/kg)

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023



Tests Conducted

20 Phthalate Content Test

With reference to method CPSC-CH-C1001-09.3 and followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

Tested Compound		Limit(mg/kg) (Max.)				
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP)	(1) ND ND	(2) ND ND	(3) ND ND	(4) ND ND	(5) ND ND	1000 1000
Benzyl butyl phthalate (BBP)	ND ND	ND	ND ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000
Bride deey, primatate (BiBr)	NB	110	110	110	110	1000
Ttd Od		_	14 //1-	\		Limit(mg/kg)
Tested Compound		<u> </u>	esult (mg/k	<u>g)</u>		(Max.)
	(6)	(7)	(8)	(9)	(10)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000
Tested Compound		R	esult (mg/k	a)		<u>Limit(mg/kg)</u>
	/a a \				(45)	<u>(Max.)</u>
Di bartal alabadata (DDD)	(11)	(12)	(13)	(14)	(15)	1000
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	146	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000



Tests Conducted

Tested Compound	Result (mg/kg)					Limit(mg/kg) (Max.)
	(16)	(17)	(18)	(19)	(20)	<u>, </u>
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	185	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000

Remark: The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Detection Limit = 100mg/kg

ND = Not Detected

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023



Tests Conducted

21 Toxic Elements Analysis

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

				Re	sult (mg/	/kg)				<u>Limit (mg/kg)</u>
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
Result (mg/kg)							<u>Limit (mg/kg)</u>			
	(10)	(11)	(12)	(13)	(14)	(15)	(18)	(19)	(20)	
Tot. Lead (Pb)	<10	<10	33	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	9	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark: mg/kg = Milligram per kilogram

Tot. = Total Sol. = Soluble

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023





Tests Conducted

22 Total Lead (Pb) Content

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (mg/kg)	Limit (mg/kg)
(1)	ND	90
(2)	ND	90
(3)	ND	90
(4)	ND	90
(5)	ND	90
(6)	ND	90
(7)	ND	90
(8)	ND	90
(9)	ND	90
(10)	ND	90
(11)	ND	90
(12)	33	90
(13)	ND	90
(14)	ND	90
(15)	ND	90
(16)	ND	90
(17)	ND	90
(18)	ND	90
(19)	ND	90
(20)	ND	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Remark: Reporting Limit = 10 mg/kg for substrate, 20 mg/kg for coating

ND=Not Detected (Less than reporting limit)

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023





Tests Conducted

23 Total Lead (Pb) Content on Products with Applied Stickers, Films or Surface Coating Materials

As per Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (mg/kg)	<u>Limit (mg/kg)</u>
(16)	<20	90
(17)	<20	90

Remark: mg/kg = Milligram per kilogram

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: 11 Apr, 2023

Testing Period : 11 Apr, 2023 To 28 Apr, 2023

(n)



Tests Conducted



The Sample Were Submitted By Client's, Only For Reference.





Tests Conducted

- Components List:
 - (1) Black plastic.(body).
 - (2) Yellow plastic.(body).
 - (3) White plastic.(body).
 - (4) Red plastic.(body).
 - (5) Pink plastic.(body).
 - (6) Green plastic.(body).
 - (7) Blue plastic(body).
 - (8) Black transparent plastic (front fence).
 - (9) Transparent plastic(front light, spotlight on frame).
 - (10) Orange transparent plastic(front light).
 - (11) Red transparent plastic(tail light).
 - (12) Black plastic(wheels).
 - (13) Black plastic (button).
 - (14) Red plastic (button).
 - (15) Red soft plastic (wire covering).
 - (16) Bright silver coating on plastic(music player panel, gear lever, steering wheel).
 - (17) Black coating on metal(chassis).
 - (18) Black webbing(safety belt).
 - (19) White adhesive paper with red, black printing(warning sticker).
 - (20) Black soft plastic (wire covering).

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.