

Applicant: DONGGUAN LICHUANG TOYS CO., LTD

NO.2 BAISHIGANG MARKET MIDDLE ROAD, CHANGPING TOWN, DONGGUAN CITY,

GUANGDONG PROVINCE Attn: YAN JUN YANG

Sample Description:

One (1) group of submitted sample said to be :

Item Name : Interactive Firetruck

Item No.:RT8026Labelled Age Group:37-95 monthsPackaging Provided By Applicant:Yes(Art work).Goods Exported To:USA CANANDA.

Country Of Origin : China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

Tested SamplesStandardResultSubmitted SampleU.S. ASTM F963-23 Physical and Mechanical Tests.
Excluding section 4.25, 5.14, 6.5, 6.6, 6.9 and 7.2PassSubmitted SampleU.S. ASTM F963-23 Flammability Test of Materials other than Textile
MaterialsPassTested ComponentsU.S. ASTM F963-23 for total Lead content in surface coatingPass

Of Submitted Sample

Tested Components U.S

U.S. ASTM F963-23 for total Lead content in non-surface coating materials

Tested Components Of Submitted Sample

Of Submitted Sample

U.S. ASTM F963-23 for heavy metal elements test on surface coating material Pass

Tested Components Of Submitted Sample U.S. ASTM F963-23 section 4.3.5.2(2)(a)(b) for heavy metal elements test on

non-surface coating materials

Submitted Sample Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Pass

Tracking Labels for Children Products

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Pass

Pass

08 Jul, 2024

Date:





Conclusion:

Test Report

Of Submitted Sample

Tested Components

Of Submitted Sample

Of Submitted Sample

Submitted Sample

Tested Samples Standard Result U.S. CFR Title 16 (CPSC Regulations)Mechanical and Physical Tests Submitted Sample 1500.48 Sharp Point Pass 1500.49 Sharp Edge **Pass** 1501 Small Part Not Applicable Submitted Sample U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) Flammability **Pass** Test On Rigid and Pliable Solids **Tested Components** U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for **Pass** Of Submitted Sample total Lead content in surface coating **Tested Components** U.S. CFR title 16(CPSC regulations) Part 1303 total Lead content Pass Of Submitted Sample **Tested Components** U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for Pass Of Submitted Sample total Lead content in non-surface coating materials (substrate) US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & **Tested Components** Pass

(b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child

California Proposition 65 for toys, Consent Judgement No. RG-356892 --- Total

Other Components California Proposition 65 for Toys , Consent judgment No. BG-350969 Pass - Phthalate content Tested California Proposition 65 for Toys , Consent judgment No. BG-350969 See Details Component(18) - Phthalate content **Enclosed** Of Submitted Sample **Tested Components** Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-Pass

Care Articles Containing Specified Phthalates

Lead Content

amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test **Pass**

Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with

Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section Submitted Sample 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138

- Cellulose Nitrate and Celluloid

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager

Intertek Testing Services Wuxi Ltd.

无锡天祥质量技术服务有限公司



Tel: +86 510 8821 4567

Fax: +86 510 8820 0428

www.intertek.com.cn www.intertek.com

SHAH01688957

Pass

Pass

Number:





Test Report SHAH01688957 Number: Conclusion: Tested Samples
Tested Components **Standard** Result Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section **Pass** 23 and amendment SOR/2022-122 on toxic elements test Of Submitted Sample Phthalates content requirement in Canada Consumer Product Safety Act **Tested Components Pass** Of Submitted Sample Phthalates Regulation SOR/2016-188 Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section Other Components **Pass** 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age Tested Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section Pass 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of Component(46),(50) (See Comment) Of Submitted Samples **Tested Components** Canada Consumer Products Containing Lead Regulations SOR/2018-83 Pass Of Submitted Sample Canada Consumer Product Safety Act Surface Coating Regulations **Tested Components** Pass Of Submitted Sample SOR/2016-193 Section 6 and amendment SOR/2022-122 for total lead

Comment:

Tested Components

Of Submitted Sample

The testing scope of the following standard (Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b)) was not applicable to the submitted sample. However, the test result of the sample met the related requirements as stated in this report.

content in products with applied stickers, films or surface coating materials

ASTM F963-23 section 4.3.8 on Phthalates content

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang

General Manager



Pass

(n)



Tests Conducted

1 Physical and Mechanical Tests

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

Applicant's specified age group for testing: For ages 37 to 95 months

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Impact test	Section 1500.53(b)	4 x 3.0 ft
Tip over test		3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Section	Requirement	Result
4.1	Material Quality (Visual check on cleanliness)	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (Small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (Small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	Р
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	Р
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	Р
4.18	Holes, clearance, and accessibility of mechanisms	Р
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA



Tests Conducted

Section	Requirement	Result
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NR#
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P#
5.1.2	Tracking label on product and packaging	Р
3	Instructional literature	P#
7	Producer's markings	
7.1	Name and Address of producer/distributor	Yes
7.2	Battery-Powered Ride-on Toy	NR#
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass NA= Not Applicable NR=Not Requested

Remark:

= As applicant's request, section 4.25, 5.14, 6.5, 6.6, 6.9 and 7.2 were not assessed.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 03 Jul, 2024

163mig 1610u. 10 may, 2024 10 00 un, 2024





Tests Conducted

2 Flammability Test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 03 Jul, 2024

3 Total Lead (Pb) Content for Surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result in ppm	Reproting Limit	<u>Limit</u>
restitem	(44)	<u>(ppm)</u>	(ppm)
Lead(Pb)	ND	20	90

Remark: ppm = parts per million= mg/kg

ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024



Tests Conducted

4 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

, ,		•	•						
To at Itama			Re	esult in pr	<u>om</u>			Reproting Limit	Limit
Test Item	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(ppm)	(ppm)
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100
Test Item			Re	esult in pr	<u>om</u>			Reproting Limit	<u>Limit</u>
Test item	(8)	(9)	(10)	(11)	(12)	(13)	(14)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100
	,							,	
Test Item			Re		Reproting Limit	<u>Limit</u>			
	(15)	(16)	(17)	(18)	(19)	(20)	(21)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100
F									
Test Item			Re	esult in pr	<u>om</u>			Reproting Limit	<u>Limit</u>
Test item	(22)	(23)	(24)	(25)	(26)	(27)	(28)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100
F									
Test Item			Re	esult in pr	<u>om</u>			Reproting Limit	<u>Limit</u>
Test item	(29)	(30)	(31)	(32)	(33)	(34)	(35)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100
Test Item			<u>Re</u>	esult in pr	<u>om</u>			Reproting Limit	<u>Limit</u>
Test item	(36)	(37)	(38)	(39)	(40)	(41)	(42)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100
	_								
Test Item		1		esult in pr				Reproting Limit	<u>Limit</u>
1001110111	(43)	(45)	(46)	(47)	(48)	(49)	(50)	(mqq)	(ppm)

Remark: ppm = parts per million = mg/kg

ND

ND= Not detected (Less than reporting limit)

ND

Tested Components: See component list in the last section of this report.

ND

ND

ND

ND

29

10

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024

(n)

100

Lead(Pb)



Tests Conducted

5 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-23, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (ppm) (44)	Reporting Limit (ppm)	<u>Limit</u> (ppm)
Sol. Barium (Ba)	ND	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Remark: Sol. = Soluble

ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 08 Jul, 2024

6 Heavy Metal Elements Analysis in Non-Surface Coating Materials (Substrate Except Modelling Clay)

As per section 4.3.5.2(2)(a)(b) of the ASTM standard consumer safety specification on toy safety F963-23, CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 and acid extraction method were used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item			<u>R</u>	esult (ppi	<u>m)</u>			Reporting Limit	<u>Limit</u>
rest item	(1)	(2)	(3)	(4)	(5)	(6)	(7)	<u>(ppm)</u>	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Test Report SHAH01688957 Number:

Tests Conducted

Test Item			<u>R</u>	esult (ppi	<u>m)</u>			Reporting Limit	Limit
Test item	(8)	(9)	(10)	(11)	(12)	(13)	(14)	<u>(ppm)</u>	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item			<u>R</u>	esult (ppi	<u>m)</u>			Reporting Limit	<u>Limit</u>
<u>rest item</u>	(15)	(16)	(17)	(18)	(19)	(20)	(21)	<u>(ppm)</u>	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item			<u>R</u>	esult (ppi	<u>m)</u>			Reporting Limit	<u>Limit</u>
Test item	(22)	(23)	(24)	(25)	(26)	(27)	(28)	<u>(ppm)</u>	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25



Tests Conducted

Test Item			<u>R</u>	esult (pp	<u>m)</u>			Reporting Limit	<u>Limit</u>
Test item	(29)	(30)	(31)	(32)	(33)	(34)	(35)	<u>(ppm)</u>	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item			<u>R</u>	esult (ppi	<u>m)</u>			Reporting Limit	<u>Limit</u>
<u>rest item</u>	(36)	(37)	(38)	(39)	(40)	(41)	(42)	<u>(ppm)</u>	(ppm)
Sol. Barium (Ba)	ND	ND	48	ND	ND	ND	7	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	6	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (ppm)					Reporting Limit	<u>Limit</u>		
<u>rest item</u>	(43)	(45)	(46)	(47)	(48)	(49)	(50)	<u>(ppm)</u>	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	7	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25

Remark: Sol. = Soluble

ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 08 Jul, 2024





Tests Conducted

7 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products.

Tracking Label Found on the Packaging:

Manufacturer Name: Pinghu Qileshi Baby Carrier Co., Ltd

Manufacturer Address: No.1698 Cangdong Road Xincang Town Pinghu City Zhejiang Province China

Item No.: QLS-8026 Date No.: 2024.04.10

Tracking Label Found on the Product:

Manufacturer Name: Pinghu Qileshi Baby Carrier Co.,Ltd

Manufacturer Address: No.1698 Cangdong Road Xincang Town Pinghu City Zhejiang Province China

Item No.: QLS-8026

Date No.: 2024.04.10

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 03 Jul, 2024

(n)



Tests Conducted

8 Physical and Mechanical Test

As per U.S. Code of Federal Regulations title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's Specified Age Group for Testing: For ages 37 to 95 months

	No. of SampleTeste	<u>Sharp Point</u> (1500.48)	<u>Sharp Edge</u> (1500.49)	Small Part (1501)
As Received	1	Р	Р	NA
Impact (1500.53 (b))	1	Р	Р	NA
Flexure (1500.53 (d))	0	NA	NA	NA
Torque (1500.53 (e))	1	Р	Р	NA
Tension (1500.53 (f))	1	Р	Р	NA
Compression (1500.53	(g)) 1	Р	Р	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 03 Jul, 2024

9 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Ignited but Self-Extinguished before Burn Rate Could be Determined

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 03 Jul, 2024





Tests Conducted

10 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

 Tested Component
 Result (ppm)
 Limit (ppm)

 (44)
 <20</td>
 90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 08 Jul, 2024

11 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations title 16 part 1303, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

 Tested component
 Result (%)

 (44)
 <0.002</td>

The limit was quoted according to CPSC Regulation CFR title 16 Part 1303 for Lead (Pb) content.

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 08 Jul, 2024

12 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	<10	100



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



ed

cted		
Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(13)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<10	100
(17)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100
(24)	<10	100
(25)	<10	100
(26)	<10	100
(27)	<10	100
(28)	<10	100
(29)	<10	100
(30)	<10	100
(31)	<10	100
(32)	<10	100
(33)	<10	100
(34)	<10	100
(35)	<10	100
(36)	<10	100
(37)	<10	100
(38)	<10	100
(39)	<10	100
(40)	<10	100
(41)	<10	100
(42)	<10	100
(43)	<10	100
(45)	<10	100
(46)	<10	100
(47)	<10	100
(48)	<10	100
(49)	<10	100
(50)	29	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024

(in)



Tests Conducted

13 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item]	Result (%)		Limit (%) (Max.)
	(1)	(2)	(3)	(4)	(5)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	0.01	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item		<u>.</u>	Result (%)		Limit (%) (Max.)
	(6)	(7)	(8)	(9)	(10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item		<u> </u>	Result (%)		Limit (%) (Max.)
	(11)	(12)	(13)	(14)	(15)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1



Tests Conducted

Test item		<u> </u>	Result (%)		Limit (%) (Max.)
	(16)	(17)	(18)	(19)	(20)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	0.02	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item		<u> </u>	Result (%)		Limit (%) (Max.)
	(21)	(22)	(23)	(24)	(25)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item]	Result (%)		Limit (%) (Max.)
	(26)	(27)	(28)	(29)	(30)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

age 10 of 35



Tests Conducted

Test item		<u> </u>	Result (%	<u>)</u>		Limit (%) (Max.)
	(31)	(32)	(33)	(34)	(35)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item		<u> </u>	Result (%)		Limit (%) (Max.)
	(36)	(37)	(38)	(39)	(40)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item		<u> </u>	Result (%	<u>)</u>		Limit (%) (Max.)
	(41)	(42)	(43)	(44)	(45)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1



Tests Conducted

Test item		<u>F</u>	Result (%)	<u>)</u>		Limit (%) (Max.)
	(46)	(47)	(48)	(49)	(50)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected

Detection Limit = 0.01%

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024

14 <u>Total Lead (Pb) content</u>

With reference to us EPA method 3050B, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	Requirement (ppm)
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<10	100
(17)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

ctea		
Tested Component	Result (ppm)	Requirement (ppm)
(24)	<10	100
(25)	<10	100
(26)	<10	100
(27)	<10	100
(28)	<10	100
(29)	<10	100
(30)	<10	100
(31)	<10	100
(32)	<10	100
(33)	<10	100
(34)	<10	100
(35)	<10	100
(36)	<10	100
(37)	<10	100
(38)	<10	100
(39)	<10	100
(40)	<10	100
(41)	<10	100
(42)	<10	100
(43)	<10	100
(44)	<20	90
(45)	<10	100
(46)	<10	100
(47)	<10	100
(48)	<10	100
(49)	<10	100
(50)	29	100

The above limit was quoted from the Consent Judgement No. RG-356892 settled by superior court of the state of California for the county of Alameda, for toys based on the California Proposition 65.

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024



Tests Conducted

15 Phthalate Content

With reference to CPSC-CH-C1001-09.3 and by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	Result (%, w/w)					Limit (%, w/w)
	(1)	(2)	(3)	(4)	(5)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	0.01	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		<u>Re</u>	esult (%, w/	<u>/w)</u>		Limit (%, w/w)
	(6)	(7)	(8)	(9)	(10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		<u>R</u> (esult <u>(%, w/</u>	<u>′w)</u>		Limit (%, w/w)
	(11)	(12)	(13)	(14)	(15)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	



SHAH01688957 **Test Report** Number:

Tests Conducted

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司

		<u>Re</u>	esult (%, w/	<u>w)</u>		Limit (%, w/w)
	(16)	(17)	(18)	(19)	(20)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	0.02	ND	ND	
		Re	esult (%, w/	<u>w)</u>		Limit (%, w/w)
	(21)	(22)	(23)	(24)	(25)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		Re	esult <u>(</u> %, w/	<u>w)</u>		Limit (%, w/w)
	(26)	(27)	(28)	(29)	(30)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

		Re	esult (%, w/	<u>/w)</u>		Limit (%, w/w)
	(31)	(32)	(33)	(34)	(35)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		Re	esult (%, w	<u>/w)</u>		Limit (%, w/w)
	(36)	(37)	(38)	(39)	(40)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
		<u>Re</u>	esult (%, w	<u>/w)</u>		Limit (%, w/w)
	(41)	(42)	(43)	(44)	(45)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	



Tests Conducted

		Limit (%, w/w)				
	(46)	(47)	(48)	(49)	(50)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	

Remark: The above limit was quoted from the consent judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda, for Toys based on the California Proposition 65.

DINP was detected but the specific limit for DINP on submitted sample was not established. Per California Proposition 65, businesses that expose individuals to listed chemical are required to provide a Proposition 65 warning, unless the business can show that the anticipated exposure level will not pose a significant risk of cancer or reproductive harm.

ND = Not Detected Detected Limit = 0.01%(w/w)

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024

16 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %
(1)	<0.001
(2)	<0.001
(3)	<0.001
(4)	<0.001
(5)	<0.001
(6)	<0.001
(7)	<0.001
(8)	<0.001
(9)	<0.001
(10)	<0.001
(11)	<0.001
(12)	<0.001
(13)	<0.001
(14)	<0.001
(15)	<0.001
(16)	<0.001
(17)	<0.001
(18)	<0.001
(19)	<0.001
(20)	<0.001





Tests Conducted

Tested (Component
(21)
	22)
	23) 24)
	2 4) 25)
	26)
	27)
(28)
	29)
	30)
	31)
(32) 33)
	34)
	35)
	36)
	37)
	38)
	39) 40)
`	41)
	42)
	43)
	44)
	45)
	46) 47)
	47) 48)
	4 9)
	50)
•	

Result in % < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 < 0.002 < 0.001 < 0.001 < 0.001 < 0.001 < 0.001 0.0029

Requirement:

The total Lead content shall not exceed 0.009% for surface coating and 0.01% for non-surface coating material (substrate) in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

17 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: For ages 37 to 95 months

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

<u>Test</u> <u>Parameter</u>

Drop test 4 x (0.909±0.005) m

Pull test 42.5 ± 2 N Push test 42.5 ± 2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	NA
4	Packaging	<u>.</u>
	(a) The opening perimeter is less than 14 inches	NA
	(b) The opening perimeter is more than 14 inches	NA
	Electrical hazard	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	NA
8	Metal edges	Р
9	Wire frames	NA
10	Plastic edges	Р
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	Р
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	
19	Noise limit	NA
	<u>Thermal hazards</u>	
20	Heated surfaces, parts or substances	Р
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA



Tests Conducted

No.	Testing Items	Assessment
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	Plant seeds	•
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass NA = Not Applicable

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 03 Jul, 2024

18 <u>Cellulose Nitrate and Celluloid</u>

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

Cellulose Nitrate/Celluloid Absent Requirement Absent Absent

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 03 Jul, 2024

Testing Period: 10 May, 2024 To 03 Jul, 2024



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

19 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry and Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (mg/kg)	Reporting Limit	<u>Limit</u>
<u>restitem</u>	(44)	<u>(mg/kg)</u>	(mg/kg)
Tot. Lead (Pb)	ND	10	90
Tot. Mercury (Hg)	ND	0.047	10
Sol. Cadmium (Cd)	ND	5	1000
Sol. Antimony (Sb)	ND	5	1000
Sol. Selenium (Se)	ND	5	1000
Sol. Arsenic (As)	ND	2.5	1000
Sol. Barium (Ba)	ND	5	1000

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and Amendment SOR/2022-122 for prohibition on toxic elements in stickers, films and surface coating materials.

Remark : Tot. = Total

Sol. = Soluble

ND = Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 08 Jul, 2024

20 Phthalate Content Test

With reference to method CPSC-CH-C1001-09.3 and followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

Tested Compound		<u>Limit(mg/kg)</u> (Max.)				
	(1)	(2)	(3)	(4)	(5)	<u> </u>
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	136	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

Tested Compound		<u>R</u>	esult (mg/kg	<u>a)</u>		Limit(mg/kg) (Max.)
	(6)	(7)	(8)	(9)	(10)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000
Tested Compound		R	esult (mg/kg	a)		Limit(mg/kg)
	(4.4)				(4.5)	<u>(Max.)</u>
Di butul abtholoto (DDD)	(11)	(12)	(13)	(14)	(15)	4000
Di-butyl phthalate (DBP)	ND	ND ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND ND	ND ND	ND ND	ND ND	ND ND	1000 1000
Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP)	ND ND	ND ND	ND	ND ND	ND ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND ND	ND ND	ND ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND ND	ND	ND	ND	1000
Di-130-decyl philialate (DIDI)	ND	ND	ND	ND	ND	1000
Tested Compound		R	esult (mg/kg	1)		Limit(mg/kg)
Tested Compound						<u>(Max.)</u>
	(16)	(17)	(18)	(19)	(20)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	225	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000
Tested Compound		R	esult (mg/kg	(1		Limit(mg/kg)
	(0.4)	_		_	(05)	<u>(Max.)</u>
Di butul abtholoto (DDD)	(21)	(22)	(23)	(24)	(25)	1000
Di-butyl phthalate (DBP)	ND	ND	ND	ND ND	ND ND	1000
Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP)	ND ND	ND ND	ND ND	ND ND	ND ND	1000 1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000
						Limit(mg/kg)
Tested Compound		<u>R</u>	<u>esult (mg/kg</u>	<u>a)</u>		(Max.)
	(26)	(27)	(28)	(29)	(30)	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000





SHAH01688957 **Test Report** Number:

Tests Conducted

Tested Compound		<u>R</u>	esult (mg/kg	<u>ı)</u>		Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(31) ND ND ND ND ND ND	(32) ND ND ND ND ND ND	(33) ND ND ND ND ND ND	(34) ND ND ND ND ND ND	(35) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound		<u>R</u>	esult (mg/kg	<u>ı)</u>		Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(36) ND ND ND ND ND ND	(37) ND ND ND ND ND ND	(38) ND ND ND ND ND ND ND ND	(39) ND ND ND ND ND	(40) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound		R	esult (mg/kg	1)		Limit(mg/kg)
. cotos composito			Count (mg/kg	4		(Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(41) ND ND ND ND ND	(42) ND ND ND ND ND ND	(43) ND ND ND ND ND ND ND	(44) ND ND ND ND ND ND	(45) ND ND ND ND ND ND	(Max.) 1000 1000 1000 1000 1000 1000
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP)	ND ND ND ND ND	(42) ND ND ND ND ND ND	(43) ND ND ND ND ND	(44) ND ND ND ND ND ND	ND ND ND ND ND	1000 1000 1000 1000 1000

Remark: The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Detection Limit = 100mg/kg ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024



SHAH01688957 **Test Report** Number:

Tests Conducted

21 **Toxic Elements Analysis**

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

				Result ((mg/kg)				Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
	(0)	(40)	(4.4)	Result ((4.4)	(4.5)	(40)	<u>Limit (mg/kg)</u>
	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
				Result	(ma/ka)				Limit (ma/ka)
	(17)	(18)	(19)	Result ((22)	(23)	(24)	Limit (mg/kg)
Tot I ead (Ph)	(17) <10	(18) <10	(19) <10	(20)	(21)	(22) <10	(23) <10	(24) <10	
Tot. Lead (Pb)	<10	<10	<10	(20) <10	(21) <10	<10	<10	<10	90
Sol. Barium (Ba)	<10 <5	<10 <5	<10 <5	(20) <10 <5	(21) <10 <5	<10 <5	<10 <5	<10 <5	90 1000
Sol. Barium (Ba) Sol. Mercury (Hg)	<10 <5 <5	<10 <5 <5	<10 <5 <5	(20) <10 <5 <5	(21) <10 <5 <5	<10 <5 <5	<10 <5 <5	<10 <5 <5	90 1000 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd)	<10 <5 <5 <5	<10 <5 <5 <5	<10 <5 <5 <5	(20) <10 <5 <5 <5	(21) <10 <5 <5 <5	<10 <5 <5 <5	<10 <5 <5 <5	<10 <5 <5 <5	90 1000 60 75
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb)	<10 <5 <5 <5 <5	<10 <5 <5 <5 <5	<10 <5 <5 <5 <5	(20) <10 <5 <5 <5 <5	(21) <10 <5 <5 <5 <5	<10 <5 <5 <5 <5	<10 <5 <5 <5 <5	<10 <5 <5 <5 <5	90 1000 60 75 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr)	<10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	(20) <10 <5 <5 <5 <5 <5	(21) <10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	90 1000 60 75 60 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5	(20) <10 <5 <5 <5 <5 <5 <5	(21) <10 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr)	<10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	(20) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5	(21) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	(20) <10 <5 <5 <5 <5 <5 <5 <2.5	(21) <10 <5 <5 <5 <5 <5 <5 <2.5 (mg/kg)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <7 <7 <7 <7 <7 <7 <7	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(20) <10 <5 <5 <5 <5 <5 <2.5 Result (28)	(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (29)	<10 <5 <5 <5 <5 <5 <5 <2.5	<10 <5 <5 <5 <5 <5 <5 <2.5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <3 (25)	90 1000 60 75 60 60 500 25 Limit (mg/kg)
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	<10 <5 <5 <5 <5 <5 <5 <5 <2.5 <2.5	<10 <5 <5 <5 <5 <5 <5 <5 <2.5 <2.5	<10 <5 <5 <5 <5 <5 <5 <2.5 <2.5	(20) <10 <5 <5 <5 <5 <5 <25 <2.5 Result (28) <10	(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10	<10 <5 <5 <5 <5 <5 <5 <25 <2.5 <(30) <10	<10 <5 <5 <5 <5 <5 <5 <2.5 <31) <10	<10 <5 <5 <5 <5 <5 <5 <2.5 <32 <10	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u>
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba)	<10 <5 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5	<10 <5 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5	<10 <5 <5 <5 <5 <5 <5 <25 <2.5 10 <10 <5</td <td>(20) <10 <5 <5 <5 <5 <5 <2.5 Result (28) <10 <5</td> <td>(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10 <5</td> <td><10 <5 <5 <5 <5 <5 <5 <2.5 <(30) <10 <5</td> <td><10 <5 <5 <5 <5 <5 <5 <25 <2.5 <(31) <10 <5</td> <td><10 <5 <5 <5 <5 <5 <5 <2.5 (32) <10 <5</td> <td>90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000</td>	(20) <10 <5 <5 <5 <5 <5 <2.5 Result (28) <10 <5	(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10 <5	<10 <5 <5 <5 <5 <5 <5 <2.5 <(30) <10 <5	<10 <5 <5 <5 <5 <5 <5 <25 <2.5 <(31) <10 <5	<10 <5 <5 <5 <5 <5 <5 <2.5 (32) <10 <5	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg)	<10 <5 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5	<10 <5 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5	<10 <5 <5 <5 <5 <5 <5 <25 <2.5 2.5</td <td>(20) <10 <5 <5 <5 <5 <5 <2.5 Result (28) <10 <5 <5</td> <td>(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10 <5 <5</td> <td><10 <5 <5 <5 <5 <5 <5 <2.5 <(30) <10 <5 <5 <5 <7 </td> <td><10 <5 <5 <5 <5 <5 <5 <25 <2.5 <(31) <10 <5 <5</td> <td><10 <5 <5 <5 <5 <5 <25 <2.5 <32) <10 <5 <5 <5 <5 <7 <7</td> <td>90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60</td>	(20) <10 <5 <5 <5 <5 <5 <2.5 Result (28) <10 <5 <5	(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10 <5 <5	<10 <5 <5 <5 <5 <5 <5 <2.5 <(30) <10 <5 <5 <5 <7	<10 <5 <5 <5 <5 <5 <5 <25 <2.5 <(31) <10 <5 <5	<10 <5 <5 <5 <5 <5 <25 <2.5 <32) <10 <5 <5 <5 <5 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd)	<10 <5 <5 <5 <5 <5 <5 <25 <2.5 2.5 </2.5 </2.5 </2.5 </2.5</td <td><10 <5 <5 <5 <5 <5 <2.5 <26) <10 <5 <5</td> <td><10 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5 <2.5 <5 <5 <2.5 <5 <5</td> <td>(20) <10 <5 <5 <5 <5 <2.5 Result (28) <10 <5 <5 <5 <2.5</td> <td>(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10 <5 <5 <5</td> <td><10 <5 <5 <5 <5 <5 <2.5 <(30) <10 <5 <5 <5 <5 <5 <7 </td> <td><10 <5 <5 <5 <5 <5 <2.5 <31) <10 <5 <5</td> <td><10 <5 <5 <5 <5 <5 <25 <2.5 <32) <10 <5 <5</td> <td>90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60 75</td>	<10 <5 <5 <5 <5 <5 <2.5 <26) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5 <2.5 <5 <5 <2.5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	(20) <10 <5 <5 <5 <5 <2.5 Result (28) <10 <5 <5 <5 <2.5	(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <(30) <10 <5 <5 <5 <5 <5 <7	<10 <5 <5 <5 <5 <5 <2.5 <31) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <25 <2.5 <32) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60 75
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb)	<10 <5 <5 <5 <5 <5 <2.5 <25 <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <2.5 (26) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5 <2.5 <2.5	(20) <10 <5 <5 <5 <5 <2.5 Result (28) <10 <5 <5 <5 <5 <2.5	(21) <10 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10 <5 <5 <5 <5	<pre><10 <5 <5 <5 <5 <5 <2.5 </pre> (30) <10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <31) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <32) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60 75 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr)	<10 <5 <5 <5 <5 <5 <2.5 <25) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <2.5 (26) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <6 <6 <6 <6 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7	<10 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5 <2.5 <2.5	(20) <10 <5 <5 <5 <5 <2.5 Result (28) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10 <5 <5 <5 <5 <5 <5 <2.5	<pre><10 <5 <5 <5 <5 <5 <2.5 </pre> (30) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <31) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <32) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60 75 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb)	<10 <5 <5 <5 <5 <5 <2.5 <25 <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <2.5 (26) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5 <2.5 <2.5	(20) <10 <5 <5 <5 <5 <2.5 Result (28) <10 <5 <5 <5 <5 <2.5	(21) <10 <5 <5 <5 <5 <2.5 (mg/kg) (29) <10 <5 <5 <5 <5	<pre><10 <5 <5 <5 <5 <5 <2.5 </pre> (30) <10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <31) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <32) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60 75 60



Tests Conducted

				Res	sult (mg	g/kg)				Limit (mg/kg)
	(33)	(34)	(35)	(36		(37)	(38)	(39)	(40)	
Tot. Lead (Pb)	<10	<10	< 10	<u>`</u> <1	Ó ·	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	</td <td>5</td> <td><5</td> <td>48</td> <td><5</td> <td><5</td> <td>1000</td>	5	<5	48	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<:	5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	</td <td>5</td> <td><5</td> <td><5</td> <td><5</td> <td><5</td> <td>75</td>	5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<:	5	<5	6	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	</td <td>5</td> <td><5</td> <td><5</td> <td><5</td> <td><5</td> <td>60</td>	5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	</td <td>5</td> <td><5</td> <td><5</td> <td><5</td> <td><5</td> <td>500</td>	5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	25
				Res	sult (mg	g/kg)				Limit (mg/kg)
	(41)	(42)	(43)	(45)	(46)	(47)	(48)	(49)	(50)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	29	90
Sol. Barium (Ba)	<5	7	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	7	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark: mg/kg = Milligram per kilogram

Tot. = Total Sol. = Soluble

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 08 Jul, 2024

Page 31 of 38

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101
江苏省无锡市锡山经济开发区府北路 8 号 214101

Tel: +86 510 8821 4567
Fax: +86 510 8820 0428
www.intertek.com.cn
www.intertek.com



Tests Conducted

22 Total Lead (Pb) Content (Canada Consumer Products Containing Lead Regulations SOR/2018-83)

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry analysis.

Test Item				(mg/kg)		,	Reporting Limit	<u>Limit</u>		
TOOL HOIII	(1)	(2)	(3)	(4)	(5)	(6)	(mg/kg)	<u>(mg/kg)</u>		
Lead	ND	ND	ND	ND	ND	ND	10	90		
Test Item			Result	(mg/kg)			Reporting Limit	<u>Limit</u>		
163t Itelli	(7)	(8)	(9)	(10)	(11)	(12)	<u>(mg/kg)</u>	<u>(mg/kg)</u>		
Lead	ND	ND	ND	ND	ND	ND	10	90		
Toot Itom			Result	(mg/kg)			Reporting Limit	<u>Limit</u>		
Test Item	(13)	(14)	(15)	(16)	(17)	(18)	(mg/kg)	(mg/kg)		
Lead	ND	ND	ND	ND	ND	ND	10	90		
				,		,	· · · · · · · · · · · · · · · · · · ·			
T			Result	(mg/kg)			Reporting Limit	Limit		
Test Item	(19)	(20)	(21)	(22)	(23)	(24)	(mg/kg)	(mg/kg)		
Lead	ND	ND	ND	ND	ND	ND	10	90		
1.12 112 112 113 115 10										
-			Result	(mg/kg)	Reporting Limit	Limit				
Test Item	(25)	(26)	(27)	(28)	(29)	(30)	(mg/kg)	(mg/kg)		
Lead	ND	ND	ND	NĎ	ND	ND	10	90		
			ļ.		ļ.		L			
T			Result	(mg/kg)			Reporting Limit	Limit		
Test Item	(31)	(32)	(33)	(34)	(35)	(36)	(mg/kg)	(mg/kg)		
Lead	ND	ND	ND	ND	ND	ND	10	90		
			I	ı	I	ı	_			
			Result	(mg/kg)			Reporting Limit	Limit		
Test Item	(37)	(38)	(39)	(40)	(41)	(42)	(mg/kg)	(mg/kg)		
Lead	ND	ND	ND	ND	ND	ND	10	90		
							<u> </u>			
T			Result	(mg/kg)			Reporting Limit	Limit		
Test Item	(43)	(44)	(45)	(46)	(47)	(48)	(mg/kg)	(mg/kg)		
Lead	ND	ND	ND	ND	ND	ND	10	90		
			Result	(mg/kg)			Reporting Limit	Limit		
Test Item		(49)	. 100011		(50)		(mg/kg)	(mg/kg)		
		(10)			(00)		12,21	72/2/		

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

29

10

90

Tel: +86 510 8821 4567

Fax: +86 510 8820 0428 www.intertek.com.cn

www.intertek.com

Remark: ND=Not detected (Less than reporting limit)

ND

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024

(n)

Lead



Tests Conducted

23 Total Lead (Pb) Content on Products with Applied Stickers, Films or Surface Coating Materials (SOR/2016-193 Section 6 and Amendment SOR/2022-122)

As per Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (mg/kg)	Detection Limit	<u>Limit</u>
Test Item	(44)	<u>(mg/kg)</u>	<u>(mg/kg)</u>
Lead	ND	10	90

Remark: mg/kg = milligram per kilogram

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024 Testing Period: 10 May, 2024 To 08 Jul, 2024

24 Phthalates Content (ASTM F963-23)

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item		<u>R</u>	esult (%	<u>6)</u>		<u>Detection Limit</u>	<u>Limit (%)</u>
<u>restricti</u>	(1)	(2)	(3)	(4)	(5)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	0.01	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1

Test item		<u>R</u>	esult (%	<u>6)</u>	Detection Limit	<u>Limit (%)</u>	
1 COL ROTT	(6)	(7)	(8)	(9)	(10)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1

(N)



Tests Conducted

Test item		<u>R</u>	esult (%	<u>6)</u>		Detection Limit	Limit (%)
Tool Rom	(11)	(12)	(13)	(14)	(15)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1

Test item		<u>R</u>	esult (%	<u>6)</u>		Detection Limit	Limit (%)
<u>1000 Rom</u>	(16)	(17)	(18)	(19)	(20)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	0.02	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1

Test item		<u>R</u>	esult (%	<u>6)</u>		<u>Detection Limit</u>	<u>Limit (%)</u>
Tool Roll	(21)	(22)	(23)	(24)	(25)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1



Tests Conducted

Test item		<u>R</u>	esult (%	<u>6)</u>		Detection Limit	Limit (%)
1 doc nom	(26)	(27)	(28)	(29)	(30)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1

Test item		<u>R</u>	esult (%	<u>6)</u>		Detection Limit	Limit (%)
Tool Kom	(31)	(32)	(33)	(34)	(35)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1

Test item		<u>R</u>	esult (%	<u>6)</u>		Detection Limit	<u>Limit (%)</u>
TOOL ROTT	(36)	(37)	(38)	(39)	(40)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1



Tests Conducted

Test item		<u>R</u>	esult (%	<u>6)</u>		Detection Limit	Limit (%)
Tool Rom	(41)	(42)	(43)	(44)	(45)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1

Test item		<u>R</u>	esult (%	<u>6)</u>	Detection Limit	<u>Limit (%)</u>	
1 Ook Rolli	(46)	(47)	(48)	(49)	(50)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.01	0.1

Remark: ND = Not Detected(Less than detection limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 10 May, 2024

Testing Period: 10 May, 2024 To 08 Jul, 2024



Tests Conducted



The Photo Was Submitted By The Client, Not Tested, Only For Reference.



Components List:

- (1) Black Soft Plastic(Wire).
- (2) Coffee Soft Plastic(Wire).
- (3) Red Soft Plastic(Wire).
- (4) Orange Soft Plastic(Wire).
- (5) White Soft Plastic(Wire).
- (6) Blue Soft Plastic(Wire).
- (7) Yellow Soft Plastic(Wire).
- (8) Green Soft Plastic(Wire).
- (9) Grey Soft Plastic(Wire).
- (10) Yellow Plastic.
- (11) Violet Plastic.
- (12) Orange Plastic.
- (13) Dark Green Plastic.
- (14) Pink Plastic.
- (15) Red Plastic.
- (16) Light Blue Plastic.
- (17) Blue Plastic.





Tests Conducted

- (18) Ultramarine Blue Plastic.
- (19) Grass Green Plastic.
- (20) Rose Plastic.
- (21) Creamy White Plastic.
- (22) Light Pink Plastic.
- (23) Light Grey Plastic.
- (24) Dark Plastic.
- (25) Royalblue Plastic.
- (26) Blue-Green Plastic.
- (27) Dark Blue Plastic.
- (28) Red Transparent Plastic.
- (29) Blue Transparent Plastic.
- (30) Coffee Plastic.
- (31) White Plastic.
- (32) Light Green Plastic
- (33) Black Plastic.
- (34) Transparent Plastic.
- (35) Black Plastic(Steering Wheel).
- (36) Black Plastic(Seat).
- (37) Red Transparent Plastic With White Printing(Button).
- (38) Black Plastic With White Printing(Button).
- (39) Red Transparent Plastic (Front Light).
- (40) Bright Grey Plastic(Body/Shovel/Wheel Hub)
- (41) Black Plastic(Front Fence)
- (42) White Adhesive Paper With Multi-Color Printing Underlying Plastic Film(Sticker On Body).
- (43) Black Plastic(Wheel).
- (44) Black Coating On Metal(Chassis)
- (45) White Plastic(Coupling Of Wheel).
- (46) Sliver Metal(Screw).
- (47) Stickers(Warning Label).
- (48) Black Plastic(Charger Body).
- (49) Black Soft Plastic(Charger Plug).
- (50) Silver Metal(Charger Plug).

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

