

# CHIZHOU KUAILEDA TOYS CO., LTD

Technical Report: Date Received:	<b>(8824)009-0176(R3)</b> Jan 9, 2024			Jun 13, 2024 Page 1 of 33
CHIZHOU KUAILEDA TO MATANG INDUSTRY ZOI QINGYANG, CHIZHOU CI CHINA	NE, DING QIAO TOWN,			
Sample Description: Vendor:	RIDE ON CAR N/A	Sample Size:	2	

Sample Description.			
Vendor:	N/A	Sample Size:	2
Manufacturer:	CHIZHOU KUAILEDA TOYS	Style No(s):	KL-007
	CO.,LTD		
Labeled Age Grade:	NOT PRESENT	SKN/SKU No.:	NOT PROVIDE
Appropriate Age Grade:	NOT REQUESTED	PO No.:	NOT PROVIDE
Client Specified Age	37-95 MONTHS	Ref #:	NOT PROVIDE
Grade:			
Tested Age Grade:	FROM 37 TO 95 MONTHS OF	Country of Origin:	CHINA
	AGE		
UPC Code:	N/A	Assortment No.:	NOT PROVIDE
Test Starting Date:	JAN 9, 2024	Test Finished Date:	FEB 26, 2024

#### **EXECUTIVE SUMMARY:**

Test Requested	Conclusion
The mechanical hazards requirements of ASTM F963-17, "Standard consumer safety specification for toy safety".	PASS
The flammability requirement of solids under ASTM F963-17 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".	PASS
The labeling requirements of ASTM F963-17, "Standard consumer safety specification for toy safety".	PASS

To be continued.

BUREAU VERITAS SHENZHEN CO., LTD DONGGUAN BRANCH

Lisa Bai

Analytical lab technical ass. manager

RT/ Min Chen

REMARK

 BUREAU VERITAS SHENZHEN CO.,LTD DONGGUAN BRANCH

Tone Tang Physics Lab Assistant Supervisor

If there are questions or concerns on this report, please contact the following persons: Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com Business Contact: (86) 0769 85893595

This report shall not be reproduced except in full, without the written approval of our laboratory.

Bureau Veritas Shenzhen Co., Ltd., Dongguan Branch No.96, Houjie, Guantai Road., Houjie, Dongguan, Guangdong, China Tel: +86-769-8982098 Fax: +86-769-85991080 www.cps.bureauveritas.com This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/hom/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance or titeria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



# CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 2 of 33

#### **EXECUTIVE SUMMARY:**

Test Requested	Conclusion
The mechanical hazards requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".	PASS
The flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".	PASS
The labeling requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".	PASS
The tracking label requirement of the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking Labels for Children's Products.	PASS
The mechanical hazards requirements of the tested sections of Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 and Schedule 2.	PASS
The cellulose nitrate requirements of Canada Toys Regulations, SOR/2011-17, section 21.	PASS
Total lead content in surface coating requirements of ASTM F963-17, "Standard consumer safety specification for toy safety", Section 4.3.5.1(1).	PASS
Total lead content in substrate requirements of ASTM F963-17, "Standard consumer safety specification for toy safety", Section 4.3.5.2(2)(a).	PASS
Soluble heavy metals content in surface coating requirements of ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.1(2).	PASS
Soluble heavy metals content in substrate requirements of ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).	PASS
Total lead content of 90ppm requirements in surface coating (Consumer Products Safety Improvement Act (CPSIA) of 2008).	PASS
Total lead content of 100ppm requirements in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).	PASS
Total lead content of surface coating requirements of Illinois Statutes, 410 ILCS 45 Lead Poisoning Prevention Act with Amendments up to Public Act 098-0690, Section 6(b).	PASS
Total lead content of substrate materials requirements of Illinois Statutes, 410 ILCS 45 Lead Poisoning Prevention Act with Amendments up to Public Act 098-0690, Section 6(b).	NA
Total lead content requirements in children products according to the California Proposition 65 settlements of Alameda Superior Court RG 07356892.	PASS
Total lead content requirements of the Canada Consumer Product Safety Act, Consumer Products Containing Lead Regulations SOR/2018-83.	PASS
Total lead and mercury in surface coatings - Toys Regulations SOR/2011-17 with its Latest Amendment, Section 23/ Regulations Amending Certain Regulations Made under CCPSA (Surface Coating Materials) (SOR/2022-122).	PASS
Specific heavy metals content in surface coating - Toys Regulations SOR/2011-17 with its Latest Amendment, Section 23/ Regulations Amending Certain Regulations Made under CCPSA (Surface Coating Materials) (SOR/2022-122).	PASS
Total lead content in surface coating materials requirement of the Canada Consumer Product Safety Act, Surface Coating Materials Regulation, SOR/2016-193 Sec 2.	PASS
Fotal mercury content in surface coating materials requirement of the Canada Consumer Product Safety Act, Surface Coating Materials Regulation, SOR/2016-193 Sec 5.	PASS
Cadmium content requirement of the client's specification with reference to California proposition 65.	PASS

To be continued.



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 3 of 33

#### EXECUTIVE SUMMARY:

Test Requested	Conclusion
Phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of the Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) and 108(c), 16 CFR 1307).	PASS
BBP, DBP, DEHP, DnHP and DIDP content requirements in toys, child care articles and watches according to the California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050.	PASS
BBP, DBP and DEHP content requirements of the Canada Consumer Product Safety Act, Phthalate Regulations, SOR/2016-188.	PASS
DNOP, DINP and DIDP content requirements of the Canada Consumer Product Safety Act, Phthalate Regulations, SOR/2016-188.	PASS

- Note: No relevant packaging was provided with the submitted sample(s). Consequently, evaluation of the applicable labelling requirements of the ASTM F963, "Standard Consumer Safety Specification on Toy Safety", was not conducted.
- Note: No packaging was provided with the submitted sample(s).
- Note: At the request of the client, the sample(s) was evaluated for use by children 37-95 MONTHS.
- Note: At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s).
- Note: The composite test sample(s) of the submitted samples was prepared in the manner requested by the client, when subject to the test performed.



### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 4 of 33

# Tested Component(s) Description List:

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1001	Black coating	Sticker , pedal	-
1002	Red plastic	Body	-
1003	Transparent red plastic	Switch	-
1004	Black plastic	Seat	-
1005	Transparent plastic with adhesive	Sticker	-
1006	Bright black plastic	Button	-
1007	Off black plastic	Front wheel	-
1008	Transparent soft plastic	Back wheel	-
1009	White plastic	Car head	-
1010	Black PVC	Stopper	-



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 5 of 33

#### RESULTS:

#### APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

#### USE AND ABUSE TESTS^^

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable			
Test Parameters	Standard Reference		
3 times	1500.53(b)(4)(i)		
4 in-lbs	1500.53(e)		
15 lbs	1500.53(f)		
30 lbs	1500.53(g)		
	Test Parameters   3 times   4 in-lbs   15 lbs		

Remark:



CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 6 of 33

**RESULTS:** 

### PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-23)^^

Section	Requirement	Result
4.1	Material Quality	М
4.3.7	Stuffing Materials	N/A
4.5	Sound-producing Toys	М
4.6	Small Objects	N/A
4.7	Accessible Edges	М
4.8	Projections	М
4.9	Accessible Points	М
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	М
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	М
4.18	Holes, Clearances and Accessibility of Mechanisms	М
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-operated Toys (exclude Section 4.25.9 Battery-powered ride-on toys & Section 4.25.10 Toys that Contain Secondary Cells or Secondary Batteries)	М
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

Remark:



CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 7 of 33

# **RESULTS:**

#### LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-17)^^

Section	Requirement	Result
5.4 & 5.3	Aquatic Toys	N/A
5.5 & 5.3	Crib and Playpen Toys	N/A
5.6 & 5.3	Mobiles	N/A
5.7 & 5.3	Stroller and Carriage Toys	N/A
5.8 & 5.3	Toys Intended to be Assembled by an Adult	М
5.9 & 5.3	Simulated Protective Devices	N/A
5.10 & 5.3	Toys with Functional Sharp Edges or Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Toy Caps (16CFR1500.86)	N/A
5.13	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.15	Battery-Operated Toys (exclude 5.15.1 and 5.15.2)	М
5.15.1 & 5.3	Battery-Powered Ride-On Toys	М
5.15.2 & 5.3	Button or Coin Cell Batteries	N/A
5.16	Promotional Materials	М
5.17 & 5.3	Magnets	N/A
6.1	Definition and Description	М
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4 & 5.3	Toys Intended to be Assembled by an Adult	М
6.5	Battery-Operated Toys	N/A
6.6	Battery-Powered Ride-On Toys	М
6.7	Toys in Contact with Food	N/A
7.1	Producer's Name and Address	М
7.2	Battery-Powered Ride-on Toys	М

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

Remark:

"^^"The above result was performed at Bureau Veritas (Shenzhen) laboratory.

#### FLAMMABILITY (ASTM F963-17 section 4.2 according to Annex A5)^^

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	ASTM F963-17 section 4.2 according to Annex A5	Did not ignite.

Remark:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 8 of 33

#### RESULTS:

#### APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

#### USE AND ABUSE TESTS^^

Test	Test Parameters	Standard Reference	
Tip Over Test	3 times	1500.53(b)(4)(i)	
Torque Test	4 in-lbs	1500.53(e)	
Tension Test	15 lbs	1500.53(f)	
Compression Test	30 lbs	1500.53(g)	

Remark:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 9 of 33

# **RESULTS:**

Section	Requirement	Result
4.1	Material Quality	М
4.3.7	Stuffing Materials	N/A
4.5	Sound-Producing Toys	М
4.6	Small Objects	N/A
4.7	Accessible Edges	М
4.8	Projections	М
4.9	Accessible Points	М
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	М
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	М
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	М
4.18	Holes, Clearances and Accessibility of Mechanisms	М
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys	М
	(exclude Section 4.25.10 Battery-powered ride-on toys & Section 4.25.11 Toys that Contain Secondary Cells or Secondary Batteries)	
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

### PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-17)^^

#### M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

Remark:



CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 10 of 33

#### **RESULTS:**

#### Section Requirement Result 5.1.2 Tracking label М 5.4 & 5.3 Aquatic Toys N/A N/A Crib and Playpen Toys 5.5 & 5.3 Mobiles N/A 5.6 & 5.3 5.7 & 5.3 Stroller and Carriage Toys N/A Toys Intended to be Assembled by an Adult 5.8 & 5.3 Μ 5.9 & 5.3 Simulated Protective Devices N/A 5.10 & 5.3 Toys with Functional Sharp Edges or Sharp Points N/A Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19) N/A 5.11 Art Materials (16 CFR 1500.14(b)(8)) N/A 5.12 5.14 Battery-Operated Toys (exclude 5.14.1 and 5.14.2) N/A 5.14.1 & 5.3 Battery-Powered Ride-On Toys Μ 5.14.2 & 5.3 Button or Coin Cell Batteries N/A 5.15 **Promotional Materials** Μ 5.16 & 5.3 Magnets N/A Definition and Description 6.1 Μ Crib and Playpen Toys N/A 6.2 Mobiles N/A 6.3 Toys Intended to be Assembled by an Adult 6.4 & 5.3 Μ 6.5 **Battery-Operated Toys** N/A Battery-Powered Ride-On Toys 6.6 Μ N/A 6.7 Toys in Contact with Food 6.9 Toys which require a manufacturer-supplied specialty or custom tool to access N/A the battery(ies) 7.1 Producer's Name and Address Μ 7.2 Battery-powered Ride-on Toys Μ

#### LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-23)^^

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

Remark:

"^^"The above result was performed at Bureau Veritas (Shenzhen) laboratory.

#### FLAMMABILITY (ASTM F963-23 section 4.2 according to Annex A5)^^

Requirement	Test Method Reference	Findings		
Burn rate no greater than 0.1 of an inch per second	ASTM F963-23 section 4.2 according to Annex A5	Did not ignite.		

Remark:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 11 of 33

#### **RESULTS:**

#### **APPROPRIATE AGE GRADE DETERMINATION^^**

The Appropriate Age Grade is recommended with reference to the Toys: Age Classification Guidelines (1998-01-13) of the Product Safety Bureau, Health Canada.

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

# MECHANICAL & PHYSICAL PROPERTIES OF CANADA CONSUMER PRODUCT SAFETY ACT, TOYS REGULATIONS, SOR/2011-17^^

Section	Parameter / Requirement	Result
Mechanical	Hazards	
3	General – Official language	NA
4	Flexible film bag used for package	NA
7	Small Toys and Detachable component	NA
8	Metal edge	М
9	Wires frames	NA
10	Plastic Edges	М
11	Wood	NA
12	Glass	NA
13	Nails and fasteners	М
14	Safety stops/Locking Device for Folding product	NA
15 (a, b)	Moving Mechanism	NA
15 (c)	Non- Detachable Winding Key Clearance	NA
15 (d)	Detachable Key	NA
16	Projectile Toy	NA
17	Enclosures	NA
18	Stability	М
19	Auditory hazards	М
Specific Pro	ducts - Dolls, Plush Toys and Soft Toys	
28	Exposed Sharp Points and Edges	NA
29. (a)	Stuffing Materials shall be clean and free from vermin	NA
29. (b)	Stuffing Materials shall be free from hard and sharp foreign matter	NA
30	Squeaker, Reed and Valve	NA
31	Eyes and Nose	NA

Remark:



CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 12 of 33

### **RESULTS:**

# MECHANICAL & PHYSICAL PROPERTIES OF CANADA CONSUMER PRODUCT SAFETY ACT, TOYS REGULATIONS, SOR/2011-17^^

Section	Parameter / Requirement	Result				
Specific Pro	Specific Products					
35*&36*	Plant seeds	NA				
37	Pull and Push toys	NA				
38*	Toys Steam engine Boilers	NA				
39*	Finger Paints	NA				
40(a)	Rattles – Sharp wire	NA				
40(b, c)	Rattles – Impaction	NA				
41	Elastic	NA				
42	Yo-Yo type balls	NA				
43	Magnetic force	NA				
44	Educational experimental kit - Labeling	NA				

#### CANADA CONSUMER PRODUCT SAFETY ACT, SCHEDULE 2^^

Section	Parameter / Requirement	Result
Mechanical H		
1*	Jequirity Beans	М
8*	Kites	NA
9	Kite strings	NA
14*	Lawn, darts with elongated tips	NA

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section \* = Non-accreditated section

# FLAMMABILITY OF CELLULOSE NITRATE TOY REGULATIONS SOR/2011-17 SECTION 21^^

Requirement Reference	Observation	Flammability Classification
Section 21	No Flash Effect	М

M = Meet NM-See comment = Not Meet - Refer to Comment Section NA = Not Applicable

Remark:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 13 of 33

# **RESULTS:**

#### Total Lead Content in Surface Coating - ASTM International Standard ASTM F963-17, Section 4.3.5.1(1)

Test Method : ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Maximum Allowable Limit :	90 mg/kg		
Toot Itom(a)	Result	Linit	Canalusian
Test Item(s)	Total Lead (Pb)	Unit	Conclusion
1001	ND	mg/kg	PASS

Note / key:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 14 of 33

# **RESULTS:**

#### Total Lead Content in Substrate - ASTM International Standard ASTM F963-17, Section 4.3.5.2(2)(a)

Test Method : ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Maximum Allowable Limit :	100 mg/kg			
Test Item (s)	Result	Linit	Conclusion	
Test Item(s)	Total Lead (Pb)	Unit	Conclusion	
1002+1003+1004	ND	mg/kg	PASS	
1005+1006+1007	ND	mg/kg	PASS	
1008+1009	ND	mg/kg	PASS	

Note / key:



#### CHIZHOU KUAILEDA TOYS CO., LTD Technical Report: (8824)009-0176(R3) Jun 13, 2024 Page 15 of 33

#### **RESULTS:**

#### Soluble Heavy Metals Content in Surface Coating -ASTM F963-17, Section 4.3.5.1(2)

Test Method : ASTM International Standard ASTM F963-17, Section 8.3.2 to 8.3.4

Ba = Barium

Analyte			As	Ва	Cd	C	Cr	H	g	Pb	S	Sb	Se
Max. Limit (ma	g/kg)		25	1000	75	6	0	6	0	90 6		60	500
Analytical Cor	rection (%	<b>b</b> )	60	30	30	3	0	5	0	30	6	60	60
Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	)	Se	Trac	Mass of Trace Amount Conclus		clusion
Test Item(s)	Test Item(s) Result (mg/kg)					(g)							
1001	ND	ND	ND	ND	ND	ND	NE	)	ND	0.030	06	F	ASS

Note / key:

As = Arsenic

Hg = Mercury

Pb = Lead ND = Not detected g = gram(s) Cd = Cadmium Sb = Antimony % = percent

Cr = Chromium Se = Selenium

mg/kg = milligram(s) per kilogram

Detection Limit (mg/kg) : As : 2.5; Ba : 100; Cd : 7.5; Each (Cr, Hg, & Sb) : 6.0; Pb : 9.0; Se : 50



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 16 of 33

### **RESULTS:**

#### Soluble Heavy Metals Content in Substrate -ASTM F963-17, Section 4.3.5.2(2)(b)

Test Method	:	ASTM International Standard ASTM F963-17, Section 8.3.5 (Excluding 8.3.5.5(3))	
-------------	---	--	--

Analyte			As	Ва	Cd	(	Cr	F	lg	Pb	3	Sb	Se
Max. Limit Typ	Max. Limit Type I (mg/kg)			1000	75	6	60	6	0	90		60	500
Max. Limit Typ	be II (mg/ł	(g)	25	250	50	2	25	2	25	90		60	500
Analytical Cor	rection (%	b)	60	30	30	3	80	5	0	30	(	60	60
Analyte	As	Ва	Cd	Cr	Hg	Pb	S	b	Se	Mass Trac Amou	e	Cor	nclusion
Test Item(s)				Result (	(mg/kg)					(g)			
Type I: Substr	ate other	than moc	leling clay	/									
1002	ND	ND	ND	ND	ND	ND	Ν	D	ND	-		F	PASS
1003	ND	ND	ND	ND	ND	ND	Ν	D	ND	-		F	PASS
1004	ND	ND	ND	ND	ND	ND	Ν	D	ND	-		F	PASS
1005	ND	ND	ND	ND	ND	ND	Ν	D	ND	-		F	PASS
1006	ND	ND	ND	ND	ND	ND	Ν	D	ND	-		F	PASS
1007	ND	ND	ND	ND	ND	ND	N	D	ND	-		F	PASS
1008	ND	ND	ND	ND	ND	ND	N	D	ND	-		F	PASS
1009	ND	ND	ND	ND	ND	ND	Ν	D	ND	-		F	PASS
1010	ND	ND	ND	ND	ND	ND	Ν	D	ND	-		F	PASS

Note / key:

,			
As = Arsenic	Ba = Barium	Cd = Cadmium	Cr = Chromium
Hg = Mercury	Pb = Lead	Sb = Antimony	Se = Selenium
ND = Not detected	g = gram(s)	% = percent	
mg/kg = milligram(s) pe	er kilogram (ppm=parts	per million)	
Detection Limit (mg/kg)	:		
For Type I – As : 2.5; E	a : 100; Cd : 7.5; Each	(Cr, Hg, & Sb) : 6.0; Pb : 9.0;	Se : 50

For Type II – Each (As, Cr & Hg) : 2.5; Ba : 25; Cd : 5.0; Sb : 6.0; Pb : 9.0; Se : 50

Remark:

 Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-17. The lead content analysis result of corresponding material herein is for client's reference only.



CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 17 of 33

# **RESULTS:**

# Total Lead Content in Surface Coating – Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(f)

Test Method : U.S. CPSC-CH-E1003-09.1:2011

Maximum Allowable Limit :	90 mg/kg		
Test Item(s)	Result	Unit	Conclusion
Test Item(s)	Total Lead (Pb)	Unit	Conclusion
1001	ND	mg/kg	PASS

Note / key:



CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 18 of 33

# **RESULTS:**

Total Lead Content in Substrate Materials – Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(a)(2)

Test Method : U.S. CPSC-CH-E1002-08.3:2012 and U.S. CPSC-CH-E1001-08.3:2012

Maximum Allowable Limit :	100 mg/kg			
Test Item(s)	Result	Linit	Conclusion	
Test Item(s)	Total Lead (Pb)	- Unit	Conclusion	
1002+1003+1004	ND	mg/kg	PASS	
1005+1006+1007	ND	mg/kg	PASS	
1008+1009	ND	mg/kg	PASS	

Note / key:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 19 of 33

PASS

# **RESULTS:**

# Total Lead Content in Surface Coating - Illinois Statutes, 410 ILCS 45 Lead Poisoning Prevention Act with Amendments up to Public Act 098-0690, Section 6(b)

# Test Method : U.S.CPSC Test Method CPSC-CH-E 1003-09.1(February 25, 2011).

ND

Maximum Allowable Limit :	40 mg/kg		
Test Herm(s)	Result	Linit	Canalysian
Test Item(s)	Total Lead (Pb)	Unit	Conclusion

mg/kg

Note / key:

1001



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 20 of 33

# **RESULTS:**

Total Lead Content in Children Products (California Proposition 65 settlements of Alameda Superior court RG 07356892)

Test Method :	EPA 3050B	(Mod) / EPA 3051A (Mod)		
Maximum	Type I	Paint and surface coatings: 90 mg/kg		
Allowable Limit:	Type II	Substrate materials: 100 mg/kg		
		Result		]
Test Item(s)	Туре	Total Lead (Pb)	Unit	Conclusion
I001	I	ND	mg/kg	PASS
1002+1003+1004	П	ND	mg/kg	PASS
1005+1006+1007	П	ND	mg/kg	PASS
1008+1009	П	ND	mg/kg	PASS

Note / key:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 21 of 33

# **RESULTS:**

TOTAL LEAD CONTENT (Canada Consumer Product Safety Act – Consumer Products Containing Lead Regulations SOR/2018-83)

Test Method	:	Health Canada, Product Safety Laboratory, Reference Manual, Book 5-Laboratory Policies
		and Procedures, Method C-02.3(2017)

Maximum Allowable Limit :	90 mg/kg		
	Result	11-14	Osnahusian
Test Item(s)	Total Lead (Pb)	– Unit	Conclusion
1001	ND	mg/kg	PASS
1002+1003+1004	ND	mg/kg	PASS
1005+1006+1007	ND	mg/kg	PASS
1008+1009	ND	mg/kg	PASS

Note / key:



CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 22 of 33

#### **RESULTS:**

Total Lead And Mercury In Surface Coatings - Toys Regulations SOR/2011-17 with its Latest Amendment, Section 23/ Regulations Amending Certain Regulations Made Under CCPSA (Surface Coating Materials) (SOR/2022-122).

Test Method : ASTM	International Standard ASTM F963-	17, Section 8.3.1 and Annex A7	
Maximum Limit (mg/kg)	Hg :10 , Pb : 90		
Analyte	Hg	Pb	Canalysian
Test Item(s)	Result (	mg/kg)	Conclusion
1001	ND	ND	PASS

Note / key:

Pb = Lead Hg = Mercury ND = Not detected mg/kg = milligram(s) per kilogram Detection Limit (mg/kg) : Pb 10; Hg 3;



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 23 of 33

#### **RESULTS:**

Specific heavy metals content in surface coating - Toys Regulations SOR/2011-17 with its Latest Amendment, Section 23/ Regulations Amending Certain Regulations Made Under CCPSA (Surface Coating Materials) (SOR/2022-122).

est Method : With refe	erence to EN	71-3:2019+A	1:2021				
Analyte	As	As Ba		Cd		Sb	Se
Maximum Limit (mg/kg)	1000	100	0	1000		1000	1000
Analyte	As	Ba	Cd	Cd Sb		Se	Osnahusian
Test Item(s)			Result (n	ng/kg)			Conclusion
1001	ND	46	ND	ND ND		ND	PASS

Cd = Cadmium

Note / key:

- As = Arsenic Sb = Antimony
  - imony
  - numony
- ND = Not detected

Ba = Barium

Se = Selenium

mg/kg = milligram(s) per kilogram

Detection Limit (mg/kg) :

Soluble (Sb 2; As 2; Cd 2; Se 2; Ba 2)



CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 24 of 33

# **RESULTS:**

Total Lead Content in Surface Coating Materials – Canada Consumer Product Safety Act, Surface Coating Materials Regulation, SOR/2016-193 Sec 2

Test Method	:	Health Canada, Product Safety Laboratory, Reference Manual, Book 5-Laboratory Policies
		and Procedures, Method C-02.2(2016)

Maximum Allowable Limit :	90 mg/kg			
	Result	11-3	Osmahusian	
Test Item(s)	Total Lead (Pb)	Unit	Conclusion	
1001	ND	mg/kg	PASS	

Note / key:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 25 of 33

# **RESULTS:**

Total Mercury Content in Surface Coating Materials – Canada Consumer Product Safety Act, Surface Coating Materials Regulation, SOR/2016-193 Sec 5

Test Method	:	Health Canada, Product Safety Laboratory, Reference Manual, Book 5-Laboratory Policies
		and Procedures, Method C-07(2019)

Maximum Allowable Limit :	10 mg/kg			
	Result	Linit	Conclusion	
Test Item(s)	Total Mercury (Hg)	Unit	Conclusion	
1001	ND	mg/kg	PASS	

Note / key:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 26 of 33

# **RESULTS:**

#### Total Cadmium Content – Client's Specification with reference to California proposition 65

Test Method	:	Acid digestion followed by Atomic Absorption Spectrophotometry or Inductively Coupled
		Plasma Spectrometry.

Client's Limit :	100 mg/kg				
	Result	Linit	Conclusion		
Test Item(s)	Total Cadmium (Cd)	Unit			
1001	ND	mg/kg	PASS		
1002+1003+1004	ND	mg/kg	PASS		
1005+1006+1007	ND	mg/kg	PASS		
1008+1009	ND	mg/kg	PASS		

Note / key:



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 27 of 33

#### **RESULTS:**

# PHTHALATES CONTENT IN CHILDREN'S TOYS AND CHILD CARE ARTICLES (Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(c), 16 CFR 1307)

Test Method : With reference to U. S. CPSC-CH-C1001-09.4 (January 17, 2018)

Test Parameter:	BBP	DBP	DEHP	DINP	DIBP	DPENP	DHEXP	DCHP	-
Limit (%):	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-
Test Item(s)		Result (%)						Conclusion	
1002+1003+1004	ND	ND	ND	ND	ND	ND	ND	ND	PASS
1005+1006+1007	ND	ND	ND	ND	ND	ND	ND	ND	PASS
I010	ND	ND	ND	ND	ND	ND	ND	ND	PASS

#### Note / key:

DEHP = Di(2-ethylhexyl) phthalate DHEXP(DnHP) = Di-n-hexyl phthalate DPENP(DnPP) = Di-n-pentyl phthalate ND = Not detected mg/kg = milligram(s) per kilogram Detection Limit (%) : Each 0.005 DBP = Dibutyl phthalate DIBP = Di-iso-butyl phthalate DCHP = Dicyclohexyl phthalate % = percent BBP = Butyl benzyl phthalate DINP = Di-iso-nonyl phthalate

10000 mg/kg = 1 %



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 28 of 33

### **RESULTS:**

BBP/DBP/DEHP/DnHP/DIDP Phthalates Content Requirements in Toys, Child Care Articles and Watches – California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050

Test Method	:	With reference to U.S. CPSC-CH-C1001-09.4 (January 17, 2018	)
restimethou		With reference to 0. 3. GF3G-GH-G1001-09.4 (January 17, 20	10

Test Parameter:	BBP	DBP	DEHP	DnHP	DIDP	-
Limit (%):	0.1	0.1	0.1	0.1	0.1	-
Test Item(s)	Result (%)					Conclusion
1002+1003+1004	ND	ND	ND	ND	ND	PASS
1005+1006+1007	ND	ND	ND	ND	ND	PASS
1010	ND	ND	ND	ND	ND	PASS

#### Note / key:

BBP = Butyl benzyl phthalate DnHP = Di-n-hexyl phthalate ND = Not detected mg/kg = milligram(s) per kilogram Detection Limit (%) : Each 0.005 DBP = Dibutyl phthalate DIDP = Di-iso-decyl phthalate % = percent DEHP = Di(2-ethylhexyl) phthalate

10000 mg/kg = 1 %



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 29 of 33

# **RESULTS:**

Phthalates Content in Children's Toys and Childcare Articles – Canada Consumer Product Safety Act, Phthalate Regulations, SOR/2016-188 - BBP / DBP / DEHP Content

Test Method : Health Canada, Product Safety Laboratory Reference Manual, Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, Method C-34(2012)

Test Parameter:	BBP	DBP	DEHP	-
Limit (%):	0.1	0.1	0.1	-
Test Item(s)		Conclusion		
1010	ND	ND	ND	PASS

Note / key:

BBP = Butyl benzyl phthalate ND = Not detected mg/kg = milligram(s) per kilogram Detection Limit (%) : Each 0.005 DBP = Dibutyl phthalate % = percent

DEHP = Di(2-ethylhexyl) phthalate 10000 mg/kg = 1 %



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 30 of 33

### **RESULTS:**

Phthalates Content in Children's Toys and Childcare Articles – Canada Consumer Product Safety Act, Phthalate Regulations, SOR/2016-188 - DNOP / DINP / DIDP Content

Test Method : Health Canada, Product Safety Laboratory Reference Manual, Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, Method C-34(2012).

Test Parameter:	DNOP	DINP	DIDP	_
Test Farameter.	DINOI	DIN	וטוט	-
Limit (%):	0.1	0.1	0.1	-
Test Item(s)		Conclusion		
1010	ND	ND	ND	PASS

Note / key:

DNOP = Di-n-octyl phthalate ND = Not detected mg/kg = milligram(s) per kilogram Detection Limit (%) : Each 0.005 DINP = Di-iso-nonyl phthalate % = percent

DIDP = Di-iso-decyl phthalate 10000 mg/kg = 1 %

Remark:

This report is to Supersede BV (Dong guan) report No. (8824)009-0176(R2) dated on Feb 26, 2024.



#### CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 31 of 33

**RESULTS:** 



END OF REPORT



CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 32 of 33

# APPENDIX:

The photo was submitted by the client. The test results only related to the tested model and the conclusion was given based on the result tested model.





CHIZHOU KUAILEDA TOYS CO.,LTD Technical Report: **(8824)009-0176(R3)** Jun 13, 2024 Page 33 of 33

### **APPENDIX:**

The photo was submitted by the client. The test results only related to the tested model and the conclusion was given based on the result tested model.



