


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Issued To:

CHAOZHOU CHAOAN GUXIANG WEIXIN CERAMICS FACTORY

SHUIBAI INDUSTRIAL ZONE, GUSI VILLAGE, CHAOAN, 515647 CHAOZHOU , GUANGDONG, CHINA

Product:

Ceramic Plumbing Fixtures

Products are in compliance with the following code(s):

**Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada**

Products are in compliance with the following standard(s)

ASME A112.19.2-2018/CSA B45.1-18

File Number: 11330

Effective Date: October 2019

Void After: October 2024


Chairman, Product Certification Committee




CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: CHAOZHOU CHAOAN GUXIANG WEIXIN
CERAMICS FACTORY

Effective Date: October 2019

File Number: 11330

Product: Ceramic Plumbing Fixtures

Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.

Characteristics:


Ceramic plumbing fixtures may include water closets, lavatories, urinals, bidets, service sinks and drinking

fountains. To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: CHAOZHOU CHAOAN GUXIANG WEIXIN
CERAMICS FACTORY

Effective Date: October 2019

File Number: 11330

Product: Ceramic Plumbing Fixtures

Void After: October 2024


This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description	Dimension
0161	Under Counter Basin	420*335*190mm
019	Art Basin	500*400*135mm
022	Art Basin	415*415*135mm
230	230 Art Basin	420*420*120mm
264	Art Basin	490*410*190mm
302	Under Counter Basin	560*370*200mm
311	Square Under Counter Basin	525*340*180mm
314	Square Under Counter Basin	455*325*190mm
316	Square Under Counter Basin	515*385*180mm
316A	24 Inch Under Counter Basin	600*400*210mm
316T	20 Inch Under Counter Basin	510*370*195mm
317	Under Counter Basin	530*375*200mm
317A	Square Under Counter Basin	600*410*200mm
321	19 Inch Square Under Counter Basin	500*400*190mm
5110	Art Basin	435*435*155mm
60K	Counter Basin	610*465*170mm
8116	Art Basin	515*425*150mm
A100	Counter Basin	1000*460*180mm
A120	Counter Basin	1200*460*180mm
A120D	Counter Basin	1200*460*180mm
A13	Square Under Counter Basin	325*270*175mm
A19	19 Inch Under Counter Basin	505*375*190mm
A60	Counter Basin	600*460*170mm
A70	Counter Basin	700*460*180mm
A75	75 Counter Basin	750*460*180mm
A80	Counter Basin	800*460*180mm
A90	Counter Basin	900*460*180mm

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: CHAOZHOU CHAOAN GUXIANG WEIXIN
CERAMICS FACTORY

Effective Date: October 2019

File Number: 11330

Product: Ceramic Plumbing Fixtures

Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Model Number	Description	Dimension
U016	22 Inch Under Counter Basin	565*420*190mm
U018	Under Counter Basin	490*400*210mm
U021	Under Counter Basin	465*380*195mm