

# IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



## CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

*Issued To:*

### FOSHAN EMP IMPORT AND EXPORT TRADING CO., LTD.

503 BUILDING 5 GREEN ISLAND INTERNATIONAL CEN NANZHUANG CHANCHENG DISTRICT FOSHAN, GU 528000, GUANGDONG, CHINA

*Product:*

### Ceramic Plumbing Fixtures

*Products are in compliance with the following code(s):*

Uniform Plumbing Code (UPC®)  
National Plumbing Code of Canada  
National Standard Plumbing Code

*Products are certified to the following standard(s)*

ASME A112.19.2-2018/CSA B45.1-18

File Number: 11330

Revised Date: January 3, 2024

Effective Date: October 2019

Void After: October 2024\*

  
Chairman, Product Certification Committee



  
Chief Technical Service Officer

\*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: FOSHAN EMP IMPORT AND EXPORT TRADING CO., LTD.

Effective Date: October 2019

File Number: 11330

Revised Date: January 3, 2024

Product: Ceramic Plumbing Fixtures

Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

### Identification:

Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.

### Characteristics:

Ceramic plumbing fixtures may include water closets, lavatories, urinals, bidets, service sinks and drinking fountains. To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: FOSHAN EMP IMPORT AND EXPORT TRADING CO., LTD.

Effective Date: October 2019

File Number: 11330

Revised Date: January 3, 2024

Product: Ceramic Plumbing Fixtures

Void After: October 2024


This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

### Models

Model Number	Description	Dimension
0030	Art Basin	300*300*135
011	Art Basin	470*380*140
0141	Under Counter Basin	365*300*180
0161	Under Counter Basin	420*335*190mm
0171	Under Counter Basin	440*350*190
019	Art Basin	500*400*135mm
022	Art Basin	415*415*135mm
029	Art Basin	510*430*150
031	Art Basin	615*345*115
035	Art Basin	550*350*125
041	Art Basin	360*360*170
049	Art Basin	455*455*170
053A	Art Basin	460*330*130
0634A	Art Basin	460*460*200
100K	Art Basin	1010*470*180
1058	Art Basin	600*425*135
1129-100	Art Basin	1000*500*200
1129-120	Art Basin	1205*500*210
1129-60	Art Basin	600*500*200
1129-70	Art Basin	700*500*190
1129-80	Art Basin	805*500*190
1129-90	Art Basin	905*500*195
1200AK	Art Basin	1210*470*185
1817	Under Counter Basin	415*260*180
2020	Art Basin	620*475*165
2021	Art Basin	600*460*200
203M	Art Basin	385*385*135

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: FOSHAN EMP IMPORT AND EXPORT TRADING CO., LTD.

File Number: 11330

Product: Ceramic Plumbing Fixtures

Effective Date: October 2019

Revised Date: January 3, 2024


Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
222A	Art Basin	460*460*160
230	230 Art Basin	420*420*120mm
260A	Art Basin	405*330*145
264	Art Basin	490*410*190mm
274A	Art Basin	470*470*165
274B	Art Basin	415*415*155
302	Under Counter Basin	560*370*200mm
303	Art Basin	520*400*200
311	Square Under Counter Basin	525*340*180mm
314	Square Under Counter Basin	455*325*190mm
316	Square Under Counter Basin	515*385*180mm
316A	24 Inch Under Counter Basin	600*400*210mm
316T	20 Inch Under Counter Basin	510*370*195mm
317	Under Counter Basin	530*375*200mm
317A	Square Under Counter Basin	600*410*200mm
321	19 Inch Square Under Counter Basin	500*400*190mm
431	Art Basin	300*300*110
4635	Art Basin	460*350*150
46K	Art Basin	460*405*200
5110	Art Basin	435*435*155mm
60K	Counter Basin	610*465*170mm
6236	Art Basin	625*370*170
7050	Art Basin	480*370*140
70K	Art Basin	710*470*185
75K	Art Basin	750*470*185
8036B	Art Basin	360*360*120
8043	Art Basin	470*470*170
8045	Art Basin	410*225*105
8069	Art Basin	465*260*125

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: FOSHAN EMP IMPORT AND EXPORT TRADING CO., LTD.

File Number: 11330

Product: Ceramic Plumbing Fixtures

Effective Date: October 2019

Revised Date: January 3, 2024


Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
80K	Art Basin	805*470*180
8116	Art Basin	515*425*150mm
8227	Art Basin	640*420*130
9068	Art Basin	580*405*195
90K	Art Basin	910*470*180
934A-100	Art Basin	1000*480*215
934A-60	Art Basin	600*470*225
934A-70	Art Basin	700*475*225
934A-80	Art Basin	800*480*225
934A-90	Art Basin	900*480*215
A100	Counter Basin	1000*460*180mm
A100L	Art Basin	1010*470*185
A100R	Art Basin	1010*470*185
A120	Counter Basin	1200*460*180mm
A120D	Counter Basin	1200*460*180mm
A120L	Art Basin	1210*465*170
A120R	Art Basin	1210*465*170
A13	Square Under Counter Basin	325*270*175mm
A150	Art Basin	1505*460*175
A150D	Art Basin	1505*465*175
A19	19 Inch Under Counter Basin	505*375*190mm
A250	Art Basin	480*245*140
A301	Art Basin	560*410*180
A60	Counter Basin	600*460*170mm
A70	Counter Basin	700*460*180mm
A75	75 Counter Basin	750*460*180mm
A80	Counter Basin	800*460*180mm
A80L	Art Basin	810*470*185
A80R	Art Basin	810*470*185

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: FOSHAN EMP IMPORT AND EXPORT TRADING CO., LTD.

File Number: 11330

Product: Ceramic Plumbing Fixtures

Effective Date: October 2019

Revised Date: January 3, 2024


Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
A90	Counter Basin	900*460*180mm
A90L	Art Basin	910*470*185
A90R	Art Basin	910*470*185
C60	Art Basin	590*460*230
F101	Basin With Pedestal	560*400*810
F125	Basin With Pedestal	565*460*770
LT023B	Basin With Pedestal	450*450*830
LT029	Basin With Pedestal	330*320*830
S4022	Art Basin	400*220*105
U016	22 Inch Under Counter Basin	565*420*190mm
U018	Under Counter Basin	490*400*210mm
U021	Under Counter Basin	465*380*195mm
U026	Under Counter Basin	595*380*185
U026A	Under Counter Basin	555*365*185
U320	Under Counter Basin	510*375*190
A2018	Kitchen Sink	510*460*255
A2418	Kitchen Sink	610*460*255
A3018	Kitchen Sink	762*460*255
A3318	Kitchen Sink	838*460*255
A3318D	Kitchen Sink	840*460*255
B2418	Kitchen Sink	605*460*255
B3019A	Kitchen Sink	762*482*255
B3019	Kitchen Sink	762*482*255
B3319	Kitchen Sink	838*482*255
F3320	Kitchen Sink	840*502*254
G2319	Kitchen Sink	590*480*215
D3020	Kitchen Sink	766*525*258
K01	Kitchen Sink	550*400*200
C3320	Kitchen Sink	845*505*258

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: FOSHAN EMP IMPORT AND EXPORT TRADING CO., LTD.

Effective Date: October 2019

File Number: 11330

Revised Date: January 3, 2024

Product: Ceramic Plumbing Fixtures

Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
056	Kitchen Sink	500*400*142
813-50	Art Basin	500*435*175
813-55	Art Basin	550*450*170
813-75	Art Basin	750*480*210
813-85	Art Basin	850*490*230
813-105	Art Basin	1058*495*235
5039	Art Basin	510*390*175
7031	Art Basin	440*380*175
518	Kitchen Sink	608*408*160
D3320	Kitchen Sink	840*525*254
C3020	Kitchen Sink	840*525*254
7042T	Art Basin	425*425*140
CB118	Art Basin	435*385*130
CB112	Art Basin	650-395*165
A51	Art Basin	510*465*175
9124EG	Art Basin	1250*565*190
91112EGG	Art Basin	1120*565*190
9094EG	Art Basin	940*565*190
9079EG	Art Basin	790*565*190
9064EG	Art Basin	640*565*190
8335	Art Basin	390*390*145
7051Z	Art Basin	515*430*145
382	Art Basin	750*420*140
381	Art Basin	610*430*145
318T	Art Basin	510*365*190
092	Art Basin	505*400*180
024	Art Basin	455*325*135
013	Art Basin	410*410*145