



Client: YONGKANG TIANXIN INDUSTRY AND TRADE CO., LTD
No.651, Jiuzhou West Road, Hardware & Scientific-Technical
Industrial Area, Yongkang, Zhejiang, China

Attn : Eva

Manufacturing place: Same as above

Test subject: Product: Blue PVC

Test specification: Refer to next pages

Purpose of examination: Test according to the test specification

Test result: See data on following pages



Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as PASS nor as FAIL.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

For full version, please visit: <http://www.tuv-sud.cn/zh-cn/terms-and-conditions>

Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant

Project No.: 70.300.21.20986.01-00

Date: 2021-11-19

Page 1 of 19

Telephone : +86 21-6141 0123

Telefax : +86 21-6140 8600

<http://www.tuv-sud.cn>

TÜV SÜD Certification and Testing

(China) Co., Ltd

Shanghai Branch

TÜV SÜD Group

No.151 Heng Tong Road

Shanghai, 200 070

P.R.China



EXECUTIVE SUMMARY:

TEST REQUESTED		CONCLUSION	Remark
1.	Polycyclic Aromatic Hydrocarbons(PAH)content Test	Pass	-
2.	Phthalates Test	Pass	-
3.	Azo Dyes Content	Pass	-
4.	Formaldehyde Content	Pass	-
5.	Organotin Compounds Content Test	Pass	-
6.	Total Cadmium Content Test	Pass	-
7.	Total Lead Content Test	Pass	-
8.	Short-Chain Chlorinated Paraffins (SCCP) Test	Pass	-
9.	Medium-Chain Chlorinated Paraffins (MCCP) Test	Pass	-
10.	Nonylphenol (NP)/ Octylphenol (OP) Content Test	Pass	-
11.	Nonylphenol Ethoxylates (NPEO) and Octylphenol Ethoxylates (OPEO) Content Test	Pass	-
12.	Sensory verification of odor	Pass	-
13.	Perfluorooctane Acid (PFOA) Content Test	Pass	-
14.	Perfluorooctane Sulfonates (PFOS) Content Test	Pass	-
15.	Migration of certain elements	Pass	-
16.	Flame Retardants Test	Pass	-
17.	Carcinogenic and Allergenous Disperse Dye	Pass	-
18.	Fabric Test	Pass	-

Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant

1. Description of the test subject

1.1 Technical Data

None

1.2. Test Item

No.	Description	Pictures	Remark
001	Blue soft plastic with backing fabric		-



Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant



2. Order

2.1 Date of Purchase Order, Customer's Reference

2021-09-23

2.2 Receipt of Test Sample, Location

2021-11-16

No. 1999 Duhui Road, Shanghai, P.R.China

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch

2.3 Date of Testing

2021-11-16 to 2021-11-18

2.4 Location of Testing

No. 1999 Duhui Road, Shanghai, P.R.China

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch

2.5 Points of Non-compliance or Exceptions of the Test Procedure

None



Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant

Project No.: 70.300.21.20986.01-00

Date: 2021-11-19

Page 4 of 19

Telephone : +86 21-6141 0123

Telefax : +86 21-6140 8600

<http://www.tuv-sud.cn>

TÜV SÜD Certification and Testing
(China) Co., Ltd
Shanghai Branch
TÜV SÜD Group
No.151 Heng Tong Road
Shanghai, 200 070
P.R.China



3. Test Results

3.1 Polycyclic Aromatic Hydrocarbons(PAH)content Test

Test according to German Committee on Product Safety (AfPS)
 AfPS GS 2019:01 PAK Solvent extraction followed by GC-MS analysis
 [Reporting Limit = 0.1mg/kg]

Compounds	Result [mg/kg]	
	001	
Naphthalene	0.4	
Phenanthrene	0.3	
Anthracene	<0.1	
Fluoranthene	<0.1	
Pyrene	<0.1	
Sum of detected 4 PAHs	0.3	
Benzo[a]anthracene^	<0.1	
Chrysene^	<0.1	
Benzo[b]fluoranthene^	<0.1	
Benzo[j]fluoranthene^	<0.1	
Benzo[k]fluoranthene^	<0.1	
Benzo[a]pyrene^	<0.1	
Benzo[e]pyrene^	<0.1	
Benzo[ghi]perylene	<0.1	
dibenzo[ah]anthracene^	<0.1	
Indeno[1,2,3-cd]pyrene	<0.1	
Sum of detected 15 PAHs	0.7	
Category as AfPS GS Specification – Non Children Articles	Cat. 2	Cat. 3
Conclusion⁴ (AfPS GS Specification)	Pass	Pass

Remarks : 1. The compositing testing was required by the client
 2. The test items were specified by the applicant

- Note:
1. "<" denotes less than
 2. "mg/kg" denotes milligram per kilogram
 3. "A" denotes PAHs in Regulation (EC) No. 1272/2013 (REACH) Annex XVII, Entry 50
 4. Limit:

Parameter (mg/kg)	Category 1 Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s) during the intended use - in toys according to Directive 2009/48/EC or - for the use by children ^{a,b} up to 3 years of age	Category 2 Materials not covered by category 1, coming into long-term contact (more than 30s) or short-term repetitive contact ^c with skin during the intended or foreseeable use ^d		Category 3 Materials covered neither by category 1 nor 2, coming into short-term skin contact (up to 30s) with skin during the intended or foreseeable use	
		a. Used by children	b. Other consumer products	a. Used by children	b. Other consumer products
-	-				
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[ghi]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-cd]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Naphthalene	<1	<2		<10	
Sum of Phenanthrene, Pyrene, Anthracene, Fluoranthene	Sum <1	Sum <5	Sum <10	Sum <20	Sum <50
Sum 15 PAHs	<1	<5	<10	<20	<50

- A "child" is legally defined as a person before reaching the age of 14 years.
 - Use by children includes both active and passive direct contact by children.
 - Definition "short-term repetitive contact" taken from REACH Annex XVII entry 50 amendment (Regulation (EC) No.1272/2013).
 - According to the definition of the Product Safety Act (ProdSG) (Chapter 1 Article 2 No. 28) "foreseeable use" shall mean the use of a product in a manner that the person placing it on the market, has not intended, but which could be reasonably foreseeable.
5. REACH Regulation (EC) No. 1907/2006 Annex XVII Entry 50, Amendment of Commission Regulation (EU) No. 1272/2013 for toys.

Parameter (mg/kg)	Toys (including activity toys): Childcare articles	Sports equipment, such as bicycles, golf clubs, racquets; House-hold utensils, trolleys, walking frames; tools for domestic use; Clothing footwear, gloves and sportswear; Watch-straps wrist-bands, masks, head-bands
Benzo[a]anthracene, Chrysene, Benzo[b]fluoranthene, Benzo[k]fluoranthene, Benzo[a]pyrene, Benzo[e]pyrene, dibenzo[ah]anthracene, Benzo[j]fluoranthene	Each < 0.5	Each < 1.0

Remarks :
1. The compositing testing was required by the client
2. The test items were specified by the applicant

Project No.: 70.300.21.20986.01-00

Date: 2021-11-19

Page 6 of 19

Telephone : +86 21-6141 0123

Telefax : +86 21-6140 8600

<http://www.tuv-sud.cn>

TÜV SÜD Certification and Testing
(China) Co., Ltd
Shanghai Branch
TÜV SÜD Group
No.151 Heng Tong Road
Shanghai, 200 070
P.R.China



3.2 Phthalates Test

CPSC-CH-C1001-09.4

[Reporting Limit: 50 mg/kg]

Parameter	CAS No.	Results [mg/kg]	Client Limit [mg/kg]
		001	
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	<50	-
Di-n-octyl phthalate, (DNOP)	117-84-0	<50	-
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	<50	-
Benzyl butyl phthalate, (BBP)	85-68-7	<50	-
Sum of DINP, DIDP, DNOP & DIBP	-	<50	<1000
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	<50	<1000
Dibutyl phthalate, (DBP)	84-74-2	<50	<1000
Diisobutylphthalate, (DIBP)	84-69-5	<50	<1000
Bis(2-methoxyethyl)phthalate (DMEP)	117-82-8	<50	<1000
1,2-Benzenedicarboxylic acid, di-C6-8- branched alkyl esters, C7-rich (DIHP)	71888-89-6	<50	<1000
1,2-Benzenedicarboxylic acid, di-C7-11- branched and linear alkyl esters (DHNUP)	68515-42-4	<50	<1000
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	<50	<1000
Diisopentyl phthalate (DiPP)	605-50-5	<50	<1000
Dipentyl phthalate (DPP)	131-18-0	<50	<1000
n-Pentyl-isopentylphthalate (nPiPP)	776297-69-9	<50	<1000
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	<50	<1000
Di-n-hexyl phthalate (DnHP)	84-75-3	<50	<1000
1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters, Di(C6-C10)alkyl phthalate	68515-51-5 68648-93-1	<50	<1000
Dicyclohexyl phthalate (DCHP)	84-61-7	<50	<1000
Dipropylheptyl phthalate(DPHP)	53306-54-0	<50	<1000
Di-iso-hexyl phthalate, DiHxP	71850-09-4	<50	<1000
Diisooctyl phthalate (DIOP)	27554-26-3	<50	<1000
Conclusion		Pass	-

- Note: 1. "mg/kg" denotes milligram per kilogram
2. "<" denotes less than

Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant

Project No.: 70.300.21.20986.01-00

Date: 2021-11-19

Page 7 of 19

Telephone : +86 21-6141 0123

Telefax : +86 21-6140 8600

<http://www.tuv-sud.cn>

TÜV SÜD Certification and Testing
(China) Co., Ltd
Shanghai Branch
TÜV SÜD Group
No.151 Heng Tong Road
Shanghai, 200 070
P.R.China

3.3 Azo Dyes Content

Test in accordance with EN 14362-1:2012 (for textiles)
[Reporting Limit = 5.0 mg/kg].

Parameter	CAS-No	Result [mg/kg]	Client Limit [mg/kg]
		001	
4-aminobiphenyl	92-67-1	<5.0	<20
Benzidine	92-87-5	<5.0	<20
4-chloro-o-toluidine	95-69-2	<5.0	<20
2-naphthylamine	91-59-8	<5.0	<20
o-aminoazotoluene	97-56-3	<5.0	<20
5-nitro-o-toluidine	99-55-8	<5.0	<20
4-chloroaniline	106-47-8	<5.0	<20
2,4-diaminoanisole	615-05-4	<5.0	<20
4,4'-diaminodiphenylmethane	101-77-9	<5.0	<20
3,3'-dichlorobenzidine	91-94-1	<5.0	<20
3,3'-dimethoxybenzidine	119-90-4	<5.0	<20
3,3'-dimethylbenzidine	119-93-7	<5.0	<20
4,4'-methylenedi-o-toluidine	838-88-0	<5.0	<20
p-cresidine	120-71-8	<5.0	<20
4,4'-methylene-bis-(2-chloro-aniline)	101-14-4	<5.0	<20
4,4'-oxydianiline	101-80-4	<5.0	<20
4,4'-thiodianiline	139-65-1	<5.0	<20
o-toluidine	95-53-4	<5.0	<20
2,4-toluediamine	95-80-7	<5.0	<20
2,4,5-trimethylaniline	137-17-7	<5.0	<20
2-methoxyaniline	90-04-0	<5.0	<20
2,4-xylidine	95-68-1	<5.0	<20
2,6-xylidine	87-62-7	<5.0	<20
4-aminoazobenzene	60-09-3	<5.0	<20
Aniline	62-53-3	<5.0	<100
Test Method		EN ISO 14362-1:2017	-
Conclusion		Pass	-

Remark: 1. "mg/kg" denotes milligram per kilogram
2. "<" denotes less than

Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant

Project No.: 70.300.21.20986.01-00

Date: 2021-11-19

Page 8 of 19

Telephone : +86 21-6141 0123

Telefax : +86 21-6140 8600

<http://www.tuv-sud.cn>

TÜV SÜD Certification and Testing
(China) Co., Ltd
Shanghai Branch
TÜV SÜD Group
No.151 Heng Tong Road
Shanghai, 200 070
P.R.China



3.4 Formaldehyde Content

Formaldehyde content determined by UV-Visible spectroscopy and/or HPLC-DAD.

DIN EN ISO 14184-1:2011.

[Reporting Limit = 16 mg/kg]

Test Item	Result [mg/kg]	Client Limit [mg/kg]	Conclusion
001	<16	<50	Pass

Note: 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than

3.5 Organotin Compounds Content Test

Test with reference to ISO/TS 16179:2012, determination by GC-MS.

[Reporting Limit = 0.025 mg/kg]

Organotin	Tested item [mg/kg]		Client Limit [mg/kg]
	001		
MMT	<0.025		≤1.0
DMT	<0.025		≤1.0
MBT	<0.025		≤1.0
DBT	<0.025		≤1.0
TeBT(TTBT)	<0.025		≤1.0
DprT	<0.025		≤1.0
MOT	<0.025		≤1.0
DOT	<0.025		≤1.0
TcyT	<0.025		≤1.0
DPhT	<0.025		≤1.0
TPhT	<0.025		≤1.0
TBT	<0.025		≤1.0
Tripopyltin(TPrT)	<0.025		≤1.0
Conclusion	Pass		-

Note: 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than, "≤" denotes not more than

Remarks : 1. The compositing testing was required by the client
 2. The test items were specified by the applicant

Project No.: 70.300.21.20986.01-00

Date: 2021-11-19

Page 9 of 19

Telephone : +86 21-6141 0123

Telefax : +86 21-6140 8600

<http://www.tuv-sud.cn>

TÜV SÜD Certification and Testing
 (China) Co., Ltd
 Shanghai Branch
 TÜV SÜD Group
 No.151 Heng Tong Road
 Shanghai, 200 070
 P.R.China



3.6 Total Cadmium Content Test

EN 16711-1

[Reporting Limit = 10.0 mg/kg]

Compounds	Tested item [mg/kg]	Client Limit [mg/kg]
	001	
Cadmium	<10.0	<40
Conclusion	Pass	-

Note: 1. "mg/kg" denotes milligram per kilogram
2. "<" denotes less than

3.7 Total Lead Content Test

EN 16711-1

[Reporting Limit: 10.0 mg/kg]

Compounds	Tested item [mg/kg]	Client Limit [mg/kg]
	001	
Lead	<10.0	<90
Conclusion	Pass	-

Note: 1. "mg/kg" denotes milligram per kilogram
2. "<" denotes less than

3.8 Short-Chain Chlorinated Paraffins (SCCP) Test

EN ISO 18219:2016

[Reporting Limit = 100 mg/kg]

Test Item(s)	Result [mg/kg]	Client Limit [mg/kg]	Conclusion
001	<100	<1000	Pass

Note: 1. "mg/kg" denotes milligram per kilogram
2. "<" denotes less than

Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant



3.9 Medium-Chain Chlorinated Paraffins (MCCP) Test

EN ISO 18219:2016

[Reporting Limit = 100 mg/kg]

Test Item	Result [mg/kg]	Client Limit [mg/kg]	Conclusion
001	<100	<1000	Pass

Note: 1. "mg/kg" denotes milligram per kilogram
2. "<" denotes less than

3.10 Nonylphenol (NP)/ Octylphenol (OP) Content Test

ISO 18254

[Reporting Limit = 10.0 mg/kg]

Items	Results [mg/kg]	Client Limit [mg/kg]
	001	
Nonyl phenol (NP)	<10.0	<100
Octyl phenol (OP)	<10.0	<100
Conclusion	Pass	-

Note: 1. "mg/kg" denotes milligram per kilogram
2. "<" denotes less than

3.11 Nonylphenol Ethoxylates (NPEO) and Octylphenol Ethoxylates (OPEO) Content Test

ISO 18254

[Reporting Limit = 10.0 mg/kg]

Items	Results [mg/kg]	Client Limit [mg/kg]
	001	
Nonylphenoethoxylates (NPEO)	<10.0	<100
Octylphenoethoxylates (OPEO)	<10.0	<100
Conclusion	Pass	-

Note: 1. "mg/kg" denotes milligram per kilogram
2. "<" denotes less than

Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant



3.12 Sensory verification of odor

Client's specification with reference to SNV 195651

Items	Results [Score]	Client Limit [Score]
	001	
Average Value	1.0	<3
Conclusion	Pass	-

Note: Scoring
 1 = Odourless
 2 = Weak odour
 3 = Tolerable odour
 4 = Annoying odour
 5 = Intolerable odour

3.13 Perfluorooctane Acid (PFOA) Content Test

CEN/TS 15968

[Reporting Limit = 0.5 µg/m²]

Test Item(s)	Result [µg/m ²]	Client Limit [µg/m ²]	Conclusion
001	<0.5	<1.0	Pass

Note: 1. "<" denotes less than
 2. "µg/m²" denotes microgram per square meter

3.14 Perfluorooctane Sulfonates (PFOS) Content Test

European Parliament and Council Regulation (EC) No. 2019/1021 on Persistent Organic Pollutants (POPs)

CEN/TS 15968

[Reporting Limit = 0.5 µg/m²]

Test Item(s)	Result [µg/m ²]	Limit [µg/m ²]	Conclusion
001	<0.5	<1.0	Pass

Note: 1. "<" denotes less than
 2. "µg/m²" denotes microgram per square meter

Remarks : 1. The compositing testing was required by the client
 2. The test items were specified by the applicant




3.15 Migration of certain elements

EN 16711-2

Items	Results [mg/kg]	Limit [mg/kg]
	001	
Antimony (Sb)	<0.5	<30.0
Arsenic (As)	<0.2	<0.2
Cadmium (Cd)	<0.1	<0.1
Chromium (Cr)	<0.5	<2.0
Cobalt (Co)	<0.5	<1.0
Copper (Cu)	<5	<50.0
Lead (Pb)	<0.2	<0.2
Chromium VI (Cr VI)	<0.5	<1.0
Mercury (Hg)	<0.02	<0.02
Nickel (Ni)	<0.5	<1.0
Conclusion	Pass	-

Note: 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than



Remarks : 1. The compositing testing was required by the client
 2. The test items were specified by the applicant



3.16 Flame Retardants Test

3.16.1 ISO 17881

[Reporting Limit = 5 mg/kg]

Items	Results [mg/kg]	Client Limit [mg/kg]
	001	
Bromobiphenyl (MonoBB)	<5	-
Dibromobiphenyl (DiBB)	<5	-
Tribromobiphenyl (TriBB)	<5	-
Tetrabromobiphenyl (TetraBB)	<5	-
Pentabromobiphenyl (PentaBB)	<5	-
Hexabromobiphenyl (HexaBB)	<5	-
Heptabromobiphenyl (HeptaBB)	<5	-
Octabromobiphenyl (OctaBB)	<5	-
Nonabromobiphenyl (NonaBB)	<5	-
Decabromobiphenyl (DecaBB)	<5	-
Sum of PBBs	<5	<5
Bromodiphenylether (MonoBDE)	<5	-
Dibromodiphenylether (DiBDE)	<5	-
Tribromodiphenylether (TriBDE)	<5	-
Tetrabromodiphenylether (TetraBDE)	<5	-
Pentabromodiphenylether (PentaBDE)	<5	-
Hexabromodiphenylether (HexaBDE)	<5	-
Heptabromodiphenylether (HeptaBDE)	<5	-
Octabromodiphenylether (OctaBDE)	<5	-
Nonabromodiphenylether (NonaBDE)	<5	-
Decabromodiphenylether (DecaBDE)	<5	-
Sum of PBDEs	<5	<5
Tricresyl phosphate (TCP)	<5	<5
Hexabromocyclododecane (HBCDD)	<5	<5
Trixylyl phosphate (TXP)	<5	<5
Tric(2-chloroethyl) phosphate (TCEP)	<5	<5
Tris(aziridiny)phosphin oxide (TEPA)	<5	<5
Tris (2,3 dibromopropyl) phosphate (Tris)	<5	<5
Tetrabromobisphenol A (TBBPA)	<5	<5
Tris-Chlorpropylphosphate (TCPP)	<5	<5
Tris-dichlorpropylphosphate (TDCP/TDCPP)	<5	<5
Conclusion	Pass	-

Note: 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than

Remarks : 1. The compositing testing was required by the client
 2. The test items were specified by the applicant

Project No.: 70.300.21.20986.01-00

Date: 2021-11-19

Page 14 of 19

Telephone : +86 21-6141 0123

Telefax : +86 21-6140 8600

<http://www.tuv-sud.cn>

TÜV SÜD Certification and Testing
 (China) Co., Ltd
 Shanghai Branch
 TÜV SÜD Group
 No.151 Heng Tong Road
 Shanghai, 200 070
 P.R.China



3.16 Flame Retardants Test

3.16.2 In house method, solvent extraction and determination by GC/MS.
 [Reporting Limit = 5^{\$\$} mg/kg]

Items	Results [mg/kg]	Client Limit [mg/kg]
	001	
Boric Acid ^{\$}	<5	<5
Disodium tetraborate, anhydrous ^{\$}	<5	<5
Diboron trioxide ^{\$}	<5	<5
Antimony trioxide ^{\$}	<5	<5
Conclusion	Pass	-

- Note:
1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than
 3. "\$" The substances are tested in terms of its respective elements and the test result is based on the calculation of selected elements/marker(s) and to the worst-case scenario. Due to the limit of the analytical technology available, any further investigation is not feasible. The client is strongly advised to review the chemical formulation to ascertain.
 4. "\$\$" Indicates that the report limit is element-based.



Remarks : 1. The compositing testing was required by the client
 2. The test items were specified by the applicant



3.17 Carcinogenic and Allergenic Disperse Dye

With reference to DIN 54231:2005, determination by LC-MS.

[Reporting Limit = 15 mg/kg]

Items	Results [mg/kg]	Client Limit [mg/kg]
	001	
C.I. Disperse Blue 1	<15	<20
C.I. Disperse Blue 3	<15	<20
C.I. Disperse Blue 7	<15	<20
C.I. Disperse Blue 26	<15	<20
C.I. Disperse Blue 35	<15	<20
C.I. Disperse Blue 102	<15	<20
C.I. Disperse Blue 106	<15	<20
C.I. Disperse Blue 124	<15	<20
C.I. Disperse Orange 1	<15	<20
C.I. Disperse Orange 3	<15	<20
C.I. Disperse Orange 37/76**	<15	<20
C.I. Disperse Red 1	<15	<20
C.I. Disperse Red 11	<15	<20
C.I. Disperse Red 17	<15	<20
C.I. Disperse Yellow 1	<15	<20
C.I. Disperse Yellow 3	<15	<20
C.I. Disperse Yellow 9	<15	<20
C.I. Disperse Yellow 39	<15	<20
C.I. Disperse Yellow 49	<15	<20
C.I. Disperse Brown 1	<15	<20
C.I. Acid Red 26	<15	<20
C.I. Basic Red 9	<15	<20
C.I. Basic Violet 14	<15	<20
C.I. Direct Black 38	<15	<20
C.I. Direct Blue 6	<15	<20
C.I. Direct Red 28	<15	<20
C.I. Disperse Orange 11	<15	<20
Solvent Yellow 2	<15	<20
Basic Violet 3	<15	<20
Solvent Yellow 1	<15	<20
C.I. Basic Blue 26	<15	<20
C.I. Solvent Blue 4	<15	<20
Michler's base	<15	<20
Acid red 114	<15	<20
Conclusion	Pass	-

- Note:
1. "<" denotes less than
 2. "mg/kg" denotes milligram per kilogram

Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant

Project No.: 70.300.21.20986.01-00

Date: 2021-11-19

Page 16 of 19

Telephone : +86 21-6141 0123

Telefax : +86 21-6140 8600

<http://www.tuv-sud.cn>

TÜV SÜD Certification and Testing
(China) Co., Ltd
Shanghai Branch
TÜV SÜD Group
No.151 Heng Tong Road
Shanghai, 200 070
P.R.China



Tested Dyestuffs :

Carcinogenic Dyestuffs:

C.I. Acid Red 26, C.I. Basic Red 9, C.I. Basic Violet 14, C.I. Disperse Blue 1*, C.I. Disperse Yellow 3*, C.I. Direct Black 38, C.I. Direct Blue 6, C.I. Direct Red 28, C.I. Disperse Orange 11

Allergenic Dyestuffs:

C.I. Disperse Blue 1*, C.I. Disperse Blue 3, C.I. Disperse Blue 7, C.I. Disperse Blue 26,
C.I. Disperse Blue 35, C.I. Disperse Blue 102, C.I. Disperse Blue 106, C.I. Disperse Blue 124,
C.I. Disperse Brown 1,
C.I. Disperse Orange 1, C.I. Disperse Orange 3, C.I. Disperse Orange 37, C.I. Disperse Orange 76**,
C.I. Disperse Red 1, C.I. Disperse Red 11, C.I. Disperse Red 17, C.I. Disperse Yellow 1,
C.I. Disperse Yellow 3*, C.I. Disperse Yellow 9, C.I. Disperse Yellow 39, C.I. Disperse Yellow 49
C.I. Disperse Yellow 23, C.I. Disperse Orange 149

*: Both Allergenic and Carcinogenic; **: equivalent to C.I. Disperse Orange 37



Remarks :
1. The compositing testing was required by the client
2. The test items were specified by the applicant

Project No.: 70.300.21.20986.01-00

Date: 2021-11-19

Page 17 of 19

Telephone : +86 21-6141 0123

Telefax : +86 21-6140 8600

<http://www.tuv-sud.cn>

TÜV SÜD Certification and Testing
(China) Co., Ltd
Shanghai Branch
TÜV SÜD Group
No.151 Heng Tong Road
Shanghai, 200 070
P.R.China



3.18 Fabric Test

I. Colour Fastness to Sweat

DIN 53160-2:2010

	001	Client's Requirement
Sweat		
Staining on filter paper	5	5
Conclusion	Pass	-

II. Colour Fastness to Perspiration

ISO 105 E04:2013

	001		Client's Requirement
	Acidic	Alkaline	
Colour change			
-Change in shade	4-5	4-5	4
Colour staining			
-Acetate	4-5	4-5	3-4
-Cotton	4-5	4-5	3-4
-Nylon	4-5	4-5	3-4
-Polyester	4-5	4-5	3-4
-Acrylic	4-5	4-5	3-4
-Wool	4-5	4-5	3-4
Conclusion	Pass		-

Remark: **COLOURFASTNESS RATING**
 Grade 5 negligible or no change or staining
 Grade 4 slightly changed or stained
 Grade 3 noticeably changed or stained
 Grade 2 considerably changed or stained
 Grade 1 much changed or stained

Remarks : 1. The compositing testing was required by the client
 2. The test items were specified by the applicant



4. Remark

None

5. Documentation

None

Hardlines-MES
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch

Prepared by:

Reviewed by:

Rongrong Song
Project Engineer
SHMES

Jiyu Huang
Technical Manager
SHMES



~ End Of Report ~

Remarks : 1. The compositing testing was required by the client
2. The test items were specified by the applicant