

Hexagonal Mini Trampoline with Safety Net



Read these materials prior to assembling and using this trampoline and trampoline enclosure.
Keep this manual for further reference.

ADULT ASSEMBLY REQUIRED - Contains small parts, sharp points and sharp edges.

CHOKING HAZARD - Small parts.



WARNING:

Read these materials prior to assembling and using this trampoline.

Table of Contents

Liability	1
Initial Warning	1
Assembly and Installation Instructions.....	2
Care and Maintenance Instructions	2
Use Instructions	3
Trampoline Safety and Accident Prevention	4
Owner's and Supervisor's Role in Preventing Injuries & Responsibilities	4
User's Role in Preventing Injuries & Responsibilities	4
Parts List.....	5
Trampoline & Enclosure Assembly	6 - 7

Liability

While every attempt is made to embody the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition and no representative of the company can waive or change.



WARNING:

In addition to the instructions and precautions provided with your Trampoline, the following precautions must be observed while using the Trampoline Safety Enclosure.

- DO NOT attempt or allow somersaults on the Trampoline. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the mat.
- Do not allow more than one person on the trampoline or inside the trampoline enclosure. Used by more than one person at the same time can result in serious injuries.
- The metal frame of the trampoline enclosure will conduct electricity. Lights, extension cords, and all such electrical equipment must never be allowed to come in contact with the enclosure.
- Inspect the enclosure before each use. Make sure the straps and all parts are correctly and securely positioned and attached. Tighten any loose hardware. Replace any worn, defective, or missing parts.
- Wear comfortable clothing free of hooks, snaps, drawstrings or anything which may snag or catch in the safety enclosure mesh. Remove jewelry, necklaces, and earrings before using the trampoline.
- Climbing on and off the trampoline only through the safety enclosure entrance and securely close entrance. Users, especially children, must not attempt to enter or exit between the trampoline frame and the enclosure. Doing this may pose a strangulation hazard.
- Do not touch or rebound off the safety enclosure mesh while using the trampoline.
- Read all instructions and complete all assembly before allowing your child to use the trampoline & safety enclosure.
- Use trampoline and trampoline enclosure only with mature, knowledgeable adult supervision.

For Recreational Use ONLY. Not for Professional Use.

 **WARNING:**
Assembly and Installation Instructions

- ADULT ASSEMBLY REQUIRED - Contains small parts, sharp points and sharp edges.
- Adequate overhead clearance is essential. A minimum of 8ft from ground level is recommended. Provide clearance for wires, tree limbs, and other possible hazards.
- Lateral clearance is essential. Place the trampoline and trampoline enclosure away from walls, structures, fences, and other play areas. Maintain a clear space on all sides of the trampoline and trampoline enclosure. A minimum of six feet from frame edge is recommended.
- Never set up the trampoline in heavy rain, wind or storm conditions, especially lightning storms. It is recommended that the trampoline be taken apart and stored in bad weather.
- Place the trampoline and trampoline enclosure on a level surface before use.
- Secure the trampoline and trampoline enclosure against unauthorized and unsupervised use.
- Remove any obstructions from beneath the trampoline and trampoline enclosure prior to use.
- The owner and supervisors of the trampoline are responsible to make all users aware of practices specified in the "Use Instructions".

 **WARNING:**
Care and Maintenance Instructions

Inspect the trampoline and trampoline enclosure before each use and replace any worn, defective, or missing parts.

The following conditions could represent potential hazards:

1. Missing, improperly positioned, or insecurely attached frame padding, barrier or enclosure support system (frame) padding and pole caps.
2. Punctures, frays, tears, or holes worn in the bed or frame padding, barrier or enclosure support system (frame) padding and pole caps.
3. Deterioration in the stitching or fabric of the bed or frame padding, barrier or enclosure support system (frame) padding and pole caps.
4. Ruptured suspension cords.
5. A bent or broken frame or support system.
6. A sagging trampoline mat or enclosure.
7. Sharp protrusions on the frame.
8. Loosened or missing hardware. Always make sure hardware is tight before each use.



WARNING

Use Instructions

- DO NOT attempt or allow somersaults on the Trampoline. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.
- Do not allow more than one person on the trampoline or inside the trampoline enclosure. Use by more than one person at the same time can result in serious injuries.
- Keep objects away which could interfere with the performer. Maintain a clear area around the trampoline. Do not allow foreign objects or animals on the trampoline.
- Children should only use trampoline and trampoline enclosure with mature, knowledgeable adult supervision.
- The trampoline should be assembled in its entirety before each use. All suspension cords must be attached to the frame. The frame cover must be correctly positioned at all times.
- Never set-up the trampoline in heavy rain, wind or storm conditions, especially lightning storms. It is recommended that the trampoline be taken apart and stored in bad weather.
- Inspect the trampoline & enclosure before each use. Make sure the frame cover, barrier mesh, and enclosure support padding are correctly and securely positioned. Replace any worn, defective or missing parts.
- The metal frame of the trampoline will conduct electricity. Lights, extension cords, and all such electrical equipment must never be allowed to come in contact with the trampoline or trampoline enclosure.
- Wear comfortable clothing. Remove jewelry, necklaces, and earrings. Wear clothing free of drawstrings, hooks, loops or anything that could get caught in the barrier mesh.
- Enter and exit the enclosure only at the enclosure door or barrier opening designated for that purpose. It is dangerous practice to jump from the trampoline to the ground or floor when dismounting, or to jump onto the trampoline when mounting. Do not use the trampoline as a springboard to other objects.
- Stop bounce by flexing knees as feet come in contact with the trampoline bed. Learn this skill before attempting others.
- Avoid bouncing too high. Stay low until bounce control and repeated landing in the center of the trampoline can be accomplished. Control is more important than height.
- While keeping the head erect, focus eyes on the trampoline toward the perimeter. This will help control bounce.
- Avoid bouncing when tired. Keep turns short.
- Properly secure the trampoline when not in use. Protect it against unauthorized use.
- The adult supervisor must not be under the influence of alcohol or drugs.
- For additional information concerning the trampoline equipment, please contact the seller.
- For information concerning skill training, contact a certified trampoline instructor.
- Bounce only when the surface of the mat is dry. The trampoline must not be used in gusty or severe winds. The trampoline should be taken apart or stored indoors during these types of weather conditions.
- Read all instructions before using the trampoline. Warnings and instructions for care, maintenance, and use of this trampoline and trampoline enclosure are included to promote safe, enjoyable use of this equipment.
- Do not intentionally bounce off the barrier.
- Do not attempt to jump over barrier or attempt to crawl under barrier.
- Do not hang from, kick, cut or climb on barrier.
- Do not attach anything to the barrier that is not a manufacturer approved accessory or part of the enclosure system.

Trampoline Safety and Accident Prevention

As in most recreational sport, participants may be injured. This section covers the most common accidents. Responsibilities of the supervisors and jumpers in accident prevention are also outlined.

The following are reasons why accidents happen:

- **Attempting somersaults.** Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.
- **More than one person on the trampoline.** Use by more than one person at the same time can result in serious injuries.
- **Incorrect mounting and dismounting.** Carefully crawl out of and into the trampoline mat. Do not jump off to the ground. Do not jump from a roof, or other object onto the trampoline. Small children may need assistance to get on or off the trampoline. Do not step onto the suspension system.
- **Hitting the frame.** Stay in the center of the trampoline when jumping. Injury may result from hitting the frame when control is lost. Be sure the frame cover is always on and the pads securely fastened. Do not jump directly onto the frame pad.
- **Loss of control.** A jumper who loses control will increase his/her chance of injury. Be sure to familiarize yourself with the basic jumps before doing more difficult ones. Jumps should be mastered, performed repeatedly before moving on to the next level. To regain control and stop your jump, bend your knees sharply as you land.
- **The adult supervisor must not be under the influence of alcohol or drugs.**
- **Foreign Objects.** Please make sure there is nothing sharp under and around the trampoline. Hitting objects under the trampoline can cause injury. Jumping with a foreign object can also increase the chances of getting injured. Be sure there is adequate clearance 8 feet above and 6 feet around the trampoline. Be careful of overhead wires, tree limbs etc.
- **Bad weather.** Do not use your trampoline in gusty winds or inclement weather. The bed should not be wet.
- **Poor maintenance of the trampoline.** Make sure you inspect the trampoline before every use. Check for punctures on the bed, sharp burrs on the frame, stitching that has gone bad or loose elastic bands. If a replacement part is needed, please call our hotline to order.
- **Unlimited access.** The trampoline should be covered or dis-assembled when not in use. This will prevent unsupervised small children from using the trampoline.

Owner's & Supervisor's Role in Preventing Injuries & Responsibilities














The supervisor's role is to make sure the users know all the safety rules as well as learn the basic, fundamental bounces. They need to enforce all the safety rules and warnings in the manual, frame and labels. When a supervisor is not available, the trampoline may be disassembled or covered to limit access. It is the supervisor's responsibility that the placards with the Trampoline Safety Tips and Enclosure Safety tips are reviewed and all jumpers are informed about the tips.

User's Role in Preventing Injuries & Responsibilities

The jumper must first learn all of the basic, fundamental bounces before attempting more difficult ones. Low, controlled bounces are a good start before learning the basic landing positions and combinations. Jumpers need to understand that the key to a successful jump is being able to control.

Contact a certified trampoline instructor for more information.


PARTS LIST

<p>A</p>  <p>Ocean Ball</p>	<p>B</p>  <p>Jump Mat with Pad</p> <p>× 1</p>	
<p>C</p>  <p>Safety Net</p> <p>× 1</p>	<p>D</p>  <p>Lower Mesh</p> <p>× 1</p>	
<p>E</p>  <p>Screws</p> <p>× 18</p>	<p>F</p>  <p>Screw Driver</p> <p>× 1</p>	
<p>G</p>  <p>Lower Rail</p> <p>× 6</p>	<p>H</p>  <p>Enclosure Pole</p> <p>× 6</p>	
<p>I</p>  <p>Top Enclosure Pole</p> <p>× 6</p>	<p>J</p>  <p>Leg Tube</p> <p>× 6</p>	
<p>K</p>  <p>Springs</p> <p>× 30</p>	<p>L</p>  <p>Plastic connector</p> <p>× 6</p>	<p>M</p>  <p>Spring hook</p> <p>× 1</p>

TRAMPOLINE & ENCLOSURE ASSEMBLY


Refer to PARTS LIST for identification of parts.

 **WARNING:**
CHOKING HAZARD - Small Parts


 **WARNING:**
ADULT ASSEMBLY REQUIRED
Contains small parts, sharp points and sharp edges.



1. Connect the 6 Lower Rails(#G) together.



2. They form a hexagon frame after connecting together.



3. Insert the 6 Leg Tubes(#J) into the Lower Rails.



4. Align the hole on the Leg Tube(#J) and Lower Rails(#G), secure with Screw(#E). Do NOT OVER-TIGHTEN at this step.



5. After securing all 6 Leg Tubes(#J), turn the frame over so that the legs point downward, as shown.




6. Lay out the Jump Mat with Pad(#B) in the center of the frame, and then attach one end of the Spring(#M) to the triangular ring sewn to the mat.

(The Jump Mat and Pad(#B) are pre-sewn together. For ease of reference, we have separated them in assembly steps.)



7. To keep the tension on the mat balanced, link the first 2 springs to one corner with Spring Hook(#M), and then the 3rd and 4th spring to the opposite corner. Now you have 4 evenly spaced springs attached to the jumping mat and the frame.



8. Repeat the step to attach the 5th - 12th springs to the frame, and make sure they are evenly spaced.



9. Continue to hook the rest Springs(#M) between the previously attached springs until all springs are installed.

TRAMPOLINE & ENCLOSURE ASSEMBLY


Refer to PARTS LIST for identification of parts.

⚠ WARNING:
CHOKING HAZARD - Small Parts

⚠ WARNING:
ADULT ASSEMBLY REQUIRED
Contains small parts, sharp points and sharp edges.



10. Attach the Lower Mesh(#D) to the outside of the Leg Tubes(#J). Please note the side with grommets is the bottom side.



11. Align the grommet on the bottom of the Lower Mesh skirt with the hole near the base of the Leg Tubes(#J) and secure with 6 Screws(#E).



12. Now the trampoline base is completed.




13. Insert the Enclosure Pole(#H) into the Lower Rails(#G).



14. Continue to insert all 6 Enclosure Poles(#H) into the frame.




15. Insert one Top Enclosure Pole(#I) through the tube sleeve on Safety Net(#C).



16. Connect the Top Enclosure Pole(#I) to the vertical Enclosure Poles(#H) with Plastic Connector(#L).



17. Put a second Top Enclosure Pole(#I) through the tube sleeve on Safety Net(#C), and connect it to the vertical pole with Plastic Connector(#L).



18. Repeat the step until all Top Enclosure Poles(#I) are connected to each other and the vertical Enclosure Pole(#H).



19. Attach the plastic hooks at the bottom of the Safety Net(#C) to the triangle ring sewn on the Jump Mat(#B).



20. Tie the bungee on the Lower Mesh(#D) to the bottom of the pole to secure its place.



21. Assembly completed.