

Date:

11 Jun, 2024

Applicant: PINGHU WEIHAI INDUSTRY CO.,LTD.

NO.28 JINSHENG ROAD XINCANG TOWN PINGHU JIAXING ZHEJIANG CHINA

Attn: MS.SHEN

Sample Description:

One (1) group of submitted sample said to be :

Item Name : RIDE ON CAR
Item No. : WH8802, WH8802A

Labelled Age Group : 3+ Years.

Packaging Provided By Applicant : Yes(Art work).

Goods Exported To : USA CANADA.

Country Of Origin : China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

<u>Tested Samples</u> Submitted Sample set	Standard U.S. ASTM F963-23 Physical and Mechanical Tests. Excluding section 4.25, 5.14, 6.5, 6.6, 6.9 and 7.2	Result Pass
Submitted Sample set	U.S. ASTM F963-23 Flammability Test of Materials other than Textile Materials	Pass
Tested Components of Submitted Samples	U.S. ASTM F963-23 for total Lead content in surface coating	Pass
Tested Components of Submitted Samples	U.S. ASTM F963-23 for total Lead content in non-surface coating materials	Pass
Tested Components of Submitted Samples	U.S. ASTM F963-23 for heavy metal elements test on surface coating material	Pass
Tested Components of Submitted Samples	U.S. ASTM F963-23 section 4.3.5.2(2)(a)(b) for heavy metal elements test on non-surface coating materials	Pass
Submitted Sample set	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products	Pass

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager







\sim	
i ono	li icion:
COLIC	lusion:

n	clusion:		
	Tested Samples Submitted Sample set	Standard U.S. CFR Title 16 (CPSC Regulations) for U.S. CFR Title 16 (CPSC Regulations) for Mechanical and Physical Tests 1500.48 Sharp Point 1500.49 Sharp Edge 1501 Small parts	Pass Pass Not Applicable
	Submitted Sample Set	U.S. CFR Title 16 (CPSC Regulations) for Part 1500.3(c)(6)(vi) Flammability Test On Rigid and Pliable Solids	Pass
	Tested Components of Submitted Samples	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating	Pass
	Tested Components of Submitted Samples	U.S. CFR Title 16 (CPSC Regulations) for Part 1303 total Lead content	Pass
	Tested Components of Submitted Samples	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate)	Pass
	Tested Components of Submitted Samples	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
	Tested Components of Submitted Samples	California Proposition 65 for toys, Consent Judgement No. RG-356892 Total Lead Content	Pass
	Tested Components of Submitted Samples	California Proposition 65 for Toys ,Consent judgment No. BG-350969 - Phthalate content	Pass
	Tested Components (1),(5),(34) of Submitted Samples	Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019)	See Result
	Other Tested Components of Submitted Samples	Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019)	Pass
	Submitted Sample set	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test	Pass

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com





Conclusion: Tested Samples Submitted Sample set	Standard Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Cellulose Nitrate and Celluloid	Result Pass
Tested Components of Submitted Samples	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and amendment SOR/2022-122 on toxic elements test	Pass
Tested Components of Submitted Samples	Phthalates content requirement in Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188	Pass
Tested Components (35),(45),(50) of Submitted Samples	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	Pass (See Comment)
Other Tested Components of Submitted Samples	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	Pass
Tested components of submitted samples	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass
Tested components of submitted samples	Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016- 193 Section 6 and amendment SOR/2022-122 for total lead content test on products with applied stickers, films or surface coating materials	Pass
Tested Components of Submitted Samples	ASTM F963-23 section 4.3.8 on Phthalates content	Pass

Comment:

The testing scope of the following standard (Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b)) was not applicable to the submitted sample. However, the test result of the sample met the related requirements as stated in this report.

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

1 Physical and Mechanical Tests

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

Applicant's specified age group for testing: For ages Over 3 years.

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Impact test	Section 1500.53(b)	4 x 3.0 ft
Tip over test		3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Section	Requirement	Result
4.1	Material Quality (Visual check on cleanliness)	Р
4.5	Sound-producing toys	Р
4.6.1	Toys intended for children under 36 months (Small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (Small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	Р
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	Р
4.12	Plastic film	Р
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	Р
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	Р
4.18	Holes, clearance, and accessibility of mechanisms	Р
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA



Tests Conducted

Section	Requirement	Result
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NR#
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P#
5.1.2	Tracking label on product and packaging	Р
6	Instructional literature	P#
7	Producer's markings	<u> </u>
7.1	Name of producer/distributor	Yes
	Address	Yes
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass NA= Not Applicable NR=Not Requested

Remark:

= As applicant's request, section 4.25, 5.14, 6.5, 6.6, 6.9 and 7.2 were not assessed.

Date sample received: 02 Apr, 2024 Testing period: 02 Apr, 2024 To 27 May, 2024



Tests Conducted

2 Flammability Test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 27 May, 2024

3 Total Lead (Pb) Content for Surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result	Reproting Limit	<u>Limit</u>	
restitem	(28)	(44)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	20	90

Remark: ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024



Tests Conducted

4 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Toot Itom			Reproting Limit	Limit						
Test Item	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(ppm)	<u>(ppm)</u>
Lead(Pb)	53	ND	ND	ND	48	ND	ND	ND	10	100
Test Item				Result	<u>in ppm</u>				Reproting Limit	<u>Limit</u>
rest item	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	ND	10	100
Test Item	Result in ppm								Reproting Limit	<u>Limit</u>
rest item	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	ND	10	100
Test Item			Reproting Limit	<u>Limit</u>						
TOST HOTT	(25)	(26)	(27)	(29)	(30)	(31)	(32)	(33)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	ND	10	100
Test Item				Result	in ppm				Reproting Limit	<u>Limit</u>
rest item	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	62	ND	34	ND	ND	ND	ND	ND	10	100
Test Item					in ppm				Reproting Limit	<u>Limit</u>
T COL TICITI	(42)	(43)	(45)	(46)	(47)	(48)	(49)	(50)	(nnm)	(nnm)

Remark: ppm = parts per million = mg/kg

(43)

ND

(42)

ND

Lead(Pb)

ND= Not detected (Less than reporting limit)

(45)

ND

(46)

ND

(47)

ND

(48)

ND

(49)

ND

(50)

ND

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024



(ppm)

10

(ppm)

100



Tests Conducted

5 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-23, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result	Reporting Limit	<u>Limit</u>	
rest item	(28)	(44)	<u>(ppm)</u>	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	2.5	25

Remark: Sol. = Soluble

ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024



Tests Conducted

Heavy Metal Elements Analysis in Non-Surface Coating Materials (Substrate Except Modelling Clay) 6

As per section 4.3.5.2(2)(a)(b) of the ASTM standard consumer safety specification on toy safety F963-23, CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 and acid extraction method were used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item			Reporting	<u>Limit</u>						
rest item	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	Limit (ppm)	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item			Reporting	<u>Limit</u>						
rest item	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	Limit (ppm)	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item				Result	(ppm)				Reporting	<u>Limit</u>
Test item	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	Limit (ppm)	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	6	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	2.5	25
*******	*****	*****	******	*****	*****	******	******	*****	*******	*****



Tests Conducted

Test Item				Reporting	Limit						
rest item	(25)	(26)	(27)	(29)	(30)	(31)	(32)	(33)	Limit (ppm)	(ppm)	
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	5	1000	
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	5	90	
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	5	75	
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	ND	5	60	
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND	5	500	
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	ND	5	60	
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	5	60	
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	2.5	25	

Test Item				Result	(ppm)				Reporting	<u>Limit</u>
rest item	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	Limit (ppm)	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	2.5	25

Test Item				Reporting	Limit					
rest item	(42)	(43)	(45)	(46)	(47)	(48)	(49)	(50)	Limit (ppm)	(ppm)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	7	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	2.5	25

Remark: Sol. = Soluble

ppm = parts per million = mg/kg

ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024 Testing period: 02 Apr, 2024 To 11 Jun, 2024



Tests Conducted

7 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products.

Tracking Label Found on the Packaging & product:

ITEM NO.:WH8802, WH8802A

Manufacturer: Pinghu Wei Hai Industry Co.,Ltd

No.28 Jinsheng Road, Xincang, Pinghu, Zhejiang, China

Date Code:2024.4 Batch:PO#4620140114

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 27 May, 2024

8 Physical and Mechanical Test

As per U.S. Code of Federal Regulations title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's Specified Age Group for Testing: For Over 3 years.

	No. of SampleTested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As Received	1	Р	Р	NA
Impact (1500.53 (b))	1	Р	Р	NA
Flexure (1500.53 (d))	0	NA	NA	NA
Torque (1500.53 (e))	1	Р	Р	NA
Tension (1500.53 (f))	1	Р	Р	NA
Compression (1500.53 (g))	1	Р	Р	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 27 May, 2024



Tests Conducted

9 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Ignited but Self-Extinguished before Burn Rate Could be Determined

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 27 May, 2024

10 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(28)	<20	90
(44)	<20	90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024

11 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations title 16 part 1303, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result (%)	<u>Limit (%)</u>
(28)	<0.002	0.009
(44)	<0.002	0.009

The limit was quoted according to CPSC Regulation CFR title 16 Part 1303 for Lead (Pb) content.

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024





Tests Conducted

12 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(1)	53	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	48	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<10	100
(17)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100
(24)	<10	100
(25)	<10	100
(26)	<10	100
(27)	<10	100
(29)	<10	100
(30)	<10	100
(31)	<10	100
(32)	<10	100
(33)	<10	100
(34)	62	100
(35)	<10	100
(36)	34	100
(37)	<10	100
(38)	<10	100
(39)	<10	100

(n)



Test Report		Number:	SHAH01674924
Tests Conducted			
(40)	<10		100
(41)	<10		100
(42)	<10		100
(43)	<10		100
(45)	<10		100
(46)	<10		100
(47)	<10		100
(48)	<10		100
(49)	<10		100
(50)	<10		100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024

13 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

<u>Test item</u>			Resu	Limit (%) (Max.)			
	(1)	(2)	(3)	(4)	(5)	(6)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.1
		Result (%)					
Test item			Resu	<u>lt (%)</u>			Limit (%) (Max.)
<u>Test item</u>	(7)	(8)	<u>Resu</u> (9)	<u>lt (%)</u> (10)	(11)	(12)	Limit (%) (Max.)
Test item Dibutyl phthalate (DBP)	(7) ND	(8) ND			(11) ND	(12) ND	<u>Limit (%) (Max.)</u> 0.1
			(9)	(10)	, ,		
Dibutyl phthalate (DBP)	ND	ND	(9) ND	(10) ND	ND	ND	0.1
Dibutyl phthalate (DBP) Di-(2-ethylhexyl) phthalate (DEHP)	ND ND	ND ND	(9) ND ND	(10) ND ND	ND ND	ND ND	0.1 0.1
Dibutyl phthalate (DBP) Di-(2-ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP)	ND ND ND	ND ND ND	(9) ND ND ND	(10) ND ND ND	ND ND ND	ND ND ND	0.1 0.1 0.1
Dibutyl phthalate (DBP) Di-(2-ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Diisononyl phthalate (DINP)	ND ND ND ND	ND ND ND ND	(9) ND ND ND	(10) ND ND ND ND	ND ND ND ND	ND ND ND ND	0.1 0.1 0.1 0.1
Dibutyl phthalate (DBP) Di-(2-ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Diisononyl phthalate (DINP) Diisobutyl phthalate (DIBP)	ND ND ND ND	ND ND ND ND	(9) ND ND ND ND	(10) ND ND ND ND ND	ND ND ND ND ND	ND ND ND ND	0.1 0.1 0.1 0.1 0.1



Tests Conducted

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司

Test item			Resu	ılt (%)			Limit (%) (Max.)
	(13)	(14)	(15)	(16)	(17)	(18)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.1
Test item			Resu	ılt (%)			Limit (%) (Max.)
	(19)	(20)	(21)	(22)	(23)	(24)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.1
Test item			Resu	ılt (%)			Limit (%) (Max.)
	(25)	(26)	(27)	(28)	(29)	(30)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.1
<u>Test item</u>			Resu	ılt (%)			Limit (%) (Max.)
	(31)	(32)	(33)	(34)	(35)	(36)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	0.02	ND	0.02	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)							

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

Test item				Limit (%) (Max.)			
	(37)	(38)	(39)	<u>lt (%)</u> (40)	(41)	(42)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	NĎ	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.1
<u>Test item</u>			Resu	<u>lt (%)</u>			Limit (%) (Max.)
	(43)	(44)	(45)	(46)	(47)	(48)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.1
Test item			Resu	lt (%)			Limit (%) (Max.)
		(49)			(50)		
Dibutyl phthalate (DBP)		ND			ND		0.1
Di-(2-ethylhexyl) phthalate (DEHP)		ND			ND		0.1

<u>rest item</u>	Res	Limit (%) (Max.)	
	(49)	(50)	
Dibutyl phthalate (DBP)	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected
Detection Limit = 0.01%

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024

(N)



Tests Conducted

14 Total Lead (Pb) content

With reference to us EPA method 3050B,acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	Requirement (ppm)
(1)	53	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	48	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<10	100
(17)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100
(24)	<10	100
(25)	<10	100
(26)	<10	100
(27)	<10	100
(28)	<20	90
(29)	<10	100
(30)	<10	100
(31)	<10	100
(32)	<10	100
(33)	<10	100
(34)	62	100
(35)	<10	100
(36)	34	100
(37)	<10	100
(38)	<10	100
(39)	<10	100

(N)



Test Report	Nur	mber:	SHAH01674924
Tests Conducted			
(40)	<10		100
(41)	<10		100
(42)	<10		100
(43)	<10		100
(44)	<20		90
(45)	<10		100
(46)	<10		100
(47)	<10		100
(48)	<10		100
(49)	<10		100
(50)	<10		100

The above limit was quoted from the Consent Judgement No. RG-356892 settled by superior court of the state of California for the county of Alameda, for toys based on the California Proposition 65.

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Intertek Testing Services Wuxi Ltd.

无锡天祥质量技术服务有限公司

Testing period: 02 Apr, 2024 To 11 Jun, 2024

Page 18 of 39 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567

Fax: +86 510 8820 0428 www.intertek.com.cn

www.intertek.com



Tests Conducted

15 Phthalate Content

With reference to CPSC-CH-C1001-09.3 and by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	Result (%, w/w)						Limit (%, w/w)
	(1)	(2)	(3)	(4)	(5)	(6)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	
			Result (<u>(%, w/w)</u>			Limit (%, w/w)
	(7)	(8)	(9)	(10)	(11)	(12)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	
			Result ((%, w/w)			Limit (%, w/w)
	(13)	(14)	(15)	(16)	(17)	(18)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	

Page 19 of 39



Tests Conducted

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司

	Result (%, w/w)						Limit (%, w/w)
	(19)	(20)	(21)	(22)	(23)	(24)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	
				(2)			
	(25)	(26)		(28)	(20)	(20)	Limit (%, w/w)
Dibutyl phthalate (DBP)	(25) ND	(26) ND	(27) ND	(28) ND	(29) ND	(30) ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	
Disononyi phihalate (DiNi)	ND	ND	ND	ND	ND	ND	
			Result ((%, w/w)			Limit (%, w/w)
	(31)	(32)	Result ((34)	(35)	(36)	
Dibutyl phthalate (DBP)	(31) ND	(32) ND			(35) ND	(36) ND	<u>Limit (%, w/w)</u> 0.1
Dibutyl phthalate (DBP) Diethyl hexyl phthalate (DEHP)			(33)	(34)			
	ND	ND	(33) ND	(34) ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND ND	ND ND	(33) ND ND	(34) ND 0.02	ND ND	ND 0.02	0.1 0.1
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP)	ND ND	ND ND ND	(33) ND ND ND	(34) ND 0.02 ND	ND ND ND	ND 0.02 ND	0.1 0.1 0.1
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP)	ND ND ND	ND ND ND	(33) ND ND ND ND	(34) ND 0.02 ND ND	ND ND ND	ND 0.02 ND ND	0.1 0.1 0.1 0.1
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP) Di-n-hexyl phthalate (DnHP)	ND ND ND ND	ND ND ND ND	(33) ND ND ND ND ND	(34) ND 0.02 ND ND ND ND	ND ND ND ND	ND 0.02 ND ND ND	0.1 0.1 0.1 0.1 0.1
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP) Di-n-hexyl phthalate (DnHP)	ND ND ND ND	ND ND ND ND	(33) ND ND ND ND ND	(34) ND 0.02 ND ND ND	ND ND ND ND	ND 0.02 ND ND ND	0.1 0.1 0.1 0.1 0.1
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP) Di-n-hexyl phthalate (DnHP)	ND ND ND ND ND	ND ND ND ND ND	(33) ND	(34) ND 0.02 ND ND ND ND	ND ND ND ND ND	ND 0.02 ND ND ND ND	0.1 0.1 0.1 0.1 0.1
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP) Di-n-hexyl phthalate (DnHP) Diisononyl phthalate (DINP)	ND ND ND ND ND ND	ND ND ND ND ND ND	(33) ND ND ND ND ND ND ND	(34) ND 0.02 ND ND ND ND ND (%, w/w) (40)	ND ND ND ND ND ND	ND 0.02 ND ND ND ND	0.1 0.1 0.1 0.1 0.1 <u>Limit (%, w/w)</u>
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP) Di-n-hexyl phthalate (DnHP) Diisononyl phthalate (DINP) Dibutyl phthalate (DBP)	ND ND ND ND ND ND	ND ND ND ND ND ND	(33) ND	(34) ND 0.02 ND ND ND ND ND ND	ND ND ND ND ND ND	ND 0.02 ND ND ND ND ND ND ND	0.1 0.1 0.1 0.1 0.1 <u>Limit (%, w/w)</u>
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP) Di-n-hexyl phthalate (DnHP) Diisononyl phthalate (DINP) Dibutyl phthalate (DBP) Diethyl hexyl phthalate (DEHP)	ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND ND	(33) ND	(34) ND 0.02 ND ND ND ND (40) ND	ND	ND 0.02 ND ND ND ND ND ND ND ND	0.1 0.1 0.1 0.1 0.1 <u>Limit (%, w/w)</u> 0.1 0.1
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP) Di-n-hexyl phthalate (DnHP) Diisononyl phthalate (DINP) Dibutyl phthalate (DBP) Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP)	ND N	ND	(33) ND	(34) ND 0.02 ND	ND N	ND 0.02 ND	0.1 0.1 0.1 0.1 Limit (%, w/w) 0.1 0.1 0.1
Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP) Di-n-hexyl phthalate (DnHP) Diisononyl phthalate (DINP) Dibutyl phthalate (DBP) Diethyl hexyl phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-iso-decyl phthalate (DIDP)	ND N	ND N	(33) ND	(34) ND 0.02 ND ND ND ND (40) ND ND ND ND ND	ND N	ND 0.02 ND	0.1 0.1 0.1 0.1 0.1 Limit (%, w/w) 0.1 0.1 0.1 0.1 0.1

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

		Limit (%, w/w)					
	(43)	(44)	(45)	(46)	(47)	(48)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	

	Result (<u>Limit (%, w/w)</u>	
	(49)	(50)	
Dibutyl phthalate (DBP)	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	

Remark: The above limit was quoted from the consent judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda, for Toys based on the California Proposition 65.

ND = Not Detected

Detected Limit = 0.01%(w/w)

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024





Tests Conducted

16 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %
(1)	0.0053#
(2) (3)	<0.001
(3)	<0.001
(4)	<0.001
(5)	0.0048#
(4) (5) (6)	<0.001
(7)	<0.001
(8)	<0.001
(9)	<0.001
(10)	<0.001
(11)	<0.001
(12)	<0.001
(13)	<0.001
(14)	<0.001
(15)	<0.001
(16)	<0.001
(17)	<0.001
(18)	<0.001
(19)	<0.001
(20)	<0.001
(21)	<0.001
(22)	<0.001
(23)	<0.001
(24)	<0.001
(25)	<0.001
(26)	<0.001
(27)	<0.001
(28)	<0.002
(29)	<0.001
(30)	<0.001
(31)	<0.001
(32)	<0.001
(33)	<0.001
(34)	0.0062#
(35)	<0.001
(36)	0.0034
(37)	<0.001
(38)	<0.001
(39)	<0.001
(40)	<0.001
(41)	<0.001
(42)	<0.001
· · · · · · · · · · · · · · · · · · ·	^^^~^~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~



SHAH01674924 **Test Report** Number: **Tests Conducted** (43)< 0.001 < 0.002 (44)(45) < 0.001 (46)< 0.001 (47)< 0.001 (48)< 0.001 (49)< 0.001

Requirement:

(50)

The total Lead content shall not exceed 0.009% for surface coating and 0.01% for non-surface coating material (substrate) in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

< 0.001

Remark: % = Percentage # = Exceeded 0.004%

Examination of warning statement on children products:

Result: The Lead content of the submitted sample is more than 0.004% but less than 0.01% by total weight or a lower standard for LEAD CONTENT as may be established by federal or state law or regulation. However, the appropriate warning statement was **not found** on the submitted sample /appropriate warning statement was provided by the applicant.

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (Public Act 095-1019), appropriate warning statement is required when the Lead content of the submitted sample IS more than 0.004% but less than 0.009%/0.01% by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024



Tests Conducted

17 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: For ages over 3 years.

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

<u>Test</u> <u>Parameter</u>

Drop test 4 x (0.909±0.005) m

Pull test 42.5 ± 2 N Push test 42.5 ± 2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	Р
4	Packaging	
	(a) The opening perimeter is less than 14 inches	Р
	(b) The opening perimeter is more than 14 inches	Р
	Electrical hazard	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	NA
8	Metal edges	Р
9	Wire frames	NA
10	Plastic edges	Р
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	Р
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	<u> </u>
19	Noise limit	Р
	Thermal hazards	
20	Heated surfaces, parts or substances	Р
	Dolls, plush toys and soft toys	·
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

No.	Testing Items	Assessment
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	Plant seeds	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass NA = Not Applicable

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 05 Jun, 2024

18 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

Cellulose Nitrate/Celluloid Absent Requirement Absent Absent

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 27 May, 2024

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

19 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry and Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result	(mg/kg)	Reporting Limit	<u>Limit</u>
<u>restricin</u>	(28)	(44)	<u>(mg/kg)</u>	(mg/kg)
Tot. Lead (Pb)	ND	ND	10	90
Tot. Mercury (Hg)	ND	ND	0.047	10
Sol. Cadmium (Cd)	ND	ND	5	1000
Sol. Antimony (Sb)	ND	ND	5	1000
Sol. Selenium (Se)	ND	ND	5	1000
Sol. Arsenic (As)	ND	ND	2.5	1000
Sol. Barium (Ba)	ND	ND	5	1000

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and Amendment SOR/2022-122 for prohibition on toxic elements in stickers, films and surface coating materials.

Tot. = Total

Sol. = Soluble

ND = Not detected (less than reporting limit)

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024



Tests Conducted

20 Phthalate Content Test

With reference to method CPSC-CH-C1001-09.3 and followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

Tested Compound			Result	(mg/kg)			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(1) ND ND ND ND ND	(2) ND ND ND ND ND ND	(3) ND ND ND ND ND	(4) ND ND ND ND ND ND	(5) ND ND ND ND ND	(6) ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound			Result	(mg/kg)			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(7) ND ND ND ND ND	(8) ND ND ND ND ND	(9) ND ND ND ND ND	(10) ND ND ND ND ND	(11) ND ND ND ND ND	(12) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound			Result	(mg/kg)			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(13) ND ND ND ND ND	(14) ND ND ND ND ND ND	(15) ND ND ND ND ND	(16) ND ND ND ND ND	(17) ND ND ND ND ND	(18) ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound			Result	(mg/kg)			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(19) ND ND ND ND ND ND	(20) ND ND ND ND ND ND	(21) ND ND ND ND ND ND	(22) ND ND ND ND ND ND	(23) ND ND ND ND ND ND	(24) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound			Result	(mg/kg)			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(25) ND ND ND ND ND ND	(26) ND ND ND ND ND ND	(27) ND ND ND ND ND ND	(28) ND ND ND ND ND ND	(29) ND ND ND ND ND ND	(30) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000





Tests Conducted

Tested Compound			Result ((mg/kg)			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(31) ND ND ND ND ND ND	(32) ND ND ND ND ND ND	(33) ND ND ND ND ND	(34) ND 163 ND ND ND ND	(35) ND ND ND ND ND ND	(36) ND 183 ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound			Result	(mg/kg)			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(37) ND ND ND ND ND ND	(38) ND ND ND ND ND ND	(39) ND ND ND ND ND	(40) ND ND ND ND ND ND	(41) ND ND ND ND ND ND	(42) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound			Result ((mg/kg)			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(43) ND ND ND ND ND ND	(44) ND ND ND ND ND ND	(45) ND ND ND ND ND ND	(46) ND ND ND ND ND	(47) ND ND ND ND ND ND	(48) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound			Result	(mg/kg)			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)		(49) ND ND ND ND			(50) ND ND ND ND		1000 1000 1000 1000 1000

Remark: The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Detection Limit = 100mg/kg

ND = Not Detected

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024

(n)



Tests Conducted

21 <u>Toxic Elements Analysis</u>

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

				Result ((mg/kg)				Limit (mg/kg)
T (1 (D))	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	0.0
Tot. Lead (Pb)	53	<10 <5	<10 <5	<10 <5	48	<10	<10	<10	90 1000
Sol. Barium (Ba) Sol. Mercury (Hg)	<5 <5	<5 <5	<5 <5	<5 <5	<5 <5	<5 <5	<5 <5	<5 <5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
,									
	(9)	(10)	(11)	Result (12)	(mg/kg) (13)	(14)	(15)	(16)	<u>Limit (mg/kg)</u>
Tot. Lead (Pb)	(9) <10	<10)	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
				Regult ((ma/ka)				Limit (ma/ka)
	(17)	(18)	(19)		(mg/kg)	(22)	(23)	(24)	Limit (mg/kg)
Tot. I ead (Pb)	(17) <10	(18) <10	(19) <10	(20)	(21)	(22) <10	(23) <10	(24) <10	
Tot. Lead (Pb) Sol. Barium (Ba)	<10	<10	<10	(20) <10	(21) <10	<10	<10	<10	90
Sol. Barium (Ba)	<10 <5	<10 <5	<10 <5	(20) <10 <5	(21) <10 <5	<10 <5	<10 <5	<10 <5	90 1000
	<10	<10	<10	(20) <10	(21) <10	<10	<10	<10	90
Sol. Barium (Ba) Sol. Mercury (Hg)	<10 <5 <5	<10 <5 <5	<10 <5 <5	(20) <10 <5 <5	(21) <10 <5 <5	<10 <5 <5	<10 <5 <5	<10 <5 <5	90 1000 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd)	<10 <5 <5 <5	<10 <5 <5 <5	<10 <5 <5 <5	(20) <10 <5 <5 <5	(21) <10 <5 <5 <5	<10 <5 <5 <5	<10 <5 <5 <5	<10 <5 <5 <5	90 1000 60 75
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb)	<10 <5 <5 <5 <5	<10 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5	(20) <10 <5 <5 <5 <5 <5 <5	(21) <10 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr)	<10 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	(20) <10 <5 <5 <5 <5	(21) <10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5	90 1000 60 75 60 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5	(20) <10 <5 <5 <5 6 <5 <2.5	(21) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	(20) <10 <5 <5 <5 6 <5 <2.5 Result	(21) <10 <5 <5 <5 <5 <5 <5 <2.5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	<10 <5 <5 <5 <5 <5 <5 <5 <2.5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <6 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7	<10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(20) <10 <5 <5 <5 <6 <5 <2.5 Result (29)	(21) <10 <5 <5 <5 <5 <5 <5 <2.5 (mg/kg) (30)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <3 (2)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u>
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	<10 <5 <5 <5 <5 <5 <5 <25 <2.5 <(25) <10	<10 <5 <5 <5 <5 <5 <5 <2.5 <2.5	<10 <5 <5 <5 <5 <5 <5 <2.5 <2.5	(20) <10 <5 <5 <5 <6 <5 <2.5 Result (29) <10	(21) <10 <5 <5 <5 <5 <5 <25 <2.5 (mg/kg) (30) <10	<10 <5 <5 <5 <5 <5 <5 <2.5 <31) <10	<10 <5 <5 <5 <5 <5 <5 <2.5 <2.5	<10 <5 <5 <5 <5 <5 <5 <2.5 <33 <10	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u>
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	<10 <5 <5 <5 <5 <5 <5 <5 <2.5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <6 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7	<10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(20) <10 <5 <5 <5 <6 <5 <2.5 Result (29)	(21) <10 <5 <5 <5 <5 <5 <5 <2.5 (mg/kg) (30)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <3 (2)	<10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u>
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba)	<10 <5 <5 <5 <5 <5 <5 <10 <10 <10 <5 <5 <5 <2.5	<10 <5 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5	<10 <5 <5 <5 <5 <5 <5 <25 <2.5 2.5</td <td>(20) <10 <5 <5 <5 <6 <5 <2.5 Result (29) <10 <5</td> <td>(21) <10 <5 <5 <5 <5 <5 <2.5 <td><10 <5 <5 <5 <5 <5 <5 <2.5 <31) <10 <5</td><td><10 <5 <5 <5 <5 <5 <5 <25 <2.5 <!--32) <10 <5</td--><td><10 <5 <5 <5 <5 <5 <5 <2.5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10</td><td>90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000</td></td></td>	(20) <10 <5 <5 <5 <6 <5 <2.5 Result (29) <10 <5	(21) <10 <5 <5 <5 <5 <5 <2.5 <td><10 <5 <5 <5 <5 <5 <5 <2.5 <31) <10 <5</td> <td><10 <5 <5 <5 <5 <5 <5 <25 <2.5 <!--32) <10 <5</td--><td><10 <5 <5 <5 <5 <5 <5 <2.5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10</td><td>90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000</td></td>	<10 <5 <5 <5 <5 <5 <5 <2.5 <31) <10 <5	<10 <5 <5 <5 <5 <5 <5 <25 <2.5 32) <10 <5</td <td><10 <5 <5 <5 <5 <5 <5 <2.5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10</td> <td>90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000</td>	<10 <5 <5 <5 <5 <5 <5 <2.5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb)	<10 <5 <5 <5 <5 <5 <5 <10 <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <25 <2.5 <26) <10 <5 <5 <5 <5 <25 <25 <25 <26 <26 <26 <25 <25 <26 <26 <26 <26 <26 <26 <26 <26 <26 <26	<10 <5 <5 <5 <5 <5 <5 <2.5 10 <10 <5 <5 <5 <10 <10 <5 <5 <5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10</td <td>(20) <10 <5 <5 <5 <6 <5 <2.5 Result (29) <10 <5 <5</td> <td>(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (30) <10 <5 <5</td> <td><10 <5 <5 <5 <5 <5 <2.5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10</td> <td><10 <5 <5 <5 <5 <5 <25 <2.5 <!--32) <10 <5 <5 <5 <70 </p--></td> <td><10 <5 <5 <5 <5 <5 <2.5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10</td> <td>90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60 75 60</td>	(20) <10 <5 <5 <5 <6 <5 <2.5 Result (29) <10 <5 <5	(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (30) <10 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10	<10 <5 <5 <5 <5 <5 <25 <2.5 32) <10 <5 <5 <5 <70 </p	<10 <5 <5 <5 <5 <5 <2.5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60 75 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr)	<pre><10 <5 <5 <5 <5 <5 <2.5 </pre> (25) <10 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <26) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5 <2.5 <2.5	(20) <10 <5 <5 <5 <6 <5 <2.5 Result (29) <10 <5 <5 <5 <5 <2.5	(21) <10 <5 <5 <5 <5 <5 <5 <2.5 (mg/kg) (30) <10 <5 <5 <5 <5 <5 <5 <2.5	<10 <5 <5 <5 <5 <2.5 (31) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <2.5 (32) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <6 <6 <6 <6 <6 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7 <7	<10 <5 <5 <5 <5 <5 <2.5 <33) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60 75 60
Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As) Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb)	<pre><10 <5 <5 <5 <5 <5 <2.5 </pre> (25) <10 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <26) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <2.5 <2.5 <2.5 <2.5	(20) <10 <5 <5 <5 <5 <2.5 Result (29) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	(21) <10 <5 <5 <5 <5 <5 <2.5 (mg/kg) (30) <10 <5 <5 <5 <5	<10 <5 <5 <5 <5 <2.5 <2.5 <2.5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <2.5 <2.5 <2.5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<10 <5 <5 <5 <5 <5 <2.5 <33) <10 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	90 1000 60 75 60 60 500 25 <u>Limit (mg/kg)</u> 90 1000 60 75 60





Tests Conducted

				Result	(mg/kg)				<u>Limit (mg/kg)</u>
	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	
Tot. Lead (Pb)	62	<10	34	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
				Result	(mg/kg)				Limit (mg/kg)
	(42)	(43)	(45)	(46)	(47)	(48)	(49)	(50)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	7	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark: mg/kg = Milligram per kilogram

Tot. = Total Sol. = Soluble

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024



Tests Conducted

22 Total Lead (Pb) Content

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (mg/kg)	Limit (mg/kg)
(1)	53	90
(2)	ND	90
(3)	ND	90
(4)	ND	90
(5)	48	90
(6)	ND	90
(7)	ND	90
(8)	ND	90
(9)	ND	90
(10)	ND	90
(11)	ND	90
(12)	ND	90
(13)	ND	90
(14)	ND	90
(15)	ND	90
(16)	ND	90
(17)	ND	90
(18)	ND	90
(19)	ND	90
(20)	ND	90
(21)	ND	90
(22)	ND	90
(23)	ND	90
(24)	ND	90
(25)	ND	90
(26)	ND	90
(27)	ND	90
(28)	ND	90
(29)	ND	90
(30)	ND	90
(31)	ND	90
(32)	ND	90
(33)	ND	90
(34)	62	90
(35)	ND	90
(36)	34	90
(37)	ND	90
(38)	ND	90
(39)	ND	90
********************	*************	*********

(N)



Test Report

Tests Conducted		
(40)	ND	90
(41)	ND	90
(42)	ND	90
(43)	ND	90
(44)	ND	90
(45)	ND	90
(46)	ND	90
(47)	ND	90
(48)	ND	90
(49)	ND	90
(50)	ND	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Remark: Reporting Limit = 10 mg/kg for substrate , 20 mg/kg for coating.

ND=Not Detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024

23 Total Lead (Pb) Content on Products with Applied Stickers, Films or Surface Coating Materials

As per Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (mg/kg)	<u>Limit (mg/kg)</u>
(28)	<20	90
(44)	<20	90

Remark: mg/kg = Milligram per kilogram

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024



SHAH01674924

Number:



Tests Conducted

24 Phthalates Content (ASTM F963-23)

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item			Resu	lt (%)			Detection Limit	Limit (%)
restricin	(1)	(2)	(3)	(4)	(5)	(6)	<u>(%)</u>	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.01	0.1

Test item			Re	esult (%)	<u>)</u>		Detection	Limit (%)
Tool Rom	(7)	(8)	(9)	(10)	(11)	(12)	Limit (%)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.01	0.1

Test item			Resu	lt (%)			<u>Detection</u>	<u>Limit (%)</u>
Tool Rom	(13)	(14)	(15)	(16)	(17)	(18)	Limit (%)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.01	0.1

(in



Tests Conducted

Test item			Resu	lt (%)			<u>Detection</u>	Limit (%)
Tot Rom	(19)	(20)	(21)	(22)	(23)	(24)	Limit (%)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.01	0.1

Test item			Resu	lt (%)			Detection	Limit (%)
TOST NOTE:	(25)	(26)	(27)	(28)	(29)	(30)	Limit (%)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.01	0.1

Test item			Resu	lt (%)			<u>Detection</u>	<u>Limit (%)</u>
Tool Rom	(31)	(32)	(33)	(34)	(35)	(36)	Limit (%)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	0.02	ND	0.02	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.01	0.1



Tests Conducted

<u>Test item</u>	Result (%)					<u>Detection</u>	Limit (%)	
	(37)	(38)	(39)	(40)	(41)	(42)	Limit (%)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.01	0.1

Test item	Result (%)					<u>Detection</u>	Limit (%)	
	(43)	(44)	(45)	(46)	(47)	(48)	Limit (%)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.01	0.1

Test item	Resu	<u>Detection</u>	<u>Limit (%)</u>	
	(49)	(50)	Limit (%)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	0.01	0.1

Remark: ND = Not Detected(Less than detection limit)

Tested Components: See component list in the last section of this report.

Date sample received: 02 Apr, 2024

Testing period: 02 Apr, 2024 To 11 Jun, 2024

(n)



Tests Conducted





Tests Conducted

The Photos Were Submitted By The Client, Not Tested, Only For Reference.





Tests Conducted



Components List:

- Red Plastic. (1)
- (2) Green Plastic.
- (3)Orange Plastic.
- (4) Dark Green Plastic.
- (5)Violet Plastic.
- (6)Light Pink Plastic.
- (7)Matte Black Plastic.
- (8) Yelllow Plastic.
- Black Plastic. (9)
- White Plastic. (10)
- (11)Dark Pink Plastic.
- (12) Dark Blue Plastic.
- Blue Plastic. (13)
- (14)Grass Green Plastic.
- (15)Pink Plastic.
- (16) Light Green Plastic.
- Army Green Plastic. (17)



Tests Conducted

- (18) Coffe Plastic.
- (19) Yellow Soft Plastic(Wire).
- (20) Pink Soft Plastic(Wire).
- (21) Orange Soft Plastic(Wire).
- (22) Black Soft Plastic(Wire).
- (23) White Soft Plastic (Wire).
- (24) Red Soft Plastic(Wire).
- (25) Coffee Soft Plastic(Wire).
- (26) Green Soft Plastic(Wire).
- (27) Blue Soft Plastic(Wire).
- (28) Bright Silver Coating On Plastic(Steering Wheel Button).
- (29) Bright Black Plastic(Steering Wheel).
- (30) Red Transparent Plastic With White Printing(Button).
- (31) Green Transparent Plastic With White Printing(Button).
- (32) Black Transparent Plastic With White Printing(Button).
- (33) Bright Black Plastic(Seat).
- (34) Black Plastic(Safety Belt Adjuster).
- (35) Black Webbing(Safety Belt).
- (36) Black Plastic(Safety Belt Button).
- (37) Transparent Black Plastic(Front Window).
- (38) Transparent Plastic (Front/Rear Light).
- (39) Red Transparent Plastic (Rear Light).
- (40) Black Plastic(Wheel).
- (41) Dark Grey Plastic(Wheelhub)
- (42) White Plastic(Coupling Of Wheel).
- (43) Multi-Color Printing Stickers.
- (44) Black Coating On Metal(Chassis)
- (45) Sliver Metal(Screw).
- (46) Black Plastic(Remote Control).
- (47) Grey Plastic(Remote Control Button).
- (48) Black Plastic(Charger Body).
- (49) Black Soft Plastic(Charger Plug).
- (50) Silver Metal(Charger Plug).

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

