



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: (6624)142-1270

July 10, 2024

Date Received: May 21, 2024

Page 1 of 29

Date Resubmitted: June 26, 2024

CHIZHOU KUAILEDATA TOYS CO., LTD.
MATANG INDUSTRY ZONE, DING QIAO TOWN,
QINGYANG, CHIZHOU CITY, ANHUI PROVINCE CHINA

Sample Description:	RIDE ON CAR	Sample Size:	2 CARTON
Vendor:	CHIZHOU KUAILEDATA TOYS CO., LTD.		
Manufacturer:	CHIZHOU KUAILEDATA TOYS CO., LTD.	Style No(s):	KL-008
Buyer:	N/A	SKN/SKU No.:	N/A
Labeled Age Grade:	37-95 MONTHS	PO No.:	N/A
Appropriate Age Grade:	NOT REQUESTED	Reference no:	N/A
Client Specified Age Grade:	FROM 37 TO 95 MONTHS OF AGE	Country of Origin:	CHINA
Tested Age Grade:	FROM 37 TO 95 MONTHS OF AGE	Assortment No.:	N/A
UPC Code:	N/A	Country of Destination:	US
Color:	N/A		

EXECUTIVE SUMMARY:

The sample(s) MEETS the following requirement(s):

- The mechanical hazards requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".
- The labeling requirements of ASTM F963-23, "Standard consumer safety specification for toy safety" (exclude section 5.14.1 & 5.3 & 6.6 & 7.2).
- The tracking label requirement of the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking Labels for Children's Products.
- The flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".

The tested component(s) MEETS the following requirement(s):

- The total lead content of 100ppm requirements in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).
- The total lead content requirements in children products according to the California Proposition 65 settlements of Alameda Superior Court RG 07356892.
- The soluble heavy metals content in substrate requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).
- The phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of the Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) and 108(c), 16 CFR 1307, ASTM F963-23).

Bureau Veritas
Consumer Products Services Division (Shanghai)
No. 168, Guanghai Road, Zhuanqiao Town,
Minhang, Shanghai, China. Post Code: 201108
Tel: 86-21-24081888 Fax: 86-21-64890042
Email: bvcps_sh_info@cn.bureauveritas.com
Http: www.cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 2 of 29

The tested component(s) MEETS the following requirement(s):

- The BBP, DBP, DEHP, DnHP and DIDP content requirements in toys, child care articles and watches according to the California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050.

The sample(s) was tested to the following requirement(s) and the data provided is for informational purposes only:

- The initial total heavy metals content analysis for soluble heavy metals content in substrate requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).

Note:

1. The sample is tested for "FROM 37 TO 95 MONTHS OF AGE" as the client's request.
2. Client specified the tested component(s).
3. As per client's request, the test results & data of component "7-16" were refer to (6624)099-1225(2ND REVISED).

BVCPS (SHANGHAI) GENERAL CONTACT INFORMATION FOR THIS REPORT

TELEPHONE NO.:
E-MAIL:

86-21-24166888
bvcpshtoy.sh@cn.bureauveritas.com

**BUREAU VERITAS
CONSUMER PRODUCTS SERVICE DIVISION (SHANGHAI)**

Laboratory Test location:

**No. 368, Guangzhong Road, Zhuanqiao Town, Minhang,
Shanghai.**

**No. 168, Guanghua Road, Zhuanqiao Town, Minhang,
Shanghai.**

LEON DENG
PRODUCT LINE MANAGER (TOY DIVISION)



**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 3 of 29

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request BVCPS to determine an appropriate age grade, the labeled age grade will be used for testing.

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable

Test	Test Parameters	Standard Reference
Tip Over	3 times	1500.53(b)(4)(i)
Torque	4 in-lbs	1500.53(e)
Tension	15 lbs	1500.53(f)
Compression	30 lbs	1500.53(g)



PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-23)

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials	N/A
4.5	Sound-producing Toys	M
4.6	Small Objects	N/A
4.7	Accessible Edges	M
4.8	Projections	M
4.9	Accessible Points	M
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	M
4.12	Plastic Film	M
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-load Requirements	M
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	M
4.18	Holes, Clearances and Accessibility of Mechanisms	M
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-operated Toys (exclude Section 4.25.9 and 4.25.10)	M
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

M = Meet NM = Not Meet N/A = Not Applicable NR = Not Request R = Refer to Comment Section



LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-23)

Section	Requirement	Result
5.1.2	Tracking label	M
5.4 & 5.3	Aquatic Toys	N/A
5.5 & 5.3	Crib and Playpen Toys	N/A
5.6 & 5.3	Mobiles	N/A
5.7 & 5.3	Stroller and Carriage Toys	N/A
5.8 & 5.3	Toys Intended to be Assembled by an Adult	M
5.9 & 5.3	Simulated Protective Devices	N/A
5.10 & 5.3	Toys with Functional Sharp Edges or Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.14	Battery-Operated Toys (exclude 5.15.1 and 5.15.2)	M
5.14.1 & 5.3	Battery-Powered Ride-On Toys	NR
5.14.2 & 5.3	Button or Coin Cell Batteries	N/A
5.15	Promotional Materials	M
5.16 & 5.3	Magnets	N/A
6.1	Definition and Description	M
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4 & 5.3	Toys Intended to be Assembled by an Adult	M
6.5	Battery-Operated Toys	M
6.6	Battery-Powered Ride-On Toys	NR
6.7	Toys in Contact with Food	N/A
6.9	Toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A
7.1	Producer's Name and Address	M
7.2	Battery-powered Ride-on Toys	NR

M = Meet NM = Not Meet N/A = Not Applicable NR = Not Request R = Refer to Comment Section

FLAMMABILITY (ASTM F963-23 section 4.2 according to Annex A5)

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	ASTM F963-23 section 4.2 according to Annex A5	Ignited but Self-Extinguished.



Tested Component(s) Breakdown List

Sample Identity	Color / Component	Location	Remark
1	Black plastic	Seat	/
2	Red plastic	Body	/
3	Transparent plastic	Car lights	/
4	Black plastic	Wheel hub	/
5	White plastic	footboard	/
6	Colorful plastic sticker	/	/
7	Blue plastic	/	/
8	Pink plastic	/	/
9	Yellow plastic	/	/
10	Black plastic	/	/
11	Green plastic	/	/
12	Rose red plastic	/	/
13	Red plastic	/	/
14	Light blue plastic	/	/
15	Orange plastic	/	/
16	White plastic	/	/

TOTAL LEAD CONTENT IN SUBSTRATE (100PPM) (CONSUMER PRODUCT SAFETY IMPROVEMENT ACT (CPSIA) OF 2008)

Method: : CPSC-CH-E1001-08.3 (November 15, 2012) or CPSC-CH-E1002-08.3 (November 15, 2012).

Parameter	Unit	MDL	Result			Limit
			1 + 2 + 3	4	5	
Lead(Pb)	mg/kg	10	<10	27.8	<10	100
Conclusion	-	-	PASS	PASS	PASS	-

Parameter	Unit	MDL	Result			Limit
			6	7 + 8 + 9	10 + 11 + 12	
Lead(Pb)	mg/kg	10	<10	<10	<10	100
Conclusion	-	-	PASS	PASS	PASS	-

Parameter	Unit	MDL	Result			Limit
			13 + 14	15 + 16	-	
Lead(Pb)	mg/kg	10	<10	<10	-	100
Conclusion	-	-	PASS	PASS	-	-

mg/kg = milligrams per kilogram (ppm = parts per million)



TOTAL LEAD CONTENT IN CHILDREN PRODUCTS (California Proposition 65 settlements of Alameda Superior Court RG 07356892)

Method: : Acid digestion followed by Atomic Absorption Spectrophotometry or Inductively Coupled Plasma Spectrometry

Parameter	Unit	MDL	Result			Limit
			1 + 2 + 3	4	5	
Lead(Pb)	mg/kg	10	<10	27.8	<10	100
Conclusion	-	-	PASS	PASS	PASS	-

Parameter	Unit	MDL	Result			Limit
			6	7 + 8 + 9	10 + 11 + 12	
Lead(Pb)	mg/kg	10	<10	<10	<10	100
Conclusion	-	-	PASS	PASS	PASS	-

Parameter	Unit	MDL	Result			Limit
			13 + 14	15 + 16	-	
Lead(Pb)	mg/kg	10	<10	<10	-	100
Conclusion	-	-	PASS	PASS	-	-

LT = Less Than

mg/kg = milligrams per kilogram (ppm=parts per million)

* = Average of duplicate analyses



TOTAL HEAVY METALS CONTENT – INITIAL ANALYSIS FOR SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE (ASTM F963-23, Section 4.3.5.2(2)(b))

Method: : ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Parameter	Unit	MDL	Result			Limit
			1 + 2 + 3	4	5	
Lead(Pb)	mg/kg	10	<10	27.8	<10	90
Antimony(Sb)	mg/kg	10	<10	65.2	<10	60
Selenium(Se)	mg/kg	10	<10	<10	<10	500
Arsenic(As)	mg/kg	5	<5	<5	<5	25
Barium(Ba)	mg/kg	10	<10	541	<10	1000
Cadmium(Cd)	mg/kg	10	<10	<10	<10	75
Chromium (Cr)	mg/kg	10	<10	<10	<10	60
Mercury (Hg)	mg/kg	10	<10	<10	<10	60
Conclusion	-	-	PASS	DATA	PASS	-

Parameter	Unit	MDL	Result			Limit
			6	7 + 8 + 9	10 + 11 + 12	
Lead(Pb)	mg/kg	10	<10	<10	<10	90
Antimony(Sb)	mg/kg	10	<10	<10	<10	60
Selenium(Se)	mg/kg	10	<10	<10	<10	500
Arsenic(As)	mg/kg	5	<5	<5	<5	25
Barium(Ba)	mg/kg	10	<10	<10	<10	1000
Cadmium(Cd)	mg/kg	10	<10	<10	<10	75
Chromium (Cr)	mg/kg	10	<10	<10	<10	60
Mercury (Hg)	mg/kg	10	<10	<10	<10	60
Conclusion	-	-	PASS	PASS	PASS	-

Parameter	Unit	MDL	Result		Limit
			13 + 14	15 + 16	
Lead(Pb)	mg/kg	10	<10	<10	90
Antimony(Sb)	mg/kg	10	<10	<10	60
Selenium(Se)	mg/kg	10	<10	<10	500
Arsenic(As)	mg/kg	5	<5	<5	25
Barium(Ba)	mg/kg	10	<10	<10	1000
Cadmium(Cd)	mg/kg	10	<10	<10	75
Chromium (Cr)	mg/kg	10	<10	<10	60
Mercury (Hg)	mg/kg	10	<10	<10	60
Conclusion	-	-	PASS	PASS	-

mg/kg = milligrams per kilogram (ppm=parts per million)
 ND = None Detected
 Cr = Chromium, Hg = Mercury, Pb = Lead,

LT = Less Than
 As = Arsenic, Ba = Barium, Cd = Cadmium,
 Sb = Antimony, Se = Selenium



SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE (ASTM F963-23, Section 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3))

Type I: Substrate other than modeling clay									
Type II: Modeling clay									
Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	
Max. Limit Type I (mg/kg)	25	1000	75	60	60	90	60	500	
Max. Limit Type II (mg/kg)	25	250	50	25	25	90	60	500	
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%	

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Sample	Result (mg/kg)								(g)	
4	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	PASS

mg/kg = milligrams per kilogram (ppm=parts per million)

CR = adjusted analytical result

LT = Less Than

ND = None Detected

As = Arsenic, Ba = Barium, Cd = Cadmium,

Cr = Chromium, Hg = Mercury, Pb = Lead,

Sb = Antimony, Se = Selenium

Detection limit (mg/kg): Each element 2



**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 10 of 29

PHthalates Content in Children's Toys and Child Care Articles (Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(c), 16 CFR 1307, ASTM F963-23)

Method: : With reference to U. S. CPSC Test Method CPSC-CH-C1001-09.4 (January 17, 2018).

Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				1 + 2 + 3	4	5	
BBP	85-68-7	%	0.005	<0.005	<0.005	<0.005	0.1
DBP	84-74-2	%	0.005	<0.005	<0.005	<0.005	0.1
DEHP	117-81-7	%	0.005	<0.005	<0.005	<0.005	0.1
DINP	28553-12-0	%	0.005	<0.005	<0.005	<0.005	0.1
DIBP	84-69-5	%	0.005	<0.005	<0.005	<0.005	0.1
DCHP	84-61-7	%	0.005	<0.005	<0.005	<0.005	0.1
DnHP	84-75-3	%	0.005	<0.005	<0.005	<0.005	0.1
DnPP	131-18-0	%	0.005	<0.005	<0.005	<0.005	0.1
Conclusion	-	-	-	PASS	PASS	PASS	-

Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				6	-	-	
BBP	85-68-7	%	0.005	<0.005	-	-	0.1
DBP	84-74-2	%	0.005	<0.005	-	-	0.1
DEHP	117-81-7	%	0.005	<0.005	-	-	0.1
DINP	28553-12-0	%	0.005	<0.005	-	-	0.1
DIBP	84-69-5	%	0.005	<0.005	-	-	0.1
DCHP	84-61-7	%	0.005	<0.005	-	-	0.1
DnHP	84-75-3	%	0.005	<0.005	-	-	0.1
DnPP	131-18-0	%	0.005	<0.005	-	-	0.1
Conclusion	-	-	-	PASS	-	-	-



CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 11 of 29

BBP/DBP/DEHP/DnHP/DIDP PHTHALATES CONTENT REQUIREMENTS IN TOYS, CHILD CARE ARTICLES AND WATCHES (California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050)

Method: Sacramento Superior Court 07AS04683 / Alameda Superior Court BG07350969 / RG08367601 / RG07351032 / RG08378050 / Solvent extraction with GC-MS/HPLC-MS analysis / CPSD-AN-00108-MTHD

Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				1 + 2 + 3	4	5	
DnHP	84-75-3	%	0.005	<0.005	<0.005	<0.005	0.1
DIDP	26761-40-0 & 68515-49-1	%	0.005	<0.005	<0.005	<0.005	0.1
DBP	84-74-2	%	0.005	<0.005	<0.005	<0.005	0.1
BBP	85-68-7	%	0.005	<0.005	<0.005	<0.005	0.1
DEHP	117-81-7	%	0.005	<0.005	<0.005	<0.005	0.1
Conclusion	-	-	-	PASS	PASS	PASS	-

Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				1 + 2 + 3	4	5	
DnHP	84-75-3	%	0.005	<0.005	<0.005	<0.005	0.1
DIDP	26761-40-0 & 68515-49-1	%	0.005	<0.005	<0.005	<0.005	0.1
DBP	84-74-2	%	0.005	<0.005	<0.005	<0.005	0.1
BBP	85-68-7	%	0.005	<0.005	<0.005	<0.005	0.1
DEHP	117-81-7	%	0.005	<0.005	<0.005	<0.005	0.1
Conclusion	-	-	-	PASS	PASS	PASS	-



**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 12 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**

July 10, 2024
Page 13 of 29

The following photos provided by client are only for reference, no any test are conducted.





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**

July 10, 2024
Page 14 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**

July 10, 2024
Page 15 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**

July 10, 2024
Page 16 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**

July 10, 2024
Page 17 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**
July 10, 2024
Page 18 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**
July 10, 2024
Page 19 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**
July 10, 2024
Page 20 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 21 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 22 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 23 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 24 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**
July 10, 2024
Page 25 of 29





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.
Technical Report: **(6624)142-1270**
July 10, 2024
Page 26 of 29





CAUTION-ELECTRIC TOY-

Not recommended for children under 3 years of age. As with all electrical products, precautions should be observed during handling and use to reduce the risk of electric shock or injury.



WARNING

Not recommended for children under 3 years of age. As with all electrical products, precautions should be observed during handling and use to reduce the risk of electric shock or injury.

Small parts Not for children under 6 years Adult Assembly Required. Take care during unpacking and assembly as product has small parts. Toy must be assembled by adult before use. Retain all noted instructions for future reference. Sealed lead-acid battery must be recycled or disposed of properly. Batteries are to be inserted with the correct polarity. When the vehicle begins to run slowly, recharge the battery. Before the first use, you should charge the battery for 6-8 hours. Do not recharge the battery for more than 10 hours to avoid overheating the charger.

After each use or once a month minimum recharge times as 8 to 12 hours, less than 20 hours at most. Switch off the power when you don't use the vehicle. Please unplug the battery harness if you don't use it for long time also.

Avoid locating the car in wet places, the battery could be damaged.





**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 28 of 29







**BUREAU
VERITAS**

CHIZHOU KUAILEDATA TOYS CO., LTD.

Technical Report: **(6624)142-1270**

July 10, 2024

Page 29 of 29



END OF REPORT