

Part List:

Part List:

Part List:					Part List:			
ITEM	DESCRIPTION	PART	QTY)	ITEM	DESCRIPTION	N PART	QTY
1	Top Panel		1		7	Right Back Post		1
2	Left Front Post		1		8	Upper Divider		1
3	Left side Panel		1		9	Middle Panel		1
4	Left Back Post		1		10	Cross Piece		2
5	Right Front Post		1		11	Lower Left Divider		1
6	Right side Panel		1		12	Lower Right Divider		1

Part List:

ТТЕМ	TEM DESCRIPTION DAPT OTV				
TITEM 13	DESCRIPTION Vertical Bar	PART	QTY 2		
14	Side Adjustable shelf		2		
15	middle Adjustable shelf		1		
16	Bottom panel		1		
17	Left Door		1		
18	Right Door		1		

Part List:

ITEM	DESCRIPTION	PART	QTY
19	Middle Leg		1
20	Upper Back Panel	0	1
21	Lower Back Panel		4
22	Magnetic fixing Panel		2

Hardware List:

ITEM	DESCRIPTION	PART	QTY
A	Camlock bolt		46
В	Camlock		46
С	Wooden dowel	Ø8x40mm	30
D	Door handle		2
Е	Machine screw	φ5/32″x7/8″	4
F	Hinge	6 6	4
G	Wood screw	® 7 € 3 × 12 mm	36
Н	Wood screw	Branding \$4x30mm	4
I	Magnetic		2

Hardware List:


ITEM	DESCRIPTION	PART	QTY
J	Flat Head screw	€ 3x15mm	4
K	Shelf Suppert		12
L	Plastic Anchor		1
M	Washer	©	1
N	Back Insert Buckle		12
0	Safety Wall Strap		1
P	Wood screw	Transfer Ø4x45mm	6
Q	Mounting screw	Managara Ø4x38mm	1

Belows are fireplace's parts list:

DESCRIPTION	PART	QTY
Side trim		2
Top trim		1

DESCRIPTION	PART	QTY
Insert		1
Screw	▽ Ø 5*10mm	14

Wooden dowel installation





APPLY GLUE INTO PRE-DRILLED HOLE, AND GENTLY TAP WOOD DOWEL INTO THE HOLE WITH RUBBER MALLET.

* GLUE--DO NOT PUT IN MOUTH

- * Required screwdriver & mallet, not included.
- * Before discarding packing materials, please check to make sure that all parts and hardware is present.
- * Two people needed for assembly.
- * Please follow the instructions closely; do not over tighten screws or bolts unless instructed.
- * After a few days from initial assembly, the product may have acclimated to the new environment. Please retighten the hardware.

Guideline For Assembling of Cam Lock (A & B)





Screw camlock bolt (A) to wood part.

Do not assemble camlock (B) unless instructed.

To assemble camlock (B), ensure long side of the + is facing the bolt (A) before inserting into hole.

