



中国认可  
国际互认  
检测  
TESTING  
CNAS L1744

## HANDAN CITY JIANERLE TOY CO.,LTD.

**Technical Report:** (8822)301-0132  
Date Received: Oct 28, 2022

Dec 2, 2022  
Page 1 of 21

HANDAN CITY JIANERLE TOY CO.,LTD.  
NORTH OF YINGBIN ROAD MIDWAY, NORTH DISTRICT  
OF ECONOMIC DEVELOPMENT ZONE, ZHOUQU  
TOWN, HANDAN CITY, HEBEI PROVINCE, CHINA

Sample Description:	BATTERY OPERATED CHILDREN CAR		
Vendor:	N/A	Sample Size:	2
Manufacturer:	N/A	Style No(s):	NEL-903,NEL-918, NEL-007,NEL-900, NEL-6688,NEL-601, NEL-118,NEL-797A, NEL-797B,NEL-603, NEL-803.
Labeled Age Grade:	APPLICABLE AGE:37-96 MONTHS CHILD USE	SKN/SKU No.:	NOT PROVIDE
Appropriate Age Grade:	NOT REQUESTED	PO No.:	NOT PROVIDE
Client Specified Age Grade:	3+	Ref #:	NOT PROVIDE
Tested Age Grade:	OVER 3 YEARS OF AGE	Country of Origin:	NOT PROVIDE
UPC Code:	N/A	Assortment No.:	NOT PROVIDE
Test Starting Date:	OCT 28, 2022	Test Finished Date:	DEC 2, 2022

BUREAU VERITAS SHENZHEN CO.,LTD  
DONGGUAN BRANCH

*Lisa Bai*

Lisa Bai  
Analytical lab Senior Supervisor



BUREAU VERITAS SHENZHEN CO.,LTD  
DONGGUAN BRANCH

*Tone Tang*

Tone Tang  
Physics Lab Assistant Supervisor

RT/ Tina Ye

### REMARK

If there are questions or concerns on this report, please contact the following persons:  
Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com  
Business Contact: (86) 0769 85893595

*This report shall not be reproduced except in full, without the written approval of our laboratory.*



**EXECUTIVE SUMMARY:**

Test Requested	Conclusion
<b>(#)Mechanical hazards requirements of ASTM F963-17, "Standard consumer safety specification for toy safety".</b>	PASS
<b>(#)Flammability requirement of solids under ASTM F963-17 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".</b>	PASS
<b>(#)Battery-operated toys test requirements of ASTM F963-17, "Standard consumer safety specification for toy safety", Section 4.25 (exclude 4.25.11).</b>	PASS
<b>(#)Total lead content in surface coating requirements of ASTM F963-17, "Standard consumer safety specification for toy safety", Section 4.3.5.1(1).</b>	PASS
<b>(#)Total lead content in substrate requirements of ASTM F963-17, "Standard consumer safety specification for toy safety", Section 4.3.5.2(2)(a).</b>	PASS
<b>(#)Soluble heavy metals content in surface coating requirements of ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.1(2).</b>	PASS
<b>(#)Soluble heavy metals content in substrate requirements of ASTM F963-17, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).</b>	PASS
<b>(#)Total lead content of 90ppm requirements in surface coating (Consumer Products Safety Improvement Act (CPSIA) of 2008).</b>	PASS
<b>(#)Total lead content of 100ppm requirements in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).</b>	PASS
<b>(#)Phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP &amp; DCHP) content requirements of the Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) and 108(c), 16 CFR 1307).</b>	PASS
Total lead content requirements in children products according to the California Proposition 65 settlements of Alameda Superior Court RG 07356892.	PASS
BBP, DBP, DEHP, DnHP and DIDP content requirements in toys, child care articles and watches according to the California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050.	PASS

Note: Tests with (#) are accredited by CNAS.

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

Note: At the request of the client, the ASTM F963-17 labeling requirement(s) was not evaluated for this submission.

Note: At the request of the client, ASTM F963-17 the Section 4.12 about plastic film requirement(s) was waived for this submission.

Note: The composite test sample(s) of the submitted samples was prepared in the manner requested by the client, when subject to the test performed.



HANDAN CITY JIANERLE TOY CO.,LTD.  
 Technical Report: **(8822)301-0132**

Dec 2, 2022

Page 3 of 21

**Tested Component(s) Description List:**

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Bright silver coating	Car shell	-
I002	Silver coating	Panel	-
I003	Black coating	Pillar, pole, axle	-
I004	Black PVC	SR of Charger	-
I005	White printed black PVC	Wire jacket of Charger	-
I006	Black PVC	Plug of Charger	-
I007	Gray printed Black plastic	Shell of Charger	-
I008	Transparent plastic	Light cover of Charger	-
I009	Blue plastic	Button of Remote control	-
I010	Bright white plastic	Car shell	-
I011	Bright black plastic	Window, empennage	-
I012	Silver plastic with adhesive	Rearview mirror	-
I013	Translucent plastic	Front light cover	-
I014	Transparent red plastic	Tail light cover	-
I015	Clear laminated black printed white paper with adhesive	Warning Sticker	-
I016	Black plastic	Wheel	-
I017	Dark red plastic	Seat ,door, Panel	-
I018	Dull black plastic	Buckle of seat	-
I019	Bright black plastic	Motor ,Gear box	-
I020	Clear laminated multicolor printed white paper with adhesive	Panel	-
I021	Gray printed white plastic	Button of panel	-
I022	Deep Black plastic	Button frame of Panel	-
I023	Transparent soft plastic	Gear lever	-
I024	Black plastic	Gear lever	-
I025	Red plastic	Button of Steering wheel	-
I026	Black thread/black knitted fabric	Band of seat	-
I065	Silvery metal	Axle of wheel	-
I066	Silvery metal with solder	Pillar of front wheel	-
I067	Silvery metal	Holder hook of pillar	-
I068	Silvery metal	Rivet of pillar	-
I069	Silvery metal	Spring	-
I070	Silvery metal	Square pillar of spring	-
I071	Silvery metal	Axle Sleeve of Square pillar	-
I072	Silvery metal	Nut of Square pillar	-



HANDAN CITY JIANERLE TOY CO.,LTD.

Technical Report: **(8822)301-0132**

Dec 2, 2022

Page 4 of 21

**Tested Component(s) Description List:**

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I073	Silvery metal	Gasket of nut	-
I074	Silvery metal	Square Slice of bottom	-
I075	Silvery metal	Screw of Bottom	-
I076	Black plated Silvery metal	Screw of bottom	-
I077	Silvery metal	Screw of seat	-
I078	Silvery metal	Screw of Steering wheel	-
I079	Black plated Silvery metal	Screw of empennage	-
I080	Silvery metal	Screw of Battery box cover	-

Remark:

- The items 013-015 were resubmitted by client dated on Nov 25, 2022.



**RESULTS:**

**APPROPRIATE AGE GRADE DETERMINATION**

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-17, "Standard Consumer Safety Specification on Toy Safety". Annex A1	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

**USE AND ABUSE TESTS**

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable		
<b>Test</b>	<b>Test Parameters</b>	<b>Standard Reference</b>
Impact Test	4 x 3 ft /	1500.53(b)
Torque Test	4 in-lbs	1500.53(e)
Tension Test	15 lbs	1500.53(f )
Compression Test	30 lbs	1500.53(g)
Tip over Test	3 times	1500.53(b)(4)(i)



**RESULTS:**

**PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-17)**

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials	N/A
4.5	Sound-Producing Toys	M
4.6	Small Objects	N/A
4.7	Accessible Edges	M
4.8	Projections	M
4.9	Accessible Points	M
4.10	Wires and Rods	M
4.11	Nails and Fasteners	M
4.12	Plastic Film	NT
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15^	Stability and Over-Load Requirements	M
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	M
4.18	Holes, Clearances and Accessibility of Mechanisms	M
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25^	Battery-Operated Toys (Section 4.25.11 Toys that Contain Secondary Cells or Secondary Batteries)	M
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

M = Meet    NM = Not Meet    N/A = Not Applicable    R = Refer to Comment Section    NT=Not Test

Remark: “^”The above results was performed at a Bureau Veritas CPS approved subcontract lab.



HANDAN CITY JIANERLE TOY CO.,LTD.

Technical Report: **(8822)301-0132**

Dec 2, 2022

Page 7 of 21

**RESULTS:**

**FLAMMABILITY (16 CFR SECTION 1500.3(c)6)(vi))**

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	16 CFR 1500.44	Did not ignite.



**RESULTS:**

**Total Lead Content in Surface Coating – ASTM International Standard ASTM F963-17, Section 4.3.5.1(1)**

Test Method : ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Maximum Allowable Limit :	90 mg/kg
---------------------------	----------

Test Item(s)	Result	Unit	Conclusion
	Total Lead (Pb)		
I001+I002+I003	ND	mg/kg	PASS

Note / key:

- ND = Not detected
- mg/kg = milligram(s) per kilogram
- Detection Limit (mg/kg) : 10





**RESULTS:**

**Total Lead Content in Substrate – ASTM International Standard ASTM F963-17, Section 4.3.5.2(2)(a)**

Test Method : ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Maximum Allowable Limit :	100 mg/kg
---------------------------	-----------

Test Item(s)	Result	Unit	Conclusion
	Total Lead (Pb)		
I004+I005	ND	mg/kg	PASS
I006+I007	ND	mg/kg	PASS
I008+I009+I010	ND	mg/kg	PASS
I011+I012	ND	mg/kg	PASS
I013	ND	mg/kg	PASS
I014	ND	mg/kg	PASS
I015	ND	mg/kg	PASS
I016	ND	mg/kg	PASS
I017+I018+I019	ND	mg/kg	PASS
I020+I021	ND	mg/kg	PASS
I022+I023+I024	ND	mg/kg	PASS
I025	ND	mg/kg	PASS
I065	ND	mg/kg	PASS
I066	ND	mg/kg	PASS
I067	ND	mg/kg	PASS
I068	ND	mg/kg	PASS
I069	ND	mg/kg	PASS
I070	ND	mg/kg	PASS
I071	ND	mg/kg	PASS
I072	ND	mg/kg	PASS
I073	ND	mg/kg	PASS
I074	ND	mg/kg	PASS
I075	ND	mg/kg	PASS
I076	ND	mg/kg	PASS
I077	ND	mg/kg	PASS



HANDAN CITY JIANERLE TOY CO.,LTD.  
Technical Report: **(8822)301-0132**  
Dec 2, 2022  
Page 10 of 21

**RESULTS:**

Test Item(s)	Result	Unit	Conclusion
	Total Lead (Pb)		
I078	ND	mg/kg	PASS
I079	ND	mg/kg	PASS
I080	ND	mg/kg	PASS

Note / key:

ND = Not detected  
mg/kg = milligram(s) per kilogram  
Detection Limit (mg/kg) : 10



**RESULTS:**

**Soluble Heavy Metals Content in Surface Coating –ASTM F963-17, Section 4.3.5.1(2)**

Test Method : ASTM International Standard ASTM F963-17, Section 8.3.2 to 8.3.4

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit (mg/kg)	25	1000	75	60	60	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Test Item(s)	Result (mg/kg)								(g)	
I001	ND	ND	ND	ND	ND	ND	ND	ND	0.0998	PASS
I002	ND	ND	ND	ND	ND	ND	ND	ND	0.0380	PASS
I003	ND	ND	ND	19	ND	ND	ND	ND	-	PASS

Note / key:

As = Arsenic                      Ba = Barium                      Cd = Cadmium                      Cr = Chromium  
 Hg = Mercury                      Pb = Lead                      Sb = Antimony                      Se = Selenium  
 ND = Not detected                      g = gram(s)                      % = percent  
 mg/kg = milligram(s) per kilogram  
 Detection Limit (mg/kg) : As : 2.5; Ba : 100; Cd : 7.5; Each (Cr, Hg, & Sb) : 6.0; Pb : 9.0; Se : 50



HANDAN CITY JIANERLE TOY CO.,LTD.

Technical Report: **(8822)301-0132**

Dec 2, 2022

Page 12 of 21

**RESULTS:**

**Soluble Heavy Metals Content in Substrate –ASTM F963-17, Section 4.3.5.2(2)(b)**

Test Method : ASTM International Standard ASTM F963-17, Section 8.3.5 (Excluding 8.3.5.5(3))

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit Type I (mg/kg)	25	1000	75	60	60	90	60	500
Max. Limit Type II (mg/kg)	25	250	50	25	25	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Test Item(s)	Result (mg/kg)								(g)	
Type I: Substrate other than modeling clay										
I004	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I005	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I006	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I007	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I008	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I009	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I010	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I011	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I012	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I013	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I014	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I015	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I016	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I017	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I018	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I019	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I020	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I021	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I022	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I023	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS



HANDAN CITY JIANERLE TOY CO.,LTD.

Technical Report: **(8822)301-0132**

Dec 2, 2022

Page 13 of 21

**RESULTS:**

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Test Item(s)	Result (mg/kg)								(g)	
Type I: Substrate other than modeling clay										
I024	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I025	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS
I026	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS

Note / key:

As = Arsenic                      Ba = Barium                      Cd = Cadmium                      Cr = Chromium  
Hg = Mercury                      Pb = Lead                      Sb = Antimony                      Se = Selenium  
ND = Not detected                      g = gram(s)                      % = percent  
mg/kg = milligram(s) per kilogram (ppm=parts per million)

Detection Limit (mg/kg) :

For Type I – As : 2.5; Ba : 100; Cd : 7.5; Each (Cr, Hg, & Sb) : 6.0; Pb : 9.0; Se : 50

For Type II – Each (As, Cr & Hg) : 2.5; Ba : 25; Cd : 5.0; Sb : 6.0; Pb : 9.0; Se : 50

Remark:

- Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-17. The lead content analysis result of corresponding material herein is for client's reference only.



**RESULTS:**

**Total Lead Content in Surface Coating – Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(f)**

Test Method : U.S. CPSC-CH-E1003-09.1:2011

Maximum Allowable Limit :	90 mg/kg
---------------------------	----------

Test Item(s)	Result	Unit	Conclusion
	Total Lead (Pb)		
I001+I002+I003	ND	mg/kg	PASS

Note / key:

- ND = Not detected
- mg/kg = milligram(s) per kilogram
- Detection Limit (mg/kg) : 10



**RESULTS:**

**Total Lead Content in Substrate Materials – Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(a)(2)**

Test Method : U.S. CPSC-CH-E1002-08.3:2012 and U.S. CPSC-CH-E1001-08.3:2012

Maximum Allowable Limit :	100 mg/kg
---------------------------	-----------

Test Item(s)	Result	Unit	Conclusion
	Total Lead (Pb)		
I004+I005	ND	mg/kg	PASS
I006+I007	ND	mg/kg	PASS
I008+I009+I010	ND	mg/kg	PASS
I011+I012	ND	mg/kg	PASS
I013	ND	mg/kg	PASS
I014	ND	mg/kg	PASS
I015	ND	mg/kg	PASS
I016	ND	mg/kg	PASS
I017+I018+I019	ND	mg/kg	PASS
I020+I021	ND	mg/kg	PASS
I022+I023+I024	ND	mg/kg	PASS
I025	ND	mg/kg	PASS
I065	ND	mg/kg	PASS
I066	ND	mg/kg	PASS
I067	ND	mg/kg	PASS
I068	ND	mg/kg	PASS
I069	ND	mg/kg	PASS
I070	ND	mg/kg	PASS
I071	ND	mg/kg	PASS
I072	ND	mg/kg	PASS
I073	ND	mg/kg	PASS
I074	ND	mg/kg	PASS
I075	ND	mg/kg	PASS
I076	ND	mg/kg	PASS
I077	ND	mg/kg	PASS



HANDAN CITY JIANERLE TOY CO.,LTD.

Technical Report: **(8822)301-0132**

Dec 2, 2022

Page 16 of 21

**RESULTS:**

Test Item(s)	Result	Unit	Conclusion
	Total Lead (Pb)		
I078	ND	mg/kg	PASS
I079	ND	mg/kg	PASS
I080	ND	mg/kg	PASS

Note / key:

ND = Not detected

mg/kg = milligram(s) per kilogram

Detection Limit (mg/kg) : 10





**RESULTS:**

**PHthalATES CONTENT IN CHILDREN'S TOYS AND CHILD CARE ARTICLES (Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(c), 16 CFR 1307)**

Test Method : With reference to U. S. CPSC-CH-C1001-09.4 (January 17, 2018)

Test Parameter:	BBP	DBP	DEHP	DINP	DIBP	DPENP	DHEXP	DCHP	-
Limit (%):	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-
Test Item(s)	Result (%)								Conclusion
I001+I002+I003	ND	ND	0.010	ND	ND	ND	ND	ND	PASS
I004+I005+I006	ND	ND	ND	ND	ND	ND	ND	ND	PASS
I007+I008+I009	ND	ND	ND	ND	ND	ND	ND	ND	PASS
I010+I011+I012	ND	ND	ND	ND	ND	ND	ND	ND	PASS
I013+I014+I015	ND	ND	0.008	ND	ND	ND	ND	ND	PASS
I016+I017+I018	ND	ND	ND	ND	ND	ND	ND	ND	PASS
I019+I020+I021	ND	ND	ND	ND	ND	ND	ND	ND	PASS
I022+I023+I024	ND	ND	ND	ND	ND	ND	ND	ND	PASS
I025	ND	ND	ND	ND	ND	ND	ND	ND	PASS

Note / key:

- DEHP = Di(2-ethylhexyl) phthalate
- DHEXP(DnHP) = Di-n-hexyl phthalate
- DPENP(DnPP) = Di-n-pentyl phthalate
- ND = Not detected
- mg/kg = milligram(s) per kilogram
- Detection Limit (%) : Each 0.005
- DBP = Dibutyl phthalate
- DIBP = Di-iso-butyl phthalate
- DCHP = Dicyclohexyl phthalate
- % = percent
- BBP = Butyl benzyl phthalate
- DINP = Di-iso-nonyl phthalate
- 10000 mg/kg = 1 %

Remark:

The items 008 was provided by client dated on Nov 11, 2022.



HANDAN CITY JIANERLE TOY CO.,LTD.  
 Technical Report: **(8822)301-0132**

Dec 2, 2022  
 Page 18 of 21

**RESULTS:**

**Total Lead Content in Children Products (California Proposition 65 settlements of Alameda Superior court RG 07356892)**

Test Method : EPA 3050B (Mod) / EPA 3051A (Mod)

Maximum Allowable Limit:	Type I	Paint and surface coatings: 90 mg/kg
	Type II	Substrate materials: 100 mg/kg

Test Item(s)	Type	Result	Unit	Conclusion
		Total Lead (Pb)		
I001+I002+I003	I	ND	mg/kg	PASS
I004+I005	II	ND	mg/kg	PASS
I006+I007	II	ND	mg/kg	PASS
I008+I009+I010	II	ND	mg/kg	PASS
I011+I012	II	ND	mg/kg	PASS
I013	II	ND	mg/kg	PASS
I014	II	ND	mg/kg	PASS
I015	II	ND	mg/kg	PASS
I016	II	ND	mg/kg	PASS
I017+I018+I019	II	ND	mg/kg	PASS
I020+I021	II	ND	mg/kg	PASS
I022+I023+I024	II	ND	mg/kg	PASS
I025	II	ND	mg/kg	PASS
I065	II	ND	mg/kg	PASS
I066	II	ND	mg/kg	PASS
I067	II	ND	mg/kg	PASS
I068	II	ND	mg/kg	PASS
I069	II	ND	mg/kg	PASS
I070	II	ND	mg/kg	PASS
I071	II	ND	mg/kg	PASS
I072	II	ND	mg/kg	PASS
I073	II	ND	mg/kg	PASS
I074	II	ND	mg/kg	PASS
I075	II	ND	mg/kg	PASS
I076	II	ND	mg/kg	PASS
I077	II	ND	mg/kg	PASS



HANDAN CITY JIANERLE TOY CO.,LTD.  
Technical Report: **(8822)301-0132**

Dec 2, 2022  
Page 19 of 21

**RESULTS:**

Test Item(s)	Type	Result	Unit	Conclusion
		Total Lead (Pb)		
I078	II	ND	mg/kg	PASS
I079	II	ND	mg/kg	PASS
I080	II	ND	mg/kg	PASS

Note / key:

ND = Not detected  
mg/kg = milligram(s) per kilogram  
Detection Limit (mg/kg) : 10

Remark:

California proposition 65 total lead content are not accredited by CNAS.



**RESULTS:**

**BBP/DBP/DEHP/DnHP/DIDP Phthalates Content Requirements in Toys, Child Care Articles and Watches – California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050**

Test Method : With reference to U. S. CPSC-CH-C1001-09.4 (January 17, 2018)

Test Parameter:	BBP	DBP	DEHP	DnHP	DIDP	-
Limit (%):	0.1	0.1	0.1	0.1	0.1	-
Test Item(s)	Result (%)					Conclusion
I001+I002+I003	ND	ND	0.010	ND	ND	PASS
I004+I005+I006	ND	ND	ND	ND	ND	PASS
I007+I008+I009	ND	ND	ND	ND	ND	PASS
I010+I011+I012	ND	ND	ND	ND	ND	PASS
I013+I014+I015	ND	ND	0.008	ND	ND	PASS
I016+I017+I018	ND	ND	ND	ND	ND	PASS
I019+I020+I021	ND	ND	ND	ND	ND	PASS
I022+I023+I024	ND	ND	ND	ND	ND	PASS
I025	ND	ND	ND	ND	ND	PASS

Note / key:

BBP = Butyl benzyl phthalate      DBP = Dibutyl phthalate      DEHP = Di(2-ethylhexyl) phthalate  
 DnHP = Di-n-hexyl phthalate      DIDP = Di-iso-decyl phthalate  
 ND = Not detected      % = percent      10000 mg/kg = 1 %  
 mg/kg = milligram(s) per kilogram  
 Detection Limit (%) : Each 0.005

Remark:

- California proposition 65 phthalates content are not accredited by CNAS.
- The items 008 was provided by client dated on Nov 11, 2022.

**RESULTS:**



END OF REPORT