

Test Report		Number:	SHAH01676438
CO.,LTD NO.18 JIN	LITTLE SUN CHILDS VEHICLES NHUI ROAD, XINCANG TOWN, CITY, ZHEJIANG PROVINCE, CHINA MR.YANG	Date:	20 May, 2024
Sample Description: One (1) group of submitter Item Name Item No. Labelled Age Group Packaging Provided By A Goods Exported To Country Of Origin	: RIDE ON CAR : S306 : 3-8 years.	*****	*****
Tests Conducted: As requested by the applic	ant, for details refer to attached page(s).	****	*****
Conclusion: <u>Tested Samples</u> Submitted Sample	<u>Standard</u> U.S. ASTM F963-23 Physical and Mechanical Te 4.25, 5.14, 6.5,6.6,6.9 and 7.2	ests Excluding Se	Result ction Pass
Submitted Sample	U.S. ASTM F963-23 Flammability Test of Materia Materials	als other than Tex	tile Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-23 For Total Lead Content In Sur	face Coating	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-23 For Total Lead Content In Nor Materials	n-Surface Coating	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-23 For Heavy Metal Elements Te Material	est On Surface Co	ating Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-23 section 4.3.5.2(2)(a)(b) for hear non-surface coating materials	avy metal elemen	ts test on Pass
Submitted Sample	Consumer Product Safety Improvement Act (CPS Tracking Labels for Children Products	·	

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



intertek Total Quality. Assured.

Test Report SHAH01676438 Number: Conclusion: **Tested Samples** Standard Result Submitted Sample U.S. CFR Title 16 (CPSC Regulations) Mechanical and Physical Tests -1500.48 Sharp Point Pass -1500.49 Sharp Edge Pass -1501 Small Part Not Applicable U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) Flammability Submitted Sample Pass Test On Rigid and Pliable Solids **Tested Components Of** U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 Pass Submitted Sample for total Lead content in surface coating **Tested Components Of** U.S. CFR title 16(CPSC regulations) Part 1303 total Lead content Pass Submitted Sample **Tested Components Of** U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 Pass Submitted Sample for total Lead content in non-surface coating materials (substrate) US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & **Tested Components Of** Pass (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Submitted Sample **Child Care Articles Containing Specified Phthalates Tested Components Of** California Proposition 65 for toys, Consent Judgement No. RG-356892 ---Pass Submitted Sample **Total Lead Content Tested Components Of** The above limit was quoted from the consent judgment No. BG-350969 Pass Submitted Sample settled by superior court of the state of California for the county of Alameda , for Toys based on the California Proposition 65. **Tested Components Of** Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-Pass Submitted Sample 1019) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with Submitted Sample Pass amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test Submitted Sample Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Pass section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Cellulose Nitrate and Celluloid

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



intertek

Total Quality. Assured.

	Test Report		Number:	SHAH016	576438
Te	sion: <u>ested Samples</u> ested Components Of ubmitted Sample	<u>Standard</u> Canada Consumer Product Safety Act Toys Regulatio Section 23 and amendment SOR/2022-122 on toxic e		17	<u>Result</u> Pass
	ested Components Of ubmitted Sample	Phthalates content requirement in Canada Consume Phthalates Regulation SOR/2016-188	er Product Safe	ety Act	Pass
Co (1	ested omponent(11),(12), 3),(15) Of Submitted ample	Canada Consumer Product Safety Act Toys Regulatio Section 27(3)(a)&(b) for accessible plastic material in 3 years of age			Pass (See Comment)
OI	ther Components	Canada Consumer Product Safety Act Toys Regulation Section 27(3)(a)&(b) for accessible plastic material in 3 years of age			Pass
	ested Components Of ubmitted Sample	Canada Consumer Products Containing Lead Regul	ations SOR/20	18-83	Pass
	ested Components Of ubmitted Sample	Canada Consumer Product Safety Act Surface Coat SOR/2016-193 Section 6 and amendment SOR/202 content test on products with applied stickers, films of materials	2-122 for total	lead	Pass
	ested Components Of ubmitted Sample	ASTM F963-23 section 4.3.8 on Phthalates content			Pass
27(3)(a) stated in	e testing scope of the follo	owing standard (Canada Consumer Product Safety A to the submitted sample. However, the test results or	f the sample m	et the relat	

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





Tests Conducted

1 <u>Physical and Mechanical Tests</u>

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

Applicant's specified age group for testing: 3-8 Years

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

<u>Test</u>	<u>FHSA</u>	Parameter
Tip over test		3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Section	Requirement	Result
4.1	Material Quality (Visual check on cleanliness)	Р
4.5	Sound-producing toys	Р
4.6.1	Toys intended for children under 36 months (Small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (Small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	Р
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	Р
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	Р
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	Р
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	Р
4.18	Holes, clearance, and accessibility of mechanisms	Р
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



:	_	L	
ທ	ier	T G	γ
Total Qu	ality. Ass	ured.	

Number: SHAH01676438

Section	Requirement	Result
4.25	Battery-operated toys	NR#
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P#
5.1.2	Tracking label on product and packaging	Р
6	Instructional literature	P#
7	Producer's markings	
7.1	Name of producer/distributor	Yes
	Address	Yes
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass NA= Not Applicable NR=Not Requested

Remark:

= As requested by the applicant, section 4.25, 5.14, 6.5, 6.6, 6.9 and 7.2 for battery-powered ride-on toys were not assessed.

Date Sample Received: 08 Apr, 2024 & 16 May,2024 Testing Period: 08 Apr, 2024 To 16 May,2024





Tests Conducted

SHAH01676438 Number:

2 Flammability Test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 15 May, 2024

3 Total Lead (Pb) Content for Surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item		<u>Result</u>	<u>in ppm</u>		Reproting Limit	<u>Limit</u>
Test lielli	(1)	(2)	(3)	(4)	(ppm)	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	20	90

Remark: ppm = parts per million = mg/kg ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





Number: SHAH01676438

Tests Conducted

4 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item			Re	Reproting Limit			Limit		
<u>rest item</u>	(3)	(5)	(6)	(7)	(8)	(9)	(10)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	ND	10	100
			_						

Test Item			<u>Result</u>	<u>in ppm</u>			Reproting Limit	<u>Limit</u>
	(11)	(12)	(13)	(14)	(15)	(16)	(ppm)	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	10	100

Test Item			Result	Reproting Limit	<u>Limit</u>			
Test lielli	(17)	(18)	(19)	(20)	(21)	(22)	(ppm)	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	10	100

Test Item			Result	in ppm			Reproting Limit	Limit
<u>Test lielli</u>	(23)	(24)	(25)	(26)	(27)	(28)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	10	100

Test Item			Result	in ppm			Reproting Limit	Limit
Test Item	(29)	(30)	(31)	(32)	(33)	(34)	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	ND	ND	ND	ND	ND	10	100

Remark: ppm = parts per million = mg/kg ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

Page 7 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



Number: SHAH01676438

Tests Conducted

5 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-23, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item		Result (ppm)		Reporting Limit	Limit
	(1)	(2)	(4)	<u>(ppm)</u>	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	5	500
Sol. Chromium (Cr)	9	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	2.5	25

Remark: Sol. = Soluble

ppm = parts per million = mg/kg ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024

Testing Period: 08 Apr, 2024 To 20 May, 2024

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



Tests Conducted

SHAH01676438 Number:

Heavy Metal Elements Analysis in Non-Surface Coating Materials (Substrate Except Modelling Clay) 6

As per section 4.3.5.2(2)(a)(b) of the ASTM standard consumer safety specification on toy safety F963-23, CPSC-CH E1002-08.3 / CPSC-CH-E1001-08.3 and acid extraction method were used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Item Result (ppm)								Limit							
	(3)	(5)	(6)	(7)	(8)	(9)	(10)	<u>(ppm)</u>	<u>(ppm)</u>							
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	5	1000							
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	90							
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	5	75							
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	60							
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	500							
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	5	60							
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	60							
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	2.5	25							
	T															

Test Item	Item Result (ppm)							Limit
	(11)	(12)	(13)	(14)	(15)	(16)	<u>(ppm)</u>	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	8	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item			<u>Result</u>	<u>t (ppm)</u>			Reporting Limit	<u>Limit</u>
	(17)	(18)	(19)	(20)	(21)	(22)	<u>(ppm)</u>	<u>(ppm)</u>
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Page 9 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





Tests Conducted

Number: SHAH01676438

Result (ppm) **Reporting Limit** Limit Test Item (23) (ppm) (ppm) (24)(25) (26)(27)(28) Sol. Barium (Ba) ND ND ND ND ND ND 5 1000 Sol. Lead (Pb) ND ND ND ND ND ND 5 90 Sol. Cadmium (Cd) ND ND ND ND ND ND 5 75 Sol. Antimony (Sb) ND ND ND ND ND ND 5 60 ND Sol. Selenium (Se) ND ND ND ND ND 5 500 Sol. Chromium (Cr) ND ND ND ND ND ND 5 60 ND ND ND ND ND ND 5 60 Sol. Mercury (Hg) Sol. Arsenic (As) ND ND ND ND ND ND 2.5 25 Result (ppm) **Reporting Limit** Limit Test Item (29)(30)(ppm) (ppm) (31)(32)(33)(34)Sol. Barium (Ba) ND ND ND ND ND ND 5 1000 ND ND ND ND ND ND Sol. Lead (Pb) 5 90 Sol. Cadmium (Cd) ND ND ND ND ND ND 5 75 Sol. Antimony (Sb) ND ND ND ND ND ND 5 60

ND

5

5

5

2.5

500

60

60

25

Remark: Sol. = Soluble

Sol. Selenium (Se)

Sol. Chromium (Cr)

Sol. Mercury (Hg)

Sol. Arsenic (As)

ppm = parts per million = mg/kg ND= Not detected (Less than reporting limit)

ND

ND

ND

ND

Tested Components: See component list in the last section of this report.

ND

ND

ND

ND

ND

ND

ND

ND

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

Page 10 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





Tests Conducted

7 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products.

Tracking Label Found on the Packaging: JIAXING JUHUI INTELLIGENT TECHNOLOGY CO.,LTD NO.99, JINHUI ROAD, XINCANG TOWN ,PINGHU, JIAXING, ZHEJIANG ITEM NO.:S306 City country: Pinghu China Date Code : May.,2024 Batch Number: PO#C80-2024

Tracking Label Found on the Product: JIAXING JUHUI INTELLIGENT TECHNOLOGY CO.,LTD NO.99, JINHUI ROAD, XINCANG TOWN ,PINGHU, JIAXING, ZHEJIANG ITEM NO.:S306 City country: Pinghu China Date Code : May.,2024 Batch Number: PO#C80-2024

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 15 May, 2024

8 Physical and Mechanical Test

As per U.S. Code of Federal Regulations title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's Specified Age Group for Testing: 3-8 Years

	No. of SampleTested	<u>Sharp Point</u> (1500.48)	<u>Sharp Edge</u> (1500.49)	<u>Small Part</u> (1501)
As Received	1	P	P	NA
Impact (1500.53 (b))	1	Р	Р	NA
Flexure (1500.53 (d))	0	NA	NA	NA
Torque (1500.53 (e))	1	Р	Р	NA
Tension (1500.53 (f))	1	Р	Р	NA
Compression (1500.53 (g	g)) 1	Р	Р	NA

Remark: P = Pass NA = Not Applicable

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 15 May, 2024

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Number: SHAH01676438



Tests Conducted

9 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Ignited but Self-Extinguished before Burn Rate Could be Determined

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 15 May, 2024

10 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(1)	<20	90
(2)	<20	90
(4)	<20	90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

11 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations title 16 part 1303, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result (%)	<u>Limit (%)</u>
(1)	<0.002	0.009
(2)	<0.002	0.009
(4)	<0.002	0.009

The limit was quoted according to CPSC Regulation CFR title 16 Part 1303 for Lead (Pb) content.

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024 **********

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101

SHAH01676438

Number:





Tests Conducted

Number: SHAH01676438

12 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	<u>Result (ppm)</u>	Limit (ppm)
(3)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<10	100
(17)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100
(24)	<10	100
(25)	<10	100
(26)	<10	100
(27)	<10	100
(28)	<10	100
(29)	<10	100
(30)	<10	100
(31)	<10	100
(32)	<10	100
(33)	<10	100
(34)	<10	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received:08 Apr, 2024 Testing Period:08 Apr, 2024 To 20 May, 2024

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





Tests Conducted

13 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Test item</u>	Result (%)							<u>Limit (%)</u> (Max.)
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	<u>(IVIAX.)</u>
	Dibutyl phthalate (DBP)	ŇĎ	ŇĎ	ŇĎ	ŇĎ	ŇĎ	ŇĎ	NĎ	0.1
	Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	ND	0.1
	<u>Test item</u>			F	Result (%	<u>6)</u>			<u>Limit (%)</u>
		(8)	(9)	(10)	(11)	(12)	(13)	(14)	<u>(Max.)</u>
	Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Test item			<u>F</u>	<u>Result (%</u>	<u>6)</u>			<u>Limit (%)</u> (Max.)
		(15)	(16)	(17)	(18)	(19)	(20)	(21)	<u>(INAX.)</u>
	Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	ND	0.1
	Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	ND	0.1
**********	***************************************	**********	********	*******	*******	*******	********	********	*****

Page 14 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com

SHAH01676438

Number:





Tests Conducted

Number:

SHAH01676438

Test item	Result (%)							<u>Limit (%)</u> <u>(Max.)</u>
	(22)	(23)	(24)	(25)	(26)	(27)	(28)	<u>(max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	ND	0.1
<u>Test item</u>			Re	esult (%	<u>6)</u>			<u>Limit (%)</u>
	(29)	(30)	(31)) (32)	(33)	(34)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	ND	ND	ND		ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	1	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	1	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	1	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	1	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	1	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	1	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	1	ND	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected Detection Limit = 0.01%

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

Page 15 of 32





Tests Conducted

14 Total Lead (Pb) content

With reference to us EPA method 3050B, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	<u>Result (ppm)</u>	Requirement (ppm)
(1)	<20	90
(2)	<20	90
(3)	<10	100
(4)	<20	90
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100
(11)	<10	100
(12)	<10	100
(13)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<10	100
(17)	<10	100
(18)	<10	100
(19)	<10	100
(20)	<10	100
(21)	<10	100
(22)	<10	100
(23)	<10	100
(24)	<10	100
(25)	<10	100
(26)	<10	100
(27)	<10	100
(28)	<10	100
(29)	<10	100
(30)	<10	100
(31)	<10	100
(32)	<10	100
(33)	<10	100
(34)	<10	100

The above limit was quoted from the Consent Judgement No. RG-356892 settled by superior court of the state of California for the county of Alameda, for toys based on the California Proposition 65.

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024

Testing Period: 08 Apr, 2024 To 20 May, 2024 *****

Page 16 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



SHAH01676438 Number:



Tests Conducted

15 Phthalate Content

With reference to CPSC-CH-C1001-09.3 and by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		Res	sult (%, v	v/w)			Limit (%, w/w)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	
		Res	<u>sult (%, v</u>	<u>v/w)</u>			<u>Limit (%, w/w)</u>
(8)	(9)	(10)	(11)	(12)	(13)	(14)	
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	
		Res	sult (%, v	v/w)			<u>Limit (%, w/w)</u>
(15)	(16)	(17)	(18)	(19)	(20)	(21)	
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	0.1
ND	ND	ND	ND	ND	ND	ND	
	ND ND ND ND ND ND ND ND ND ND (15) ND ND ND ND ND ND ND ND ND ND ND	ND	(1) (2) (3) ND ND ND ND ND ND <td>(1) (2) (3) (4) ND ND ND ND ND ND ND ND ND</td> <td>ND ND ND ND ND ND ND ND ND ND <td< td=""><td>(1) (2) (3) (4) (5) (6) ND ND ND ND ND ND ND ND ND ND</td><td>(1) (2) (3) (4) (5) (6) (7) ND ND ND ND ND ND ND ND ND ND ND ND ND</td></td<></td>	(1) (2) (3) (4) ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND ND ND <td< td=""><td>(1) (2) (3) (4) (5) (6) ND ND ND ND ND ND ND ND ND ND</td><td>(1) (2) (3) (4) (5) (6) (7) ND ND ND ND ND ND ND ND ND ND ND ND ND</td></td<>	(1) (2) (3) (4) (5) (6) ND ND ND ND ND ND ND ND ND ND	(1) (2) (3) (4) (5) (6) (7) ND ND ND ND ND ND ND ND ND ND ND ND ND

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





Tests Conducted

Number:

SHAH01676438

			Res	sult (%,	w/w)			<u>Limit (%, w/w)</u>
	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	ND	
			Res	<u>sult (%,</u>	<u>w/w)</u>			<u>Limit (%, w/w)</u>
	(29)	(30)	(31	I)	(32)	(33)	(34)	
Dibutyl phthalate (DBP)	ND	ND	NE)	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	NE	2	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	NE	2	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	NE	5	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	NE	2	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	NE)	ND	ND	ND	

Remark: The above limit was quoted from the consent judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda , for Toys based on the California Proposition 65.

ND = Not Detected Detected Limit = 0.01%(w/w)

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

Page 18 of 32





Tests Conducted

16 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	<u>Result in %</u>
(1)	<0.002
(2)	<0.002
(3)	<0.001
(4)	<0.002
(5)	<0.001
(6)	<0.001
(7)	<0.001
(8)	<0.001
(9)	<0.001
(10)	<0.001
(11)	<0.001
(12)	<0.001
(13)	<0.001
(14)	<0.001
(15)	<0.001
(16)	<0.001
(17)	<0.001
(18)	<0.001
(19)	<0.001
(20)	<0.001
(21)	<0.001
(22)	<0.001
(23)	<0.001
(24)	<0.001
(25)	<0.001
(26)	<0.001
(27)	<0.001
(28)	<0.001
(29)	<0.001
(30)	<0.001
(31)	<0.001
(32)	<0.001
(33)	<0.001
(34)	<0.001

Requirement:

The total Lead content shall not exceed 0.009% for surface coating and 0.01% for non-surface coating material (substrate) in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Number: SHAH01676438



Tests Conducted

17 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: 3-8 Years

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety
Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.TestParameterDrop test4 x (0.909±0.005) mPull test42.5±2 NPush test42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	NA
4	Packaging	
	(a) The opening perimeter is less than 14 inches	NA
	(b) The opening perimeter is more than 14 inches	NA
	Electrical hazard	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	NA
8	Metal edges	Р
9	Wire frames	NA
10	Plastic edges	Р
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	Р
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	
19	Noise limit	Р
	Thermal hazards	
20	Heated surfaces, parts or substances	Р
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com

SHAH01676438

Number:





SHAH01676438 Number:

Tests Conducted

No.	Testing Items	Assessment
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	Plant seeds	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	· · · · · · · · · · · · · · · · · · ·
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 15 May, 2024

18 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

Cellulose Nitrate/Celluloid	Assessment Absent	<u>Requirement</u> Absent
Date Sample Received: 08 Apr, 2024		
Testing Period: 08 Apr, 2024 To 15 May, 2024	*****	*****





Number: SHAH01676438

Tests Conducted

19 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry and Inductively Coupled Argon Plasma Spectrometry.

Test Item		Result(mg/kg)	Reporting Limit	<u>Limit</u>	
reschem	(1)	(2)	(4)	<u>(mg/kg)</u>	(mg/kg)
Tot. Lead (Pb)	ND	ND	ND	10	90
Tot. Mercury (Hg)	ND	ND	ND	0.047	10
Sol. Cadmium (Cd)	ND	ND	ND	5	1000
Sol. Antimony (Sb)	ND	ND	ND	5	1000
Sol. Selenium (Se)	ND	ND	ND	5	1000
Sol. Arsenic (As)	ND	ND	ND	2.5	1000
Sol. Barium (Ba)	ND	ND	ND	5	1000

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and Amendment SOR/2022-122 for prohibition on toxic elements in stickers, films and surface coating materials.

Tot. = Total Sol. = Soluble ND = Not detected (less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

20 Phthalate Content Test

With reference to method CPSC-CH-C1001-09.3 and followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

Tested Compound			Re	<u>sult (mg/</u>	<u>′kg)</u>			Limit(mg/kg) (Max.)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	ND	ND	1000

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





Tests Conducted

Number:

SHAH01676438

Tested Compound			Re	sult (mg	<u>/kg)</u>			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(8) ND ND ND ND ND	(9) ND ND ND ND ND	(10) ND ND ND ND ND	(11) ND ND ND ND ND	(12) ND ND ND ND ND	(13) ND ND ND ND ND	(14) ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound			Re	sult (mg	<u>/kg)</u>			Limit(mg/kg) (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(15) ND ND ND ND ND	(16) ND ND ND ND ND	(17) ND ND ND ND ND ND	(18) ND ND ND ND ND	(19) ND ND ND ND ND	(20) ND ND ND ND ND	(21) ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound			Re	sult (mg	<u>/kg)</u>			Limit(mg/kg) (Max.)
<u>Tested Compound</u> Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(22) ND ND ND ND ND	(23) ND ND ND ND ND	Re (24) ND ND ND ND ND ND	sult (mg, (25) ND ND ND ND ND ND	(<u>kg)</u> (26) ND ND ND ND ND ND	(27) ND ND ND ND ND	(28) ND ND ND ND ND	Limit(mg/kg) (Max.) 1000 1000 1000 1000 1000
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP)	ND ND ND ND ND	ND ND ND ND ND	(24) ND ND ND ND ND ND	(25) ND ND ND ND ND	(26) ND ND ND ND ND	ND ND ND ND ND	ND ND ND ND ND	(Max.) 1000 1000 1000 1000 1000

Remark: The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Detection Limit = 100mg/kg

ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024





Tests Conducted

21 Toxic Elements Analysis

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	(3) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(5) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(6) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	<10 < <5 < <5 < <5 < <5 < <5 < <5 < <5 <	8) (9) 10 <10 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5 :5 <5	(10) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	Limit (mg/kg) 90 1000 60 75 60 60 500 25
Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	(11) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(12) <10 <5 <5 <5 <5 <5 8 <5 <2.5	Res (13) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	ult (mg/kg) (14) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(15) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(16) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	Limit (mg/kg) 90 1000 60 75 60 60 60 500 25
Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	(17) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(18) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	Res (19) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	ult (mg/kg) (20) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(21) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(22) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	Limit (mg/kg) 90 1000 60 75 60 60 60 500 25
Tot. Lead (Pb) Sol. Barium (Ba) Sol. Mercury (Hg) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Chromium (Cr) Sol. Selenium (Se) Sol. Arsenic (As)	(23) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(24) <10 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	(25) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	ult (mg/kg) (26) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(27) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	(28) <10 <5 <5 <5 <5 <5 <5 <5 <2.5	Limit (mg/kg) 90 1000 60 75 60 60 60 500 25

SHAH01676438

Number:

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





Test Report					Number:	SHAH	01676438
Tests Conducted							
			Result	(mg/kg)			Limit (mg/kg)
	(29)	(30)	(31)	(32)	(33)	(34)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark: mg/kg = Milligram per kilogram Tot. = Total Sol. = Soluble

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com





Tests Conducted

22 Total Lead (Pb) Content

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	<u>Result (mg/kg)</u>	Limit (mg/kg)
(1)	ND	90
(2)	ND	90
(3)	ND	90
(4)	ND	90
(5)	ND	90
(6)	ND	90
(7)	ND	90
(8)	ND	90
(9)	ND	90
(10)	ND	90
(11)	ND	90
(12)	ND	90
(13)	ND	90
(14)	ND	90
(15)	ND	90
(16)	ND	90
(17)	ND	90
(18)	ND	90
(19)	ND	90
(20)	ND	90
(21)	ND	90
(22)	ND	90
(23)	ND	90
(24)	ND	90
(25)	ND	90
(26)	ND	90
(27)	ND	90
(28)	ND	90
(29)	ND	90
(30)	ND	90
(31)	ND	90
(32)	ND	90
(33)	ND	90
(34)	ND	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Remark: Reporting Limit = 10 mg/kg for substrate, 20 mg/kg for coating ND=Not Detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101 Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Number: SHAH01676438



<u>Test Report</u>

Tests Conducted

Number: SHAH01676438

23 Total Lead (Pb) Content on Products with Applied Stickers, Films or Surface Coating Materials

As per Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (mg/kg)	<u>Limit (mg/kg)</u>
(1)	<20	90
(2)	<20	90
(4)	<20	90

Remark: mg/kg = Milligram per kilogram

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024

24 Phthalates Content (ASTM F963-23)

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	Result (%)							Detection	<u>Limit</u>
<u>Test item</u>	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Limit (%)	<u>(%)</u> (Max.)
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1

				Detection	<u>Limit</u>				
<u>Test item</u>	(8)	(9)	(10)	(11)	(12)	(13)	(14)	Limit (%)	<u>(%)</u> (Max.)
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	ND	0.01	0.1

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司 No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101





Tests Conducted

Result (%) Limit Detection Test item (%) Limit (%) (15)(16)(17)(18)(19) (20)(21)(Max.) Dibutyl phthalate (DBP) ND ND ND ND ND ND ND 0.01 0.1 Di-(2-ethylhexyl) phthalate ND ND ND ND ND ND ND 0.01 0.1 (DEHP) Benzyl butyl phthalate (BBP) ND ND ND ND ND ND ND 0.01 0.1 Diisononyl phthalate (DINP) ND ND ND ND ND ND ND 0.01 0.1 Diisobutyl phthalate (DIBP) ND ND ND ND ND ND ND 0.01 0.1 Di-n-pentyl phthalate (DPENP) ND ND ND ND ND ND ND 0.01 0.1 Di-n-hexyl phthalate (DHEXP) ND ND ND ND ND ND ND 0.01 0.1 Dicyclohexyl phthalate (DCHP) ND ND ND ND ND ND ND 0.01 0.1 Result (%) Limit Detection Test item <u>(%)</u> Limit (%) (22)(23)(24)(25)(26)(28)(27)(Max.) Dibutyl phthalate (DBP) ND ND ND ND ND ND ND 0.01 0.1 Di-(2-ethylhexyl) phthalate ND ND ND ND ND ND ND 0.01 0.1 (DEHP) Benzyl butyl phthalate (BBP) ND ND ND ND ND ND ND 0.01 0.1 Diisononyl phthalate (DINP) ND ND ND ND ND ND ND 0.01 0.1 Diisobutyl phthalate (DIBP) ND ND ND ND ND ND ND 0.01 0.1 Di-n-pentyl phthalate (DPENP) ND ND ND ND ND ND ND 0.01 0.1 Di-n-hexyl phthalate (DHEXP) ND ND ND ND ND ND ND 0.01 0.1 Dicyclohexyl phthalate (DCHP) ND ND ND ND ND ND ND 0.01 0.1 Result (%) <u>Limit</u> Detection Test item (0/)

	(29)	(30)	(31)	(32)	(33)	(34)	<u>Limit (%)</u>	<u>(76)</u> (Max.)
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	ND	0.01	0.1

Remark: ND = Not Detected(Less than detection limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 08 Apr, 2024 Testing Period: 08 Apr, 2024 To 20 May, 2024 *****

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com





Tests Conducted



No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com

SHAH01676438

Number:





Tests Conducted

SHAH01676438 Number:

The Photos Were Submitted By The Client, Not Tested, Only For Reference.




Page 30 of 32

No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101







No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101



No.8 Fubei Road, Xishan Economic Development Zone, Wuxi, Jiangsu, China. 214101 江苏省无锡市锡山经济开发区府北路 8 号 214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results. The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty

of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

- Rose red plastic. Red soft plastic (wire covering).

- (30)Orange soft plastic (wire covering).

- (32)White soft plastic (wire covering).
- Green soft plastic (wire covering). (33)
- *****

End Of Report

- (28)
- Brown soft plastic (wire covering). (29)

- (31)Blue soft plastic (wire covering).

- Black soft plastic (wire covering).

- Black webbing(safety belt). (11)Silver color metal(screw). (12)
- Silver color metal excluding coating(chassis). (13)
- (14)Soft plastic with transparent adhesive(body sticker).
- Silver color metal(charger).
- (15)
- Black plastic (charger). (16)
- Black soft plastic (charger). (17)
- Transparent soft plastic(Logo).
- (18)
- Black plastic. (19)
- Red plastic. (20)
- White plastic.
- (21)
- Blue plastic. (22)
- (23)Grey plastic.
- (24)
- Pink plastic.
- Purper plastic. (25)
- Yellow plastic. (26)
- (27)

(34)

Test Report

itertek

Tests Conducted Components List:

Total Quality. Assured.

- Black coating on metal (1)
- (2)Bright silver coating on plastic

 - Yellow soft plastic (wire covering).
- (3)
- (4)White coating on plastic.
- Black plastic (button). (5)
 - White plastic (button).
- (6)
- (7)

Red Transparent plastic (button).

- Black soft plastic(wheel antiskid part). (8)
- White Transparent plastic(light). (9)
- (10)Red Transparent plastic(lignt).

SHAH01676438 Number: