





**Technical Report:** (8824)145-0058 May 24, 2024 Date Received: May 24, 2024 Page 1 of 21

TAMCO SUMMIT VEHICLE JIANGMEN CO LTD. ROOM 910 BUILDING 2 KINWAI PLAZA NO.213BAISHI AVENUE PENGJIANG DISTRICT JIANGMEN CITY **GUANGDONG CHINA** 

BATTERY OPERATED CHILDREN CAR Sample Description:

Vendor: Sample Size:

NEL-1001, NEL-901 Manufacturer: N/A Style No(s): **NOT PRESENT** SKN/SKU No.: Labeled Age Grade: **NOT PROVIDE** Appropriate Age Grade: NOT REQUESTED PO No.: **NOT PROVIDE** Client Specified Age Ref#: **NOT PROVIDE** 

Grade:

**OVER 3 YEARS OF AGE NOT PROVIDE** Tested Age Grade: Country of Origin: UPC Code: Assortment No.: NOT PROVIDE Test Starting Date: MAY 24, 2024 Test Finished Date: MAY 24, 2024

## **EXECUTIVE SUMMARY:**

Test Requested	Conclusion
Flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".	PASS
Total lead content in surface coating requirements of ASTM F963-23, "Standard consumer safety specification for toy safety", Section 4.3.5.1(1).	PASS
Total lead content in substrate requirements of ASTM F963-23, "Standard consumer safety specification for toy safety", Section 4.3.5.2(2)(a).	PASS
Soluble heavy metals content in surface coating requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.1(2).	PASS

To be continued

BUREAU VERITAS SHENZHEN CO.,LTD

DONGGUAN BRANCH

ENCO

Lisa Bai

BUREAU VERITAS SHENZHEN CO.,LTD DONGGUAN BRANCH

Tone Tang

EPOR' Analytical lab technical ass. manager Physics Lab Assistant Supervisor

RT/Lucy Chen **REMARK** 

If there are questions or concerns on this report, please contact the following persons:

(86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com Report Enquiry:

**Business Contact:** (86) 0769 85893595

This report shall not be reproduced except in full, without the written approval of our laboratory.

Bureau Veritas Shenzhen Co., Ltd., Dongguan Branch No.96, Houjie, Guantai Road., Houjie,

Dongguan, Guangdong, China Tel: +86-769-89982098 Fax: +86-769-85991080 www.cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cop/about-us/eur-bus-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples is dentified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



TAMCO SUMMIT VEHICLE JIANGMEN CO LTD.
Technical Report: **(8824)145-0058**May 24, 2024
Page 2 of 21

## **EXECUTIVE SUMMARY:**

Test Requested	Conclusion
Soluble heavy metals content in substrate requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).	PASS
(#)Total lead content of 90ppm requirements in surface coating (Consumer Products Safety Improvement Act (CPSIA) of 2008).	PASS
(#)Total lead content of 100ppm requirements in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).	PASS
Total lead content requirements in children products according to the California Proposition 65 settlements of Alameda Superior Court RG 07356892.	PASS
Phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.8.	PASS
(#)Phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of the Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) and 108(c), 16 CFR 1307).	PASS
BBP, DBP, DEHP, DnHP and DIDP content requirements in toys, child care articles and watches according to the California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050.	PASS
As specified by client, to determine the Physical & Mechanical properties in the submitted sample(s) in accordance with ASTM F963-23 Standard Consumer Safety Specification for Toy Safety. (Except for section of 4.25.9 & 4.25.10.)	PASS

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

Note: Tests with (#) are accredited by CNAS.

Note: At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) /

submitted component(s).

Note: The composite test sample(s) of the submitted samples was prepared in the manner requested by the client,

when subject to the test performed.



Technical Report: **(8824)145-0058**May 24, 2024

Page 3 of 21

## Tested Component(s) Description List:

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1001	Silvery coating	Surface of engine	-
1002	White plastic	Car	-
1003	Orange plastic	Car	-
1004	Red plastic	Brake	-
1005	Grey plastic	Console	-
1006	Black plastic	Seat	-
1007	Off black plastic	Steering wheel	-
1008	Matt black plastic	Tire	-
1009	Off orange plastic	Tire	-
I010	Transparent red plastic	Light cover	-
I011	Transparent plastic	Light cover	-
1012	Clear laminated multi color printed white paper with adhesive	Sticker	-
l013	Transparent black plastic	Remote control	-
I014	Blue plastic	Car	-
l015	Off white plastic	Steering wheel	-
l016	Transparent green plastic	Console	-



Technical Report: (8824)145-0058

May 24, 2024 Page 4 of 21

# **RESULTS:**

## FLAMMABILITY (16 CFR SECTION 1500.3(c)6)(vi))

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	16 CFR 1500.44	Most rapid burn rate less than 0.1 of an inch per second.

#### Remark:

Flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5,

"Flammability testing procedure for solids and soft toys" are not accredited by CNAS.



Technical Report: (8824)145-0058

May 24, 2024 Page 5 of 21

# **RESULTS:**

#### Total Lead Content in Surface Coating – ASTM International Standard ASTM F963-23, Section 4.3.5.1(1)

Test Method : ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Maximum	OO medica
Allowable Limit:	90 mg/kg

Toot Itom(a)	Result	Unit	Canalysian	
Test Item(s)	Total Lead (Pb)	Offit	Conclusion	
1001	ND	mg/kg	PASS	

Note / key:

ND = Not detected

mg/kg = milligram(s) per kilogram Detection Limit (mg/kg) : 10

ASTM F963-23 Lead content are not accredited by CNAS.



Technical Report: (8824)145-0058

May 24, 2024 Page 6 of 21

# **RESULTS:**

#### Total Lead Content in Substrate - ASTM International Standard ASTM F963-23, Section 4.3.5.2(2)(a)

Test Method : ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Ī	Maximum	100 mg/kg
١	Allowable Limit:	Too mg/kg

Test Item(s)	Result	Unit	Conclusion	
rest item(s)	Total Lead (Pb)	Offit	Conclusion	
1002	ND	mg/kg	PASS	
1003	ND	mg/kg	PASS	
1004	ND	mg/kg	PASS	
1005	ND	mg/kg	PASS	
1006	45	mg/kg	PASS	
1007	ND	mg/kg	PASS	
1008	41	mg/kg	PASS	
1009	ND	mg/kg	PASS	
1010	ND	mg/kg	PASS	
1011	ND	mg/kg	PASS	
1012	ND	mg/kg	PASS	
I013	ND	mg/kg	PASS	
1014	ND	mg/kg	PASS	
l015	ND	mg/kg	PASS	
I016	ND	mg/kg	PASS	

#### Note / key:

ND = Not detected

mg/kg = milligram(s) per kilogram Detection Limit (mg/kg) : 10

ASTM F963-23 Lead content are not accredited by CNAS.



Technical Report: (8824)145-0058

May 24, 2024 Page 7 of 21

# **RESULTS:**

#### Soluble Heavy Metals Content in Surface Coating -ASTM F963-23, Section 4.3.5.1(2)

Test Method : ASTM International Standard ASTM F963-23, Section 8.3.2 to 8.3.4

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit (mg/kg)	25	1000	75	60	60	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Test Item(s)	Result (mg/kg)									
1001	ND	ND	ND	ND	ND	ND	ND	ND	0.0790	PASS

Note / key:

ND = Not detected g = gram(s) % = percent

mg/kg = milligram(s) per kilogram

Detection Limit (mg/kg): As: 2.5; Ba: 100; Cd: 7.5; Each (Cr, Hg, & Sb): 6.0; Pb: 9.0; Se: 50

ASTM F963-23 Heavy Metals content are not accredited by CNAS.



Technical Report: **(8824)145-0058** May 24, 2024 Page 8 of 21

## **RESULTS:**

## Soluble Heavy Metals Content in Substrate -ASTM F963-23, Section 4.3.5.2(2)(b)

Test Method : ASTM International Standard ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3))

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit Type I (mg/kg)	25	1000	75	60	60	90	60	500
Max. Limit Type II (mg/kg)	25	250	50	25	25	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60

				-1							
Analyte Test Item(s)	As	Ва	Cd	Cr Result	Hg (mg/kg)	Pb	Sb	Se	Mass of Trace Amount (g)	Conclusion	
Type I: Substrate other than modeling clay											
1002	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1003	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1004	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1005	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1006	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1007	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1008	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1009	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
I010	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
l011	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1012	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
l013	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1014	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
l015	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	
1016	ND	ND	ND	ND	ND	ND	ND	ND	-	PASS	

Approved by: Kenny Wang Report Template- Version B.1



Technical Report: (8824)145-0058

May 24, 2024 Page 9 of 21

#### **RESULTS:**

Note / key:

ND = Not detected g = gram(s) % = percent mg/kg = milligram(s) per kilogram (ppm=parts per million)

Detection Limit (mg/kg):

For Type I – As : 2.5; Ba : 100; Cd : 7.5; Each (Cr, Hg, & Sb) : 6.0; Pb : 9.0; Se : 50 For Type II – Each (As, Cr & Hg) : 2.5; Ba : 25; Cd : 5.0; Sb : 6.0; Pb : 9.0; Se : 50

#### Remark:

- Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-23. The lead content analysis result of corresponding material herein is for client's reference only.
- ASTM F963-23 Heavy Metals content are not accredited by CNAS.



Technical Report: (8824)145-0058

May 24, 2024 Page 10 of 21

## **RESULTS:**

Total Lead Content in Surface Coating - Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(f)

Test Method	:	U.S. CPSC-CH-E1003-09.1:2011	
Maximum	nit ·	90 mg/kg	

Toot Itom(a)	Result	l lait	Conclusion	
Test Item(s)	Total Lead (Pb)	Unit	Conclusion	
1001	ND	mg/kg	PASS	

Note / key:

Allowable Limit:

ND = Not detected mg/kg = milligram(s) per kilogram Detection Limit (mg/kg): 10

Approved by: Kenny Wang Report Template- Version B.1



TAMCO SUMMIT VEHICLE JIANGMEN CO LTD. Technical Report: (8824)145-0058

May 24, 2024 Page 11 of 21

## **RESULTS:**

Total Lead Content in Substrate Materials – Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(a)(2)

Test Method : U.S. CPSC-CH-E1002-08.3:2012 and U.S. CPSC-CH-E1001-08.3:2012

Maximum	
Maximum	l 100 ma/ka
Allannahla Limit .	100 mg/kg
Allowable Limit :	

Test Item(s)	Result	Unit	Conclusion
	Total Lead (Pb)		
1002	ND	mg/kg	PASS
1003	ND	mg/kg	PASS
1004	ND	mg/kg	PASS
1005	ND	mg/kg	PASS
1006	45	mg/kg	PASS
1007	ND	mg/kg	PASS
1008	41	mg/kg	PASS
1009	ND	mg/kg	PASS
1010	ND	mg/kg	PASS
I011	ND	mg/kg	PASS
l012	ND	mg/kg	PASS
l013	ND	mg/kg	PASS
1014	ND	mg/kg	PASS
l015	ND	mg/kg	PASS
1016	ND	mg/kg	PASS

Note / key:

ND = Not detected mg/kg = milligram(s) per kilogram Detection Limit (mg/kg) : 10



Technical Report: (8824)145-0058

May 24, 2024 Page 12 of 21

# **RESULTS:**

# Total Lead Content in Children Products (California Proposition 65 settlements of Alameda Superior court RG 07356892)

Test Method : EPA 3050B (Mod) / EPA 3051A (Mod)

Maximum	Type I	Paint and surface coatings: 90 mg/kg
Allowable Limit:	Type II	Substrate materials: 100 mg/kg

Test Item(s)	Туре	Result	Unit	Conclusion
rest item(s)	Туре	Total Lead (Pb)	Offic	Conclusion
1001	1	ND	mg/kg	PASS
1002	П	ND	mg/kg	PASS
1003	П	ND	mg/kg	PASS
1004	П	ND	mg/kg	PASS
1005	П	ND	mg/kg	PASS
1006	II	45	mg/kg	PASS
1007	II	ND	mg/kg	PASS
1008	II	41	mg/kg	PASS
1009	П	ND	mg/kg	PASS
l010	II	ND	mg/kg	PASS
l011	П	ND	mg/kg	PASS
l012	П	ND	mg/kg	PASS
l013	II	ND	mg/kg	PASS
l014	II	ND	mg/kg	PASS
l015	II	ND	mg/kg	PASS
1016	II	ND	mg/kg	PASS

Note / key:

ND = Not detected

mg/kg = milligram(s) per kilogram Detection Limit (mg/kg) : 10

Remark:

CA65 Lead content are not accredited by CNAS.



Technical Report: (8824)145-0058

May 24, 2024 Page 13 of 21

#### **RESULTS:**

Phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.8.

Test Method : With reference to U. S. CPSC-CH-C1001-09.4 (January 17, 2018)

1	1	1	1	1		ı	1	1	1
Test Parameter:	BBP	DBP	DEHP	DINP	DIBP	DPENP	DHEXP	DCHP	-
Limit (%):	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	=
Test Item(s)				Res	ult (%)				Conclusion
I001	ND	0.028	ND	ND	ND	ND	ND	ND	PASS
1002+1003+1004	ND	ND	ND	ND	ND	ND	ND	ND	PASS
1005+1006+1007	ND	ND	ND	ND	ND	ND	ND	ND	PASS
1008+1009+1010	ND	ND	ND	ND	ND	ND	ND	ND	PASS
1011+1012+1013	ND	ND	ND	ND	ND	ND	ND	ND	PASS
l014+l015+l016	ND	ND	ND	ND	ND	ND	ND	ND	PASS

#### Note / key:

DEHP = Di(2-ethylhexyl) phthalate DHEXP(DnHP) = Di-n-hexyl phthalate DPENP(DnPP) = Di-n-pentyl phthalate

ND = Not detected

mg/kg = milligram(s) per kilogram Detection Limit (%) : Each 0.005 DBP = Dibutyl phthalate
DIBP = Di-iso-butyl phthalate
DCHP = Dicyclohexyl phthalate

% = percent

BBP = Butyl benzyl phthalate DINP = Di-iso-nonyl phthalate

10000 mg/kg = 1 %

#### Remark:

ASTM F963-23 Phthalates Content are not accredited by CNAS.



Technical Report: (8824)145-0058

May 24, 2024 Page 14 of 21

#### **RESULTS:**

# PHTHALATES CONTENT IN CHILDREN'S TOYS AND CHILD CARE ARTICLES (Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(c), 16 CFR 1307)

Test Method : With reference to U. S. CPSC-CH-C1001-09.4 (January 17, 2018)

1	1	1	1	1		ı	1	1	1
Test Parameter:	BBP	DBP	DEHP	DINP	DIBP	DPENP	DHEXP	DCHP	-
Limit (%):	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	=
Test Item(s)				Res	ult (%)				Conclusion
I001	ND	0.028	ND	ND	ND	ND	ND	ND	PASS
1002+1003+1004	ND	ND	ND	ND	ND	ND	ND	ND	PASS
1005+1006+1007	ND	ND	ND	ND	ND	ND	ND	ND	PASS
1008+1009+1010	ND	ND	ND	ND	ND	ND	ND	ND	PASS
1011+1012+1013	ND	ND	ND	ND	ND	ND	ND	ND	PASS
l014+l015+l016	ND	ND	ND	ND	ND	ND	ND	ND	PASS

Note / key:

DEHP = Di(2-ethylhexyl) phthalate DHEXP(DnHP) = Di-n-hexyl phthalate DPENP(DnPP) = Di-n-pentyl phthalate

ND = Not detected

mg/kg = milligram(s) per kilogram Detection Limit (%) : Each 0.005 DBP = Dibutyl phthalate
DIBP = Di-iso-butyl phthalate
DCHP = Dicyclohexyl phthalate

% = percent

BBP = Butyl benzyl phthalate DINP = Di-iso-nonyl phthalate

10000 mg/kg = 1 %



Technical Report: (8824)145-0058

May 24, 2024 Page 15 of 21

#### **RESULTS:**

BBP/DBP/DEHP/DnHP/DIDP Phthalates Content Requirements in Toys, Child Care Articles and Watches – California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050

Test Method : With reference to U. S. CPSC-CH-C1001-09.4 (January 17, 2018)

T . D .	555	555	DELLO	D 11D	DIDD	
Test Parameter:	BBP	DBP	DEHP	DnHP	DIDP	-
Limit (%):	0.1	0.1	0.1	0.1	0.1	-
Test Item(s)			Result (%)			Conclusion
1001	ND	0.028	ND	ND	ND	PASS
1002+1003+1004	ND	ND	ND	ND	ND	PASS
1005+1006+1007	ND	ND	ND	ND	ND	PASS
1008+1009+1010	ND	ND	ND	ND	ND	PASS
I011+I012+I013	ND	ND	ND	ND	ND	PASS
1014+1015+1016	ND	ND	ND	ND	ND	PASS

Note / key:

BBP = Butyl benzyl phthalate DnHP = Di-n-hexyl phthalate DBP = Dibutyl phthalate DIDP = Di-iso-decyl phthalate  $DEHP = Di(2-ethylhexyl)\ phthalate$ 

ND = Not detected mg/kg = milligram(s) per kilogram

% = percent

10000 mg/kg = 1 %

Detection Limit (%): Each 0.005

#### Remark:

California Proposition 65 Phthalates Content are not accredited by CNAS.



Technical Report: **(8824)145-0058**May 24, 2024

Page 16 of 21

## **Specimen Description:**

No.	Test sample(s) name
1	Electric toy car

Approved by: Kenny Wang Report Template- Version B.1



TAMCO SUMMIT VEHICLE JIANGMEN CO LTD. Technical Report: **(8824)145-0058**May 24, 2024

Page 17 of 21

# **RESULTS:**

(1) ASTM F963-23: Mechanical and physical hazards^^

Section	Test request	Result(s)	Verdict
4.1	Material Quality	М	Pass
4.2	Flammability	М	Pass
4.3.7	Stuffing Materials	NA	/
4.4	Electrical/Thermal Energy	NA	/
4.5	Sound-producing Toys	М	Pass
4.6	Small Objects	NA	/
4.6.1	Toys that are intended for children under 36 months of age	NA	/
4.6.2	Mouth-actuated Toys	NA	/
4.6.3	Toys and games for 36 months to 72 months - Small part warning	NA	/
4.7	Accessible Edges	М	Pass
4.8	Projections	NA	/
4.9	Accessible Points	М	Pass
4.10	Wires or Rods	NA	/
4.11	Nails and Fasteners	М	Pass
4.12	Plastic Film	NA	/
4.13	Folding Mechanisms and Hinges	NA	/
4.14	Cords, Straps, and Elastics	NA	/
4.15	Stability and Over-load Requirements	М	Pass
4.16	Confined Spaces	NA	/
4.17	Wheels, Tires, and Axles	М	Pass
4.18	Holes, Clearance, and Accessibility of Mechanisms	М	Pass
4.19	Simulated Protective Devices	NA	/
4.20	Pacifiers	NA	/
4.21	Projectile Toys	NA	/
4.22	Teethers and Teething Toys	NA	/
4.23	Rattles	NA	/
4.24	Squeeze Toys	NA	/



Technical Report: **(8824)145-0058**May 24, 2024

Page 18 of 21

	Page 18 of 21						
Section	Test request	Result(s)	Verdict				
4.25	Battery-operated Toys (exclude 4.25.9 and 4.25.10)	M (See Note 2)	Pass				
4.26	Toys Intended to be Attached to a Crib or Playpen	NA	/				
4.27	Stuffed and Beanbag-type Toys	NA	/				
4.28	Stroller and Carriage Toys	NA	/				
4.29	Art Materials	NA	/				
4.30	Toy Gun Marking	NA	/				
4.31	Balloons	NA	/				
4.32	Certain Toys With Nearly Spherical Ends	NA	/				
4.33	Marbles	NA	/				
4.34	Balls	NA	/				
4.35	Pompoms	NA	/				
4.36	Hemispheric-Shaped Objects	NA	/				
4.37	Yo Yo Elastic Tether Toys	NA	/				
4.38	Magnets	NA	/				
4.39	Jaw Entrapment in Handles and Steering Wheels	NA	/				
4.40	Expanding Materials	NA	/				
4.41	Toy Chests	NA	/				
5	Labeling Requirements						
5.1.2	Tracking label	М	Pass				
5.2	Age Grading Labeling	Recorded	d: 3+				
5.3	Safety Labeling Requirements	NA	/				
5.4	Aquatic Toys	NA	/				
5.5	Crib and Playpen Toys	NA	/				
5.6	Mobiles	NA	/				
5.7	Stroller and Carriage Toys	NA	/				
5.8	Toys Intended to be Assembled by an Adult	M (See Note 1)	Pass				
5.9	Simulated Protective Devices	NA	/				
5.10	Toys with Functional Sharp Edges or Points	NA	/				



Technical Report: (8824)145-0058

May 24, 2024 Page 19 of 21

Section	Test request	Result(s)	Verdict
5.11	Small Objects, Small Balls, Marbles and Balloons	NA	/
5.12	Art Materials	NA	/
5.13	Electric Toys	NA	/
5.14	Battery-operated Toys	M (See Note 1)	Pass
5.15	Promotional Materials	M (See Note 1)	Pass
5.16	Magnets	NA	/
6	Instructional Literature		
6.1	Definition and Description	M (See Note 1)	Pass
6.2	Crib and Playpen Toys	NA	/
6.3	Mobiles	NA	/
6.4	Toys Intended to be Assembled by an Adult	M (See Note 1)	Pass
6.5	Battery-operated Toys	M (See Note 1)	Pass
6.6	Battery-Powered Ride-on Toys	M (See Note 1)	Pass
6.7	Toys in Contact with Food	NA	/
6.8	Toy Chests	NA	/
6.9	Toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	NA	/
7	Producer's Markings		
7.1	Either a principal component of a toy or the package of a toy shall be marked with the name and address of the producer or the distributor.	M (See Note 1)	Pass
7.2	Battery-powered Ride-on Toys	M (See Note 1)	Pass

#### Note:

- No final package provided, but artwork of packaging was provided for review thus font size not verified.
   As requested by client, the sections of 4.25.9 & 4.25.10 were not evaluation in this report.
- M = Meet NA = Not Applicable

## Remark:

ASTM F963-23: Mechanical and physical hazards are not accredited by CNAS.

"^^" The above result was performed at a Bureau Veritas CPS approved subcontract lab.

All test results of this report are from (8824)031-0073(R1), and should therefore be read in conjunction with the report (8824)031-0073(R1).



TAMCO SUMMIT VEHICLE JIANGMEN CO LTD. Technical Report: **(8824)145-0058**May 24, 2024

Page 20 of 21

# **RESULTS:**









TAMCO SUMMIT VEHICLE JIANGMEN CO LTD.
Technical Report: **(8824)145-0058**May 24, 2024
Page 21 of 21

## **RESULTS:**





END OF REPORT