

No.SDHL2403003665FT

Date: Apr 15, 2024

Page 1 of 9

CHUANGYUAN SMART HOME (DONGGUAN) CO, LTD BUILDING 2, NO.8 LINQI ROAD , DALINSHAN TOWN, DONGGUAN CITY, GUANGDONG PROVINCE

| Sample Description | : FIVE-DRAW CABINET |
|------------------------------|-------------------------------------|
| Item No. | : CYX2363-01 |
| SKU No. | : W1781P148614 |
| Client Reference Information | : Item No.: CYX2363-02, CYX2363-03 |
| | SKU No.: W1781P148615, W1781P148621 |
| Country of Origin | : CHINA |

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly. *******

| Sample Receiving Date | : Mar 07, 2024 |
|--|--|
| Sample 1 st Resubmission Date | : Apr 01, 2024 |
| Sample 2 nd Resubmission Date | : Apr 11, 2024 |
| Test Performing Date | : Mar 14, 2024 to Apr 15, 2024 |
| Test Performed | : Selected test(s) as requested by applicant |

Test Result Summary

| No. | Test(s) Requested | Result(s) | Comments |
|--|--|-----------|----------|
| 1 | ASTM F2057-23 Standard Safety Specification for Clothing Storage Units | PASS | 1 |
| For further details, please refer to the following page(s) | | | |

For further details, please refer to the following page(s)

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Mars Long

Marco Leung Authorized Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, were sole of the Company. Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gss.com

1-2/F, Building 1, European Industrial Park, No. 1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86–757)22805888 www.sgsgroup.com.cn

中国・广东・佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路J号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



No.SDHL2403003665FT

Date: Apr 15, 2024

Page 2 of 9

TESTS AND RESULTS

Test Conducted:

ASTM F2057-23 Standard Safety Specification for Clothing Storage Units.

No. of Sample:

1 piece. For more sample information and pictures, please refer to the following page.

| Test and Requirements | Test Results |
|--|------------------------|
| 4 Performance Requirements | |
| 4.1 With the unit set up in accordance with 8.1, and without the anti-tip device, test the up 9.2.1, 9.2.2, and 9.2.3. | nit in accordance with |
| 9.2.1 Simulated Clothing Load | |
| 9.2.1.1 Position the empty unit on test surface described in 8.2.1. For units with levelers, adjust the unit per 8.1.2. | |
| 9.2.1.2 If 50 % or more of the storage volume is extended, determine the weight for | |
| loading the extendable elements and/or space behind the doors based on the volume | PASS |
| calculated in 5.4. Load per 8.3.3. If less than 50 % of the storage volume is extended, | |
| the unit shall remain empty. | |
| 9.2.1.3 Open all doors and extend all available extendible elements in accordance with | |
| 8.1.3. Elements shall remain open for 30 s. | |
| 9.2.2 Simulated Horizontal Dynamic Force | |
| 9.2.2.1 Force Application on Extendible Element—Where the extendible element has | |
| been determined to have the highest hand-hold height, not to exceed 56 in. (1422 | |
| mm). (1) Position the empty unit on test surface described in 8.2.1. For units with levelers, | |
| adjust the unit per 8.1.2. | |
| (2) Open all doors and extend all available extendible elements in accordance with | |
| | |
| (3) Apply a 10 lbf (44 N) horizontal force, parallel to the direction of outward motion, at | |
| the highest hand-hold, not to exceed 56 in. (1422 mm) on the extendible element most | |
| likely to cause tipover. The force shall be applied within 1/4 in. (6 mm) of the top edge of | |
| a drawer or to the center of the pull area of the extendible element, whichever is | PASS |
| higher but less than 56 in. (1422 mm) over a period of at least 5 s and held for 10 s. | |
| 9.2.2.2 Force Application on Door with Handle/pull—Where the door handle/pull has | |
| been determined to be the highest reach point not to exceed 56 in. (1422 mm). | |
| (1) Reference 9.2.2.1(1) and (2). | |
| (2) Apply a 10 lbf (44 N) horizontal force, parallel to the direction of initial outward | |
| motion, at a height not exceeding 56 in. (1422 mm) to the handle or pull. The force | |
| shall be applied over a period of at least 5 s and held for 10 s. The door shall be in a | |
| position most likely to cause the unit to tip over. If the door handle or pull exceeds the | |
| max reach height, follow 9.2.2.1(3). | |
| 9.2.2.3 If the door pull/handle height and the extendible element height are the same, it is permissible to test either component. | |
| | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, if any. The Company, Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

1-2/F, Building 1, European Industrial Park, No. 1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86–757)22805888 www.sgsgroup.com.cn 中国・广东・佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



No.SDHL2403003665FT

Page 3 of 9

| Test and Paguiraments | Toot Dooulto |
|--|---|
| Test and Requirements | Test Results |
| 9.2.3 Simulating a Reaction on Carpet with Child Weight 9.2.3.1 Position the empty unit on test surface described in 8.2.1. For units with levelers, adjust the unit per 8.1.2. | |
| 9.2.3.2 Place the test block(s) under the unit's most rear floor support(s), such as a leg, foot, or upright. | |
| 9.2.3.3 Test block(s) shall be positioned so the back edge of the test block(s) are flush with the back edge of the rear floor supports. If the rear floor support is a glide tack, leveler, or foot smaller than 1 in., center the block under it. 9.2.3.4 Open all doors and extend all available extendible elements in accordance with 8.1.3. | |
| 9.2.3.5 Gradually, over a period of at least 5 s, apply the test apparatus without impact over the top of the door or extendible element most likely to cause tipover. Allow the test apparatus to rest without additional support for 30 s. If it is not apparent which door, extendible element, or for clothing storage units with interlock(s), the combination of open and closed extendible elements is most likely to cause tipover, perform multiple tests. | PASS |
| 9.2.3.6 If the extendible element most likely to cause tipover is not the uppermost extendible element, any extendible element obstructing the test weight from being positioned properly shall be closed and reopened to the extent possible. For odd-shaped drawer, apply the test apparatus to the front edge that protrudes the farthest. For doors, apply the test apparatus to each door, one at a time, so that the outer edge of the test weight is flush with the outermost upper corner of the door. | |
| 4.2 During the test, the unit shall not tip over or be supported by any component unless t | hat component was |
| specifically designed for that purpose. | <u>, , , , , , , , , , , , , , , , , , , </u> |
| 4.3 If a failed component prohibits the completion of the test, then the failed component(s replaced to the original specifications, or the component replaced, and the test repeated component secured as to not affect the test results but to prevent the component from fa | with the failed |
| 4.4 An anti-tip device shall be included with each item of furniture covered under the scope of this safety specification for attachment by the consumer. | PASS |
| 4.5 The anti-tip device provided shall meet the requirement of Specification F3096. | PASS See annex A |
| 4.6 Interlock Requirements | |
| 4.6.1 Interlocks shall not require additional consumer action to engage during normal operation of the extendible element, for example, opening and closing the drawer to access the interior volume. | |
| 4.6.1.1 Consumer action to reengage the interlock system after disengaging to allow removal of one or more extendible elements is allowed, for example, to install an anti- tip device or retrieve a lost sock. | |
| 4.6.1.2 An interlocked extendible element removed for such one-time action shall not require removal of components such as back panels and dust bottom to access the interlocking mechanism during reengagement. Reengagement shall not require tools unless those tools are also required for disengagement. | N/A |
| 4.6.1.3 An interlocked extendible element removed for such one-time action shall either:(1) Not be fully functional when reinstalled until the interlock is reengaged. (For example, it will not fully close or ride on tracks if interlock is not reengaged—which can | |
| be an automatic action when reinstalled in case.); or (2) Include a separate warning or warnings as described in 10.2.3.10. | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, if any. The Company, Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

イモーNHL OFLOOPENLE ALE STATE STATE



No.SDHL2403003665FT

Page 4 of 9

| Test and Requirements | Test Results |
|--|--------------|
| 4.6.2 Interlocks shall not require consumer assembly and/or installation if the unit is shipped assembled, except as allowed in 4.6.1.1. | N/A |
| 4.6.3 Consumer assembly and/or installation of interlock components as part of the normal consumer assembly process is allowed for items shipped/sold unassembled. | N/A |
| 4.6.4 When tested to 9.1, the extendible element shall be considered interlocked to the open extendible element if either: | |
| 4.6.4.1 It remains closed during the test and is functional after tested extendible element is closed; or | N/A |
| 4.6.4.2 Its opening acts to close the extendible element originally open. | |
| 10 Marking and Labeling | |
| 10.1 Warnings on Product | PASS |
| 10.2 Warnings Format and Content | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, if any. The Company, Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

1-2/F, Building 1, European Industrial Park, No. 1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86–757)22805888 www.sgsgroup.com.cn

中国・广东・佛山市顺德区大良街道办事处五沙社区居民委员会顺和南跑1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



No.SDHL2403003665FT

Date: Apr 15, 2024

Page 5 of 9

Annex A. Test Conducted:

ASTM F3096-23 Standard Performance Specification for Tip over Restraint(s) Used with Clothing Storage Unit(s).

No. of Sample:

1 piece. For more sample information and pictures, please refer to the following page.

| Test and Requirements | Test Results | |
|---|--------------|--|
| 4 Test Method | | |
| 4.1 Assemble tip over restraint components including provided fasteners in accordance with manufacturer's | | |
| instructions. | | |
| 4.2 Rigidly suspend the assembly by securing one end of the tip over restraint by gripping directly, or attaching to a fixed structure (for example, wooden block). | | |
| 4.3 Attach a loading device to the fastener(s) on the opposite end of restraint. | | |
| 4.4 Gradually, over a period of not less than 2 s nor greater than 15 s, apply the static load of 60 lb (27.22 kg) and maintain for an additional 30 s. | | |
| Note: If the fastener(s) become unattached from the test structure (wood block or fixed | PASS | |
| structure) in such a way that it prohibits the completion of the test, then the fastener(s) | FA33 | |
| are to be reattached using whatever means possible without affecting the test results of | | |
| the assembly. | | |
| 5 Instructional Literature | | |
| 5.1 Installation instructions shall include at a minimum the following: | | |
| 5.1.1 Illustration showing installation method. | | |
| 5.1.2 Detailed written instructions with step by step instructions on how to properly | PASS | |
| attach the tip over restraint. | | |
| 5.1.3 Parts list including illustrations. | | |
| 5.2 Clear and complete installation instructions for the tip over restraint shall be | PASS | |
| included. | 1766 | |
| 6 Labeling Requirements | | |
| 6.1 The following information shall be provided with each tip over restraint: | | |
| 6.1.1 Manufacturer's name and address. | PASS | |
| 6.1.2 Date of manufacture (capable of identifying at a minimum the month and year of | FA35 | |
| manufacture). | | |

Remark:

- 1. N/A – Not applicable.
- According to client's statements, the tested Item No. / SKU No. CYX2363-01 / W1781P148614 are identical 2. to the Item No. / SKU No. as stated in "Client Reference Information" column on the first page.
- 3. For the sample information and pictures, please refer to the following page.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, if any. The Company, Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

1-2/F, Building 1, European Industrial Park, No. 1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86–757)22805888 www.sgsgroup.com.cn

中国・广东・佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路J号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



Test Report No.SDHL2403003665FT Date: Apr 15, 2024 Page 6 of 9 SAMPLE INFORMATION AND PICTURES

Weight: 71.00 kg

Overall Dimensions: 400 mm D x 1400 mm W x 750 mm H

Other Dimensions: /

Sample as Received







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, if any. The Company, Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

or email: <u>CN_Doccheck@sgs.com</u> 1-2F,Building, European Idvaling/Bark, No.1, Shumhe South Read, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgsgroup.com.cn 中国・广东・傍山市順徳区大良街道办事处五沙社区居民委员会颜和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



No.SDHL2403003665FT

Date: Apr 15, 2024

Page 7 of 9





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, if any. The Company, Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

1-2/F, Building 1, European Industrial Park, No. 1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86–757)22805888 www.sgsgroup.com.cn


中国・广东・佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



No.SDHL2403003665FT

Date: Apr 15, 2024

Page 8 of 9






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, if any. The Company, Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com


or email: <u>CN_Doccheck@sgs.com</u> 1-2F,Building,Lempean.husthark,Not,1SunheSouth Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgsgroup.com.cn 中国・广东,佛山市康德区大良街道办事处五沙社区居民委员会顺和南靠1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



No.SDHL2403003665FT



Page 9 of 9



Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, if any. The Company, Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

or email: <u>CN.Doccheck@sgs.com</u> 1-2F, Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Dallang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgsgroup.com.cn 中国・广东・佛山市順徳区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首届、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)