

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Effective Date: April 2019

Void After: April 2024

Product: Ceramic Plumbing Fixtures

File No. 7797

Issued To: Chaozhou Leman Ceramics Co.,ltd.
No. 8 Manchang Road, Gaotian,
Changmei, Fengxi District
Chaozhou, GD 521031
China

Identification: Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow


Chairman, Product Certification Committee


CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.





IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: April 2024

Product: Ceramic Plumbing Fixtures

File No. 7797

Issued To: Chaozhou Leman Ceramics Co., Ltd.

tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.

Characteristics: Ceramic plumbing fixtures may include water closets, lavatories,



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: April 2024

Product: Ceramic Plumbing Fixtures

File No. 7797

Issued To: Chaozhou Leman Ceramics Co.,ltd.

urinals, bidets, service sinks and drinking fountains. To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada

Products are in compliance with the following standard(s):

ASME A112.19.2-2018/CSA B45.1-18



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: April 2024

Product: Ceramic Plumbing Fixtures

File No. 7797

Issued To: Chaozhou Leman Ceramics Co.,ltd.

MODELS:

<u>Model No.</u>	<u>Description</u>
8056	Cabinet basin
806	Art basin
9056EA	Cabinet basin
AP406	
CU01512	
CU01610	
CU01611	
CU01613	
CU01714	
CU01714A	
CUS1612	
CUS1801	Under counter mounting
CUS1802	Under counter mounting
CUS1804	Under counter mounting
CUS1808	Under counter mounting
CUS1809	Under counter mounting
CUS1811	
CUS1812	
CUS1813	
H203	
H311	
LJ2249	Under counter mounting
LM-211	Art basin
LM-227	Counter top mounting
LM-525	Art basin
LM-538	Counter top mounting
PAC-02	Art basin
PAC-04	Art basin
PAC-06	Art basin
PAC-07	Art basin
PAC-21	Art basin
SF-16	



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: April 2024

Product: Ceramic Plumbing Fixtures

File No. 7797

Issued To: Chaozhou Leman Ceramics Co.,ltd.

ADDITIONAL COMPANY INFO:

Lenova, Inc.

<u>Model No.</u>	<u>Description</u>
PAC-02	Art basin
PAC-04	Art basin
PAC-06	Art basin
PAC-07	Art basin
PAC-21	Art basin
PT-10W	(White Color), PT-10B (Biscuit Color)
PU-01W	(White Color) PU-02B (Biscuit Color) PU-03BK (Black Color)
PU-04W	(White Color) PU-05B(Biscuit Color)
PU-06W	
PU-07W	
PU-901W	(White Color) PU-901B (Biscuit Color) PU-901BK (Black Color)
PU-902W	(White Color) PU-902B (Biscuit Color) PU-902BK (Black Color)
PU-910	
PU-911	
PU-911ADA	
PU-912ADA	
PU-914	