



Apr. 10, 2024

1 of 20

ISSUE DATE:

PAGE:

LAB LOCATION: **VIET NAM REPORT NUMBER:** 76124-031457

	T			
Applicant:	DA FANG WOOD FURNITUR	RE COM	PANY	
Applicant.	LIMITED.			
	No.6 Road, Ho Nai Industrial	Zone –	Phase 2, Ho	
Address:	Nai 3 Commune, Trang Bom	District,	Dong Nai	
	Province, Vietnam			
Contact:	Ms. Lin Mei Li/ Ms Hong			
TEL:	+84-0251-3685506 -	FAX:		
IEL.	3685507	FAA.	-	
E-mail:	dnbc0503@gmail.com/ dafan	g.sp@g	mail.com	
Сору То:	-			

	OVERALL RATING
PASS FAIL DATA	<u>X</u>

Sample Information				
Sample Description	FULL FLOOR BED	FULL FLOOR BED		
Style Number	SWB009-F/ SWB010)-F		
SKU	SWB009-F-W/ SWB	010-F-G		
Vendor Name	-			
Quantity	1	PO Number	ALL PO	
Buyer's Name	SHENZHEN SHENGRONGHUI TRADING CO., LTD	Manufacturer/ Manufacturer name	DA FANG WOOD FURNITURE COMPANY LIMITED	
Country of Origin	VIETNAM	Country of Destination	USA	
Code Number	-	Dept./Key#	-	
Reference item/ style number	-	Color	White, Grey	
Date of Submission	Mar. 28, 2024	Test Performance Dates	Mar. 28, 2024	
Testing Status				
Pre-Shipment Lead Test		Test for Protocol	-	
Retest		Previous Report No.: -		



TEST REPORT

LAB LOCATION: **VIET NAM REPORT NUMBER:** 76124-031457 **ISSUE DATE:** Apr. 10, 2024

PAGE: 2 of 20

Sample Photos



76124-031457

For and on behalf of **Eurofins MTS Consumer Product Testing** Vietnam Ltd.

HARRY VU

HARDLINES LAB. ASSISTANT MANAGER





LAB LOCATION: **VIET NAM REPORT NUMBER:** 76124-031457 **ISSUE DATE:** Apr. 10, 2024

PAGE: 3 of 20

EXECUTIVE SUMMARY:

TESTING RESULT SUMMARY				
Test Property	PASS	FAIL	DATA	COMMENTS
FN-016-US_CN Bed (For Trundle and Regular Beds)	Х	-	-	-
SP-014-US CPSIA Requirement	X	-	-	-
Total Lead Content in Paint or Similar Surface Coating	Х	-	-	-
Total Lead Content in Accessible Substrate	X	-	-	-
Phthalates Content - Client's Requirement	X	-	-	-
Bed Structure	X	-	-	-





LAB LOCATION: VIET NAM
REPORT NUMBER: 76124-031457

ISSUE DATE: Apr. 10, 2024

PAGE: 4 of 20

COMPONENT BREAKDOWN LIST:

Test Item	Component Description
01	Silvery metal with golden plating (Long Allen head bolt)
02	Silvery metal with golden plating (Cross dowel)
03	Silvery metal with golden plating (Medium screw)
04	Silvery metal with golden plating (Lock)
05	Silvery metal with golden plating (Lock)
06	Silvery metal with golden plating (Catcher)
07	Silvery metal with golden plating (Hinge)
08	Silvery metal with golden plating (Hinge)
09	Silvery metal with golden plating (Pin - Hinge)
10	White coating on wood
11	Natural wood
12	MDF wood
13	Grey coating on wood
14	Golden coating on metal (Metal plate)
15	Silvery metal (Metal plate)
16	White paper with black printing with glue backing and transparent plastic laminate (Model Label)
17	Plywood

Remarks:

- (1) Test Result was transferred from report #76124-020295 Revised 2.
- (2) Test Result was transferred from report #76123-070872.
- (3) Test Result was transferred from report #76124-010130 Revised 2.
- (4) Test Result was transferred from report #76124-011446 Revised 1.




TEST REPORT

LAB LOCATION: **VIET NAM ISSUE DATE:** Apr. 10, 2024

REPORT NUMBER: 76124-031457 PAGE: 5 of 20

EXHIBIT BREAKDOWN:







LAB LOCATION: VIET NAM ISSUE DATE: Apr. 10, 2024

REPORT NUMBER: 76124-031457 PAGE: 6 of 20

TEST RESULT(S):

Total Lead Content in Paint or Similar Surface Coating – U.S. CPSC 16 CFR 1303 and U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101

Test Method: CPSC-CH-E1003-09.1. Analysis was performed by ICP-OES/ ICP-MS.

Test Item	Total Lead (Pb) (ppm)		Canalysian
rest item	Result	Limit	Conclusion
10 ⁽¹⁾	ND	90	PASS
13 ⁽¹⁾	ND	90	PASS
14	ND	90	PASS

Note: ND = Not Detected (Lab reporting limit: 10 ppm)

ppm = part per million = mg/kg = milligram per kilogram

2. <u>Total Lead Content in Accessible Substrate – U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101</u>

Test Method:

1) Metal components: CPSC-CH-E1001-08.3. Analysis was performed by ICP-OES/ ICP-MS.

2) Non-metal materials including plastics, glass and leather material: CPSC-CH-E1002-08.3. Analysis was performed by ICP-OES/ ICP-MS.

To ad Maria	Total Lea	d (Pb) (ppm)	O a malurations
Test Item	Result	Limit	Conclusion
01 ⁽³⁾	ND	100	PASS
02 ⁽³⁾	ND	100	PASS
03(3)	ND	100	PASS
04 ⁽⁴⁾	ND	100	PASS
05 ⁽⁴⁾	ND	100	PASS
06(4)	ND	100	PASS
07 ⁽⁴⁾	ND	100	PASS
08(4)	ND	100	PASS
09 ⁽⁴⁾	ND	100	PASS
11	NA	100	NA
12 ⁽²⁾	ND	100	PASS
15	ND	100	PASS
16 ⁽⁴⁾	ND	100	PASS
17 ⁽²⁾	ND	100	PASS

Note: ND = Not Detected (Lab reporting limit: 10 ppm)

NA = Not Applicable

ppm = part per million = mg/kg = milligram per kilogram

Eurofins MTS Consumer Product Testing Vietnam Ltd.

Lot II-12, Street 19/5A, Tan Binh Industrial Park, TayThanh Ward, Tan Phu District, HCM City, Vietnam Tel: (+84) 862896363 Fax: (+84) 862896262 Email: info@mtsvietnam.com.vn Website: www.mts-global.com





LAB LOCATION: VIET NAM ISSUE DATE: Apr. 10, 2024

REPORT NUMBER: 76124-031457 PAGE: 7 of 20

3. Phthalates Content - Client's Requirement

Took Hom	Phthalates Content (%)		
Test Item	Result	Client's limit	Conclusion
10 ⁽¹⁾	ND (individual)	0.1 (individual)	PASS
13 ⁽¹⁾	ND (individual)	0.1 (individual)	PASS
14	ND (individual)	0.1 (individual)	PASS
16 ⁽⁴⁾	ND (individual)	0.1 (individual)	PASS

List of Phthalates:

Chemical Name	CAS No.	Chemical Name	CAS No.
Dibutyl phthalate (DBP)	84-74-2	Di-n-octyl phthalate (DNOP)	117-84-0
Butyl benzyl phthalate (BBP)	85-68-7	Di-iso-decyl phthalate (DIDP)	26761-40-0/ 68515-49-1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0
Dicyclohexyl phthalate (DCHP)	84-61-7	Di-iso-butyl phthalate (DIBP)	84-69-5
Di-n-hexyl phthalate (DNHP/ DHEXP)	84-75-3	Diethyl phthalate (DEP)	84-66-2
Dipentyl phthalate (DPP / DPENP)	131-18-0	Mono-n-butylphthalate	131-70-4
Bis(2-methyoxyethyl) phthalate (DMEP)	117-82-8	/	/

Method: Sample was extracted with organic solvent and analyzed by Gas Chromatograph Mass Spectrometer /

Liquid Chromatograph Mass Spectrometer.

Note: ND = Not Detected (Lab reporting limit: 0.005%)

% = percentage





LAB LOCATION: **VIET NAM ISSUE DATE:** Apr. 10, 2024 **REPORT NUMBER:** 76124-031457 PAGE: 8 of 20

4. Bed Structure

Over 3years

EVALUATION	TEST METHOD	TEST REQUIREMENT	RESULT
Bed Structure	ASTM F1427- 21e1 Section 4.8.3 (Mod)	When tested in accordance with 5.7.2, there shall be no openings within the entire boundary of the lower bunk that will permit free passage of the wedge block shown in Fig. 5, unless they are large enough to permit the free passage of a 9 in. (229 mm) diameter rigid sphere. This requirement does not apply to openings that are below the level of the lower bunk foundation support system. This requirement shall apply to that portion of the bed structure that is between the level of the lower bunk foundation support system and the level of the upper bunk foundation support system. Such openings include, but are not limited to, bed end structures, foundation, ladders, desks, or bookshelf components, or a combination thereof, as offered with the bed for purchase and designed to be attached to the bed structure. Modification: Expand to children bed which have occupant entrapment in the bed rails	PASS




TEST REPORT

LAB LOCATION: **VIET NAM REPORT NUMBER:** 76124-031457 **ISSUE DATE:** Apr. 10, 2024

PAGE: 9 of 20

EXHIBIT(S):



Eurofins MTS Consumer Product Testing Vietnam Ltd.
Lot II-12, Street 19/5A, Tan Binh Industrial Park, TayThanh Ward, Tan Phu District, HCM City, Vietnam
Tel: (+84) 862896363 Fax: (+84) 862896262 Email: info@mtsvietnam.com.vn Website: www.mts-global.com



TEST REPORT

LAB LOCATION: VIET NAM ISSUE DATE: Apr. 10, 2024
REPORT NUMBER: 76124-031457 PAGE: 10 of 20

Exhibit 7 Exhibit 8

Model #: SWB009-F

Distributed by:

SHENZHEN SHENGRONGHUI TRADING CO., LTD 18961 Arenth Ave, City of Industry, CA 91748

Made in Dong nai, Vietnam Manufactured: 04/2024 TSCA Title VI Compliant

California 93120 Phase 2 Compliant For Formaldehyde

Model #: SWB010-F Distributed by:


SHENZHEN SHENGRONGHUI TRADING CO., LTD


18961 Arenth Ave, City of Industry, CA 91748

Made in Dong nai, Vietnam Manufactured: 04/2024 TSCA Title VI Compliant

California 93120 Phase 2 Compliant For Formaldehyde

Exhibit 10







TEST REPORT

LAB LOCATION: **VIET NAM REPORT NUMBER:** 76124-031457 **ISSUE DATE:** Apr. 10, 2024 PAGE: 11 of 20

CORROSION



Eurofins MTS Consumer Product Testing Vietnam Ltd.
Lot II-12, Street 19/5A, Tan Binh Industrial Park, TayThanh Ward, Tan Phu District, HCM City, Vietnam
Tel: (+84) 862896363 Fax: (+84) 862896262 Email: info@mtsvietnam.com.vn Website: www.mts-global.com



TEST REPORT

LAB LOCATION: **VIET NAM REPORT NUMBER:** 76124-031457 **ISSUE DATE:** Apr. 10, 2024 PAGE: 12 of 20

Exhibit 17 Before test




Exhibit 19 Before test





Exhibit 20 After test

Exhibit 21 Before test





Eurofins MTS Consumer Product Testing Vietnam Ltd.
Lot II-12, Street 19/5A, Tan Binh Industrial Park, TayThanh Ward, Tan Phu District, HCM City, Vietnam
Tel: (+84) 862896363 Fax: (+84) 862896262 Email: info@mtsvietnam.com.vn Website: www.mts-global.com





LAB LOCATION: **VIET NAM REPORT NUMBER:** 76124-031457 **ISSUE DATE:** Apr. 10, 2024 PAGE: 13 of 20

Exhibit 23 Before test



Exhibit 25 Before test









ISSUE DATE: LAB LOCATION: **VIET NAM** Apr. 10, 2024 **REPORT NUMBER:** 76124-031457 14 of 20 PAGE:

TSCA Title VI and CARB Declaration of Conformity

	ction A – Samp s section must be com	
Sar	nple Description:	FULL FLOOR BED
Item/SKU Number:		SWB009-F/ SWB010-F
Indi	cate if the sample is a Panel Finished Good	
		SCA Title VI Applicability: upleted. The regulation can be viewed at: http://www.epa.gov/formaldehyde
		is not present in the sample. I directly to Section C.
\boxtimes		is present in the sample and: if regulated and/or exempt. Then proceed to Section C.
		ccording to 40 CFR 770 swer the following three questions and complete the chart in Section D.
	⊠Hardwo □Hardwo □Mediun ⊠Thin m	e type(s) of regulated composite wood (check all that apply): pod plywood – veneer core (HWPW-VC) pod plywood – composite core (HWPW-CC) n-density fiberboard (MDF) edium-density fiberboard (Thin MDF) eboard (PB)
	∏Sample ⊠Sample ∏L ∏L	minated product status under §770.4 (effective after March 22, 2024 for laminated portion): a is not a laminated product a is a laminated product and: .aminated portion is not exempt from the definition of hardwood plywood per §770.4 .aminated portion is exempt from the definition of hardwood plywood per §770.4(a)(1) .aminated portion is exempt from the definition of hardwood plywood per §770.4(a)(2)

Page 1 of 4





LAB LOCATION: **REPORT NUMBER:** **VIET NAM**

76124-031457

ISSUE DATE: Apr. 10, 2024

15 of 20 PAGE:

TSCA Title VI and CARB Declaration of Conformity

	3. For finished goods, indicate if labeling is present according to §770.45(c):
	Sample is not a finished good
	⊠Sample is a finished good and:
	Labeling is not present
	Labeling is not present and not required per §770.45(e)
	⊠Labeling is present
	Exempt according to 40 CFR 770
	Indicate the type(s) of exempt composite wood (check all that apply):
	Hardboard
	Oriented strand board
	☐Curved plywood
	□§770.1(d)
	□§770.1(e)(1)
	□§770.1(e)(2)
	OtherList other type(s) of exempt composite wood and explain exemption:
India	is section must be completed. The regulation can be viewed at http://www.arb.ca.gov/toxics/compwood/compwood.htm licate if the sample will be sold in California. If "No" is checked, complete Section D if necessary from Section B, then proceed to Section E. If "Yes" is checked, mplete the remainder of this section. No Yes
	Composite wood is not present in the sample. If checked, proceed directly to Section E.
\boxtimes	Composite wood is present in the sample and:
	If checked, indicate if regulated and/or exempt. Then proceed to Section E.
	Regulated according to the ATCM. If checked, answer the following two questions and complete the chart in Section D.
	 Indicate the type(s) of regulated composite wood (check all that apply):
	Hardwood plywood – composite core (HWPW-CC)
	Medium-density fiberboard (MDF)
	Page 2 of 4





LAB LOCATION: **VIET NAM ISSUE DATE:** Apr. 10, 2024 **REPORT NUMBER:** 76124-031457 16 of 20 PAGE:

TSCA Title VI and CARB Declaration of Conformi	TS	CA	Title	VI	and	CARB	Declaration	of	Conformi
--	----	----	-------	----	-----	-------------	-------------	----	----------

☑Thin medium-density fiberboard (Thin MDF)
Particleboard (PB)
2. For finished goods, indicate if labeling is present according to §93120.7(d):
Sample is not a finished good
Sample is a finished good and:
Labeling is not present
⊠Labeling is present
Exempt according to the ATCM.
Indicate the type(s) of exempt composite wood (check all that apply):
Hardboard
Oriented strand board
Curved plywood
□§93120.7(b)(1)
☐§93120.7(b)(2)(A)
☐§93120.7(b)(2)(B)
OtherList other type(s) of exempt composite wood and explain exemption:

Section D -Regulated Composite Wood Details:

All fields in this section must be completed if regulated composite wood is present in the sample as declared in Section B and/or Section C. Upon completion of this section, proceed to Section E.

Panel Types and Emission Limits Reference: Hardwood plywood (HWPW) ≤ 0.05 ppm Medium-density fibreboard (MDF) ≤ 0.11 ppm Thin medium-density fibreboard (Thin MDF) ≤ 0.13 ppm Particleboard (PB) ≤ 0.09 ppm

Examples of resin type include but are not limited to:

- No-added formaldehyde-based (NAF) resin Ultra low-emitting formaldehyde (ULEF) resin
- Phenol-formaldehyde resin

Component of finished good:	Location on finished good:	Panel Type:	Emission Limit Met (ppm):	Resin Type:	Mill Name:	TPC Name:	TPC #:
PLYWOOD	Side rails, Frame HB/FB, Guard rail, Frame door	11mm, 15mm	0.05	Ultra low- emitting formaldehyd	KIM SEN MANUFACTURING AND TRADE JOINT STOCK COMPANY	ICTT Corporation	TPC-43
MDF	Side Panel HB/FB, Side Panel, Panel door	5mm	0.13	e (ULEF) resin	VRG Dongwha MDF Joint Stock Company	SGS Viet Nam Ltd.	TPC-45

Page 3 of 4





LAB LOCATION: VIET NAM ISSUE DATE: Apr. 10, 2024
REPORT NUMBER: 76124-031457 PAGE: 17 of 20

TSCA Title VI and CARB Declaration of Conformity

Section E - Declaration Signature:

This section must be completed. Print name and provide a hand written signature.

19 CFR 12.121 TSCA compliance statement

Supplier to check the box if they agree with the statement

☑I CERTIFY THAT ALL CHEMICAL SUBSTANCES IN THIS SHIPMENT COMPLY WITH ALL APPLICABLE RULES OR ORDERS UNDER TSCA AND THAT I AM NOT OFFERING A CHEMICAL SUBSTANCE FOR ENTRY IN VIOLATION OF TSCA OR ANY APPLICABLE RULE OR ORDER THEREUNDER.

- EPA TSCA Title VI / 40 CFR 770 is understood and if applicable, portions relevant to this sample have been met.
- CARB §93120 ATCM for Formaldehyde is understood and if applicable, portions relevant to this sample have been met.
- If a Third Party Certifier (TPC) is identified, it has been recognized by EPA and/or CARB.
- The required sections of this form have been completed accurately and truthfully.

DA FANG WOOD FURNITURE COMPANY LIMITED.
No.6 Road, Ho Nai Industrial Zone - Phase 2, Ho Nai 3 Commune, Trang Bom District, Dong Nai Province, Vietnam
25/ 03/ 2024
FANG FANG HSUAN
GENERAL DIRECTOR 572
NITH * NOT THAT GO * DA FANG BOM - 1

Page 4 of 4



TEST REPORT

LAB LOCATION: VIET NAM REPORT NUMBER: 76124-031457

ISSUE DATE: Apr. 10, 2024

PAGE: 18 of 20



Eurofins MTS Consumer Product Testing Vietnam Ltd.

Lot II-12, Street 19/5A, Tan Binh Industrial Park, TayThanh Ward, Tan Phu District, HCM City, Vietnam Tel: (+84) 862896363 Fax: (+84) 862896262 Email: info@mtsvietnam.com.vn Website: www.mts-global.com



TEST REPORT

LAB LOCATION: REPORT NUMBER:

VIET NAM 76124-031457

ISSUE DATE:

PAGE:

Apr. 10, 2024

19 of 20



Certification No:CARB/EPA21031

CERTIFICATE



ICTT Corporation (TPC-43) has assessed and certified the manufacturer

Scan to validate

KIM SEN MANUFACTURING AND TRADE JOINT STOCK COMPANY (Mill No. ICTT-21031)

The manufacturer's production line at:

Trung Ha Industrial Zone, Dan Quyen Commune, Tam Nong District, Phu Tho Province, Vietnam

For the following products

HWPW-VC (2.5-25mm, 3-18 plies)

Emission level: CARB Phase 2 and TSCATitle VI

In accordance with

Sections 93120 - 93120.12, California Code of Regulations - to Reduce Formaldehyde Emissions from Composite Wood Products and 40 CFR part 770 - Formaldehyde Standards for Composite Wood Products under regulation of TSCA

Date of initial certification: June 10, 2021
Updated on June 10, 2023 Valid to June 09, 2024







Juda

U.S. Add: 623 W BRIDGES AVE AUBURNDALE, FL 33823 China Add: B-22-3 of Gangtian High Rise Building, 2nd Zhongshan Rd, YuZhong, Chongqing, Chin Mark Chan - Vice President-Quality Control ICTT Corporation







LAB LOCATION: VIET NAM ISSUE DATE: Apr. 10, 2024
REPORT NUMBER: 76124-031457 PAGE: 20 of 20

NOTE:

If there is question or concern regarding the above results, please contact the appropriate lab person below:

Technical questions:

Primary Contact: Allen Hsu

Tel: +84-28-6289-6363 Ext: 127

Back-up Contact: Harry Vu

Tel: +84-28-6289-6363 Ext: 175

Email: Allen.Hsu@cpt.eurofinsasia.com

Email: Harry.Vu@cpt.eurofinsasia.com

Concerns About Billing and General Inquiries:

Primary Contact: Vincent Pham Tel: +84-28-6289-6363 Ext: 114 Email: Vincent.Pham@cpt.eurofinsasia.com

Back-up Contact: Wendy Do Tel: +84-28-6289-6363 Ext: 123 Email: Wendy.Do@cpt.eurofinsasia.com

This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins MTS Consumer Product Testing (Vietnam) Co. Ltd ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF' control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report. As per regulation of China Metrology Accreditation (CMA), a report without CMA accreditation logo will not serve as testimonial to the public for the purpose defined by CMA regulations.



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

Client Code:	Local	Technician:	William	Report Number:	76124-031457
Start Date:	Mar. 28, 202	4 Finish Date:	Apr. 10, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS				
			Pass	Fail					
SUPPLEMEN	ITAL PROTOCOLS								
SP-572-US	* California Proposition 65	Shall be reviewed against the requirements of California proposition 65 to determined if additional testing or labeling is required.	-	-	NA				
SP-014-US	* CPSIA Requirements	Shall meet the applicable requirement as specified.	Х		See protocol SP-014-US				
TX-990-US	* Law Label	All samples shall be reviewed against the requirements of Law Label Tag supplemental protocol to determine if additional testing or labeling is required.	-	-	NA				
SP-301-US	* Flammability for Upholstered Furniture (CPSC / California Bureau Of Household Goods And Services) (For all states of US)	Shall comply with applicable requirements in supplemental protocol.	-	-	NA				
SP-300- US/CN	Upholstery Fabrics, Leather, Vinyl (Indoor/Outdoor)	Shall comply with applicable requirements in supplemental protocol.	-	-	NA				
Note: Addition	Note: Additional cost, sample size & TAT may be required if testing to 1 or more supplemental protocol is necessary.								
Please refer	to the above referenced s	supplemental protocol(s) for additiona	l infor	matio	n.				
LABELING									
16 CFR 500 and Uniform Laws and Regular	** Labeling - Packaging F.P.&L. Act (16 CFR 500) OR All other Products: NIST Uniform	[US] Distributor's Name & Address (City, State & Zip) (See Minimum Labeling Requirements)	Х						
handbook 130	Laws and Regular Handbook 130	[US] Product Identification	Х						
		[US] Net Quantity of Contents Shall Be Expressed In Terms Of Weight Or Mass, Measure, Numeric Count or combination so as to give accurate information to Facilitate consumer comparison (US & Metric).	Х						
19 CFR 134	** Country of Origin	[US] Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.	Х						
Consumer packaging and labeling act R.S., 1985, c. C- 38	** Product Identity	[CN] English and French, PDP, Bold, 1.6mm minimum type size	-	-	NA				

Latest revision: 15 Mar 2023 Page 1 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-031457

 Start Date:
 Mar. 28, 2024 Finish Date:
 Apr. 10, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	JLTS	COMMENTS
			Pass	Fail	
Consumer packaging and labeling act R.S., 1985, c. C- 38	** Product Net Quantity	[CN] Declaration must be in English and French, metric units, on PDP, bold, type size based on PDP size Principal Display Panel Minimum Type <32cm² (5in.²) 1.6mm (1/16in.) >32 but < 258cm² 3.2mm (1/8in.) (40in.²) >258 but < 645cm² 6.4mm (1/4in.) (100in.²) >645 but < 25.8dm² 9.5mm (3/8in.) (400in.²)	-	1	NA
Consumer packaging and labelling act R.S., 1985, c. C- 38	** Manufacturer or distributor's name and place of business - city and zip	(400in.") >25.8dm² (400in.²) 12.7mm (1/2in.) [CN] Manufacturer or distributor's name & address (City & Postal Code). Minimum 1.6 mm type size. Placed anywhere except bottom – English or French. Where a prepackaged product is wholly manufactured or produced in a country other than Canada, the marking shall consist of one of the following: -The name and address of a Canadian dealer preceded by the words "imported by" ("importé par") or "imported for" ("importé pour"); or -The statement of geographic origin located immediately adjacent to the name and address of a Canadian dealer; or -The name and address of the dealer outside Canada			NA
Canada Customs Tariff, Marking of Imported Goods Regulations, SOR-94-10 / Marking of Imported Goods Memorandu m D11-3-1	** Country of origin marking	[CN] a) Imported goods shall indicate country of origin. b) Must be legible and sufficiently permanent to remain on the goods until it reaches the purchaser. c) For goods from NAFTA countries, the language may be English, French or Spanish. d) For goods from non-NAFTA countries, language may be English or French and marking should appear on individual articles. e) If the packaging conceals the Country of Origin mark, then the packaging must also be marked. f) There is a provision to mark only the container providing that certain conditions are met, such that the ultimate purchaser	-	-	NA

Latest revision: 15 Mar 2023 Page 2 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-031457

 Start Date:
 Mar. 28, 2024 Finish Date:
 Apr. 10, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RESU	JLTS	COMMENTS
			Pass	Fail	
Consumer Packaging and Labeling Regulations, C.R.C., c. 417 section 6	** Labeling - Packaging	[CN] All mandatory labeling information must be shown in both French and English languages. The type of mandatory labeling that is required includes, but is not limited to, any written statement or warning, product identity, net content and ingredient declarations. The names and address of the manufacturer and country of origin labeling requirements may be presented in either French or English. Other supplemental label information that is considered to be non-mandatory (e.g. directions for use) also does not have to appear in a bilingual manner. However, manufacturers are encouraged to include such information in a bilingual format if plausible.	-	-	NA
Quebec, R.S.Q., c. C- 11	** Labeling - Charter of French Language	[CN] Every inscription on a product, on its container or on its wrapping, or on a document or object supplied with it, including the directions for use and the warranty certificates, must be drafted in French. The French inscription may be accompanied with a translation or translations, but no inscription in another language may be given greater prominence than that in French.			NA
H-10004	Use Labeling	Use / care instructions that are clear and understandable shall be provided in language appropriate to destination countries.	Х		
Visual	Verify Label Claims	Must Comply with All Claims	Х		

Latest revision: 15 Mar 2023 Page 3 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-031457

 Start Date:
 Mar. 28, 2024 Finish Date:
 Apr. 10, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RESI	JLTS	COMMENTS
			Pass	Fail	
40 CFR 770	** EPA TSCA title VI- Composite wood-Declaration form and mill certification	[US] If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form. Sections A, B, and E of the Sample Declaration Form must always be completed. If regulated composite wood is not present in the sample, result is N/A. If regulated composite wood is present in the sample: Section D of the Sample Declaration Form must also be completed Submitter shall provide a copy of the certificate issued by the Third Party Certifier (TPC) for the mill(s) from which the raw panels were purchased All information on the certificate shall be consistent with the Sample Declaration Form Notes: Include a copy of the Sample Declaration Form Netes: Regulated composite wood includes: Hardwood plywood (HWPW) Medium-density fiberboard (MDF) Thin medium-density fiberboard (Thin MDF) Particleboard (PB) Mill certificate that denotes compliance with CARB's ATCM for formaldehyde will be accepted in lieu of	×		TSCA Document is provided
	** EPA TSCA title VI- Composite wood-Declaration form and mill certification (Continued)	Rating Schedule: On or before May 31, 2018: Compliant submission shall be rated as pass Non-compliant submission shall be rated as data On or after June 1, 2018: Compliant submission shall be rated as pass Non-compliant submission shall be rated	Х		TSCA Document is provided

Latest revision: 15 Mar 2023 Page 4 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-031457

 Start Date:
 Mar. 28, 2024 Finish Date:
 Apr. 10, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	JLTS	COMMENTS
			Pass	Fail	
40 CFR 770.45(c) & (e)	** EPA TSCA Title VI–Composite wood- Finished good labeling	[US] Finished goods containing regulated composite wood shall comply with the labeling requirements found in 40 CFR 770.45(c) unless the finished good qualifies for the de minimis exception found in 40 CFR 770.45(e). • A finished good does not require labeling per 40 CFR 770.45(c) if the finished good does qualify for the de minimis exception in 40 CFR 770.45(e). If the finished good does qualify for the de minimis exception, result is N/A. • A finished good does require labeling per 40 CFR 770.45(c) if the finished good does require labeling per 40 CFR 770.45(c) if the finished good does not qualify for the de minimis exeption in 40 CFR 770.45(e). - At a minimum, the label must be on the product OR the packaging - The label may be applied as a stamp, tag, or sticker - The label shall include, at a minimum, in legible English text: 1. Fabricator's name 2. Date the finished good was produced (in month/year format) 3. A statement of compliance to denote that the finished good complies with TSCA Title VI Example: XXX Company MM/YYYY EPA TSCA Title VI compliant for	X		TSCA Document is provided

Latest revision: 15 Mar 2023 Page 5 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-031457

 Start Date:
 Mar. 28, 2024 Finish Date:
 Apr. 10, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	JLTS	COMMENTS
			Pass	Fail	
	** EPA TSCA Title VI–Composite wood- Finished good labeling (Continued)	Notes: A de minimis amount of regulated composite wood is defined as regulated composite wood content not exceeding 144 square inches, based on the surface area of the largest face of the finished good. The de minimis exception is not available to finished goods or component parts that are designed to be used in combination or in multiples to create larger surfaces, finished goods, or component parts. When a statement of compliance is necessary, a statement of compliance that denotes the finished good complies with CARB's ATCM for formaldehyde will be accepted in lieu of a TSCA Title VI compliance statement until March 22, 2019. Rating Schedule: On or before May 31, 2018: Compliant submission shall be rated as pass Non-compliant submission shall be rated as data On or after June 1, 2018: Compliant submission shall be rated as	×		TSCA Document is provided
Title 17, CA Code of Regulations §93120	** CARB—Composite wood- Declaration form and mill certificate	[US] If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form. Sections A, C, and E of the Sample Declaration Form must always be completed. If regulated composite wood is not present in the sample, result is N/A. If regulated composite wood is present in the sample: Section D of the Sample Declaration Form must also be completed. Submitter shall provide a copy of the certificate issued by the Third Party Certifier (TPC) for the mill(s) from which the raw panels were purchased. All information on the certificate shall be consistent with the Sample Declaration Form. Notes: Include a copy of the Sample Declaration Form Notes: Regulated composite wood includes: Hardwood plywood (HWPW) Medium-density fiberboard (MDF)	x		TSCA Document is provided

Latest revision: 15 Mar 2023 Page 6 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-031457

 Start Date:
 Mar. 28, 2024 Finish Date:
 Apr. 10, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	JLTS	COMMENTS
			Pass	Fail	
Title 17, CA Code of Regulations §93120.7(d)	** CARB–Composite wood- Finished good labeling	[US] Finished goods containing regulated composite wood shall comply with the labeling requirements for fabricators found in §93120.7(d). A finished good containing regulated composite wood requires the following: At a minimum, the label must be on			
		- At a minimum, the label must be on the product OR the packaging - The label shall be applied as a stamp, tag, sticker, or bar code - The label shall include, at a minimum: 1. Fabricator's name 2. Date the finished good was produced (in month/year format) 3. A statement of compliance to denote that the finished good complies with the ATCM	X		TSCA Document is provided
		Example: XXX Company MM/YYYY California 93120 phase 2 compliant for formaldehyde			
	** CARB–Composite wood- Finished good labeling (Continued)	Notes: If a finished good is labeled with the EPA compliance statement, a separate statement of compliance to the CARB ATCM is not required. It is not required for the label to			
		State the level of emissions (Phase 2, NAF, ULEF). Labels for finished goods should not include the number of the TPC associated with the composite wood products contained in the finished good.	X		TSCA Document is provided
ANALYTICA	L				
CPSC-CH- E1003-09.1	* Total lead content in surface coatings	All accessible surface coatings in the as received state on items shall not contain lead or lead components in which the lead content is in excess of 0.009% (90ppm) of the weight of the total content. Report actual results or include data table within report. Component testing is allowed. Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72 ppm), based on the lowest weight component, individual colors will be analyzed.	×		See test results

Latest revision: 15 Mar 2023 Page 7 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-031457

 Start Date:
 Mar. 28, 2024 Finish Date:
 Apr. 10, 2024
 Result Reviewed by:
 HA

Surface Coating Materials Regulations (SOR/2016-193) section 2 & 6 A (1) (v (z) si re co al ol (a)	Total lead content in ticker, film or other similar naterial, or surface coating naterials Applicable for: 1) Paint & similar material varnish, lacquer, etc.) sold n containers and purchased at retail; 2) A sticker, film or other imilar material that can be emoved, or a surface coating material, that is applied to an accessible part of the following products:	[CN] The concentration of total lead present in a surface coating material must not be more than 90 mg/kg. Report actual results or include data table within report. Composite up to 3 colors is allowed. If any color in the composite exceeds 80% of the limit (72 mg/kg), based on the lowest weight component, individual colors will be analyzed. Note: * SOR/2016-193) section 2:	Pass	Fail	
Surface Coating Materials Regulations (SOR/2016-193) section 2 & 6 A (1) (v (z) si re cc al al ol (a)	ticker, film or other similar naterial, or surface coating naterials Applicable for: 1) Paint & similar material varnish, lacquer, etc.) sold n containers and purchased at retail; 2) A sticker, film or other similar material that can be emoved, or a surface coating material, that is applied to an accessible part	The concentration of total lead present in a surface coating material must not be more than 90 mg/kg. Report actual results or include data table within report. Composite up to 3 colors is allowed. If any color in the composite exceeds 80% of the limit (72 mg/kg), based on the lowest weight component, individual colors will be analyzed. Note:			
a _l of (a	applied to an accessible part	30K/2010-193) Section 2.			
pl fu er (c	al Tier Collowing products. a) Furniture b) Children's Product (toys, olaying/learning devices, urniture, and other articles, etc.) c) Pencils d) Art Brushes	- Applicable to a paint or other similar material that is in its own container and dries to a solid film when a layer of it is applied to a surface. Not applicable to materials that become part of the substrate. - If lead content exceeds the limit, warning label is allowed for paint or other similar material that: - is used as a touch-up coating on metal surfaces; - is used as material, for use by adult, for the purposes of arts, crafts or hobbies. - SOR/2016-193) section 6: - Applicable to a sticker, film or other similar material that can be removed, or a surface coating material, that is applied to an accessible part of the following products: (a) Furniture			NA
	Total mercury content in surface coating materials	(b) Children's Product (toys, [CN] Surface coating material shall not contain mercury in excess of 10 mg/kg when a dried sample of it is tested. Report actual results or include data table within report. Composite up to 3 colors is allowed. If any color in the composite exceeds 80% of the limit based on the lowest weight component, individual colors will be analyzed. Note: - Applicable to a paint or other similar material that is in its own container and dries to a solid film when a layer of it is applied to a surface. Not applicable to materials that become part of the substrate.	-	-	NA
DHASICVI CH	IARACTERISTICS				
	Design or features	Design and features of the product should not differ from color box pictures, enclosed instructions, or approval sample in a way that is misleading.	Х		

Latest revision: 15 Mar 2023 Page 8 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-031457

 Start Date:
 Mar. 28, 2024 Finish Date:
 Apr. 10, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	JLTS	COMMENTS
			Pass	Fail	
H-20001	Dimensions (L x W x H) (cm)	Report overall dimensions; shall meet label claims (If applicable) (-0% / +5%).	-	-	No claim Record: 198.5 x 145 x 54.5 cm
H-20001	Dimensions of mattress support frame (L x W x H)	Report actual; shall meet label claims (If applicable) (-0% / +5%).	-	-	NA
H-20001	Weight (kg)	Report overall weight; shall meet label claims (If applicable) (-0% / +5%).	-	-	Data Net Weight: 19.5 kgs
Visual	Accessories	Report all submitted accessories such as carrying bags, carrying straps, pouches, hole covers, end caps, casters, levelers, drawer glides, drawer stops, mounting hardware, hooks, pegs, hardware provided, anchors, screws, etc. Shall comply with any claims.	-	-	No claim Record: Hardware
CONSTRUCT	TION QUALITIES & WORK	(MANSHIP			
16 CFR 1500.48 and 1500.49 (Mod.)	Sharp Points/Sharp Edges	Shall have no sharp edges or sharp points on any component other than those required for functional use (Mod. = Expanded scope to other products)	X		
Visual Check	Defects	Shall have no discernible surface degradation, including crazing, shivering, denting, bubbles, cracks, stains, deformations, chips, fractures, heavy lines, waves, shear marks, scratches, scuff marks, indentations, or blisters.	Х		
Visual Check	Workmanship	Shall have no components missing, malformed, and/or fractured.	Х		
PERFORMAI	NCE				
Actual Use	Functionality	Shall function as intended as received.	Х		
H-41012	Effects of Extreme temperature	24 Hours at -32° F and 140° F - No failure or visual change (Report piece/section/whole unit placed in Chamber) Note: When pieces/Section were tested, to be sure the tested part should be properly cover/protected in cutting process.	Х		
H-41007	Effect of Humidity	No Change after 24 Hours at 95% RH and 100 °F - Also. If pieces/sections were tested, list which piece/section, indicate pass or fail for each piece/section, and include before and after pictures of each piece/section. Note: When pieces/Section were tested, to be sure the tested part should be properly cover/protected in cutting process.	×		

Latest revision: 15 Mar 2023 Page 9 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

Client Code:	Local	Technician:	William	Report Number:	76124-031457
Start Date:	Mar. 28, 202	4 Finish Date:	Apr. 10, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	STED PROPERTY REQUIREMENT		JLTS	COMMENTS
			Pass	Fail	
ASTM B117- 19 modified	Resistance to corrosion	[Applicable to samples / sample components constructed of metal or samples with metallic coatings that can be exposed to the environment] Shall withstand 24 hours in 1% salt spray (fog) with no noticeable oxidation / corrosion changes. Modification = 1% salt spray (fog).	Х		
Actual Use	Cycling Test	Shall function as intended after operation for 100 cycles	Х		
Scratching	Surface scratching - wood panel	No scratching of surface (3 cycles of 6" back and forth)	Х		
H-41063	Moisture Content (%) (Wood Only)	Shall be between 8%-12%. Report the actual moisture content.	Х		Record: 9.0 %
ASTM D5034	Cap removal strength - caps on end of tube or cap covers on screw ends	Shall not separate minimum holding force @ 5.0 lbs. Modification = Expanded scope to other products.	,	,	NA
H-41030	Distributed load capacity test	No structural failure or greater than 1/4 inch permanent deformation after loading for 60 minutes Single - 500 lbs Full/Queen/King - 800 lbs Modification = Expanded scope to other products	1		NA
H-43012	Distributed Load Test (For storage units, except magazine, shoe, coat or wine racks)	Apply distributed test loads to all units, elements, and top surface. There shall be no structural failure or permanent deformation greater than 1/4inch. < 8 in. Depth (3 lbs X Shelf / Top Width) 8 - 16 in. Depth (5 lbs X Shelf / Top Width) > 16 in. Depth (7 lbs X Shelf / Top Width) or 1.5 x Claimed Capacity Report load for each element and total load on unit for period of 60 minutes, 24 hours for pegs.	-		NA
H-43012	Display Shelf Loading (For light weight or glass shelves intended only for display of small or light items)	Shall withstand distributed loading of 1.5 times claimed capacity or (if no claim made) 1.5 lb per inch of width, with no structural failure or permanent deformation greater than 1/4 inch. Report test load used.	-	-	NA

Latest revision: 15 Mar 2023 Page 10 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

Client Code:	Local	Technician:	William	Report Number:	76124-031457
Start Date:	Mar. 28, 2024	4 Finish Date:	Apr. 10, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	JLTS	COMMENTS
			Pass	Fail	
H-41033	End Drop Test	No breakage or separation; One end dropped from 10" (Unit fully assembled). Modification = Expanded scope to other products.	Х		

IMPORTANT NOTICE: Please review the Actual Products against the updated Requirements/Regulation. Prior to testing and communicate with clients if additional test required. This protocol is the basic guidelines to follow and does not replace the content of the standard.

Note: It is the Vendor's responsibility to ensure that the products comply with all local laws, regulations and ordinances of Countries and States where products will be sold. A Pass Lab test result does not constitute a certification that a vendor's products meet all legal requirements. It is the vendor's responsibility to manufacture their items to comply with all applicable laws and in conformance with the purchase order terms and conditions.

Key:

Latest revision: 15 Mar 2023 Page 11 of 11

^{*}Additional Charge For This Test

^{**}Mandatory Requirement



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:	Local	Technician:	William	Report Number:	76124-031457
Start Date:	Mar. 28, 202	4 Finish Date:	Apr. 10, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS
			Pass	Fail	
	s protocol applies to toys ult furniture, and househ	, children products and child care arti old paint.	cles as de	fined by C	PSIA, all furniture,
LABELING F	REQUIREMENTS				
Consumer Product Safety Improvement Act of 2008	* Tracking labels for children's products	A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Verified the Presence and verified the format accuracy. If internal coding is used, de-code system shall also be submitted for verification. Note: Internal coding for manufacturer or private labeler on the tracking label is not accepted.	х		
CPSIA section 104(d) / 16 CFR 1130	* Registration for durable nursery product	Consumer registration requirement: Required to provide consumers with a postage-paid consumer registration form with each such product and to permanently place the manufacturer name and contact information, model name and number, and the date of manufacture on each durable infant or toddler product. Requirements for registration form: The registration form shall (A) include spaces for a consumer to provide the consumer's name, address, telephone number, and e-mail address; (B) include space sufficiently large to permit easy, legible recording of all desired information; (C) Be attached to the surface of each durable infant or toddler product so that, as a practical matter, the consumer must notice and handle the form after purchasing the product; (D) include the manufacturer's name, model name and number for the product, and the date of manufacture; (E) include a message explaining the purpose of the registration designed to encourage consumers to complete the	-	-	NA



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:	Local	Technician:	William	Report Number:	76124-031457
Start Date:	Mar. 28, 2024	Finish Date:	Apr. 10, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS
			Pass	Fail	
CPSIA section 104(d) / 16 CFR 1130	* Registration for durable nursery product (Continued)	(F) include an option for consumers to register through the Internet; and (G) include a statement that information provided by the consumer shall not be used for any purpose other than to facilitate a recall of or safety alert regarding that product. "Durable infant or toddler product" means full-size cribs and nonfull-size cribs, toddler beds, high chairs, booster chairs, hook-on chairs, bath seats, gates and other enclosures for confining a child, play yards, stationary activity centers, infant carriers, strollers, walkers, swings, bassinets and cradles, children's folding chairs, changing tables, bouncers, infant bath tubs, bed rails and infant sling.	-	-	NA
ANALYTICA	<u> </u>				
Consumer Product Safety Improvement Act of 2008 / 16 CFR 1303 / AOAC 974.02(mod)	* Total lead content in surface coatings	All accessible surface coatings, before and after use and abuse testing, on items intended for children ages 12 and under shall not contain lead or lead components in which the lead content is in exceed of 0.009%(90ppm) of the weight of the total content. In case of insufficient coating for testing found on number of samples specified in the protocol, vendor needs to provide additional samples for testing. Report actual results or include data table within report. Report actual results or include data table within report Issue a third party test report. Component testing is allowed. Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72ppm), based on the lowest weight component, individual colors will be analyzed.	X		See test results



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:LocalTechnician:WilliamReport Number:76124-031457Start Date:Mar. 28, 2024 Finish Date:Apr. 10, 2024Result Reviewed by:HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS
			Pass	Fail	
Consumer Product Safety Improvement Act of 2008 / 16 CFR 1303 / AOAC 974.02(mod)		All accessible surface coatings in the assembled state on adult furniture [exempt factory applied coatings on metal components/parts] and household paint shall not contain lead or lead components in which the lead content is in exceed of 0.009% (90ppm) of the weight of the total content. In case of insufficient coating for testing found on number of samples specified in the protocol, vendor needs to provide dipped parts or components/parts for testing. Report actual results or include data table within report Issue a program audit report Component testing is allowed Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72ppm), based on the lowest weight component, individual colors will be analyzed	-	-	NA
Consumer Product Safety Improvement Act of 2008	* Total lead content in substrates	All accessible substrates, before and after use and abuse testing, on items intended for children ages 12 and under shall not contain lead in excess of 0.01% (100ppm) of the weight of the total content. In case of insufficent material for testing found on number of damples specified in the protocol, vendor needs to provide components/parts for testing. Report actual results or include data table within report. Issue a program audit reprot (until December 2011). Component testing is allowed. Compositing up to 3 like materials is allowed except metal.	X		See test results



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-031457

 Start Date:
 Mar. 28, 2024 Finish Date:
 Apr. 10, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	JLTS	COMMENTS
			Pass	Fail	
Consumer Product Safety Improvement Act of 2008	* CPSIA Total lead in children's metal jewelry	Any accessible metal component of items intended for children ages 12 and under shall not contain lead in excess of 0.03% (300ppm) of the weight of the total content. Note: The lead limit will be reduced, if technologically feasible, to 0.01% (100ppm) on Aug. 14, 2011. Components composed of surgical steel, stainless steel within UNS \$13800 – \$66286, excluding 303Pb (UNS \$30360); gold (at least 10 karat), sterling silver (at least 925/1000), platinum, palladium, rhodium, osmium, iridium, ruthenium, and titanium are exempt. Any non-precious metal components such as solder, base metal in electroplate and fill are not included in these exemptions and must comply. Report actual results or include data table within report Issue a third party test report Compositing is not allowed Component testing is not allowed	-	-	NA



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:	Local	Technician:	William	Report Number:	76124-031457
Start Date:	Mar. 28, 202	4 Finish Date:	Apr. 10, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	TESTED PROPERTY REQUIREMENT		JLTS	COMMENTS
			Pass	Fail	
Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC- CH-C1001- 09.3 (Mod)		Children's toys and childcare articles, before and after use and abuse testing, shall not contain concentrations of more than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP or DCHP individually. Actual testing would be conducted on all accessible plastics materials (including natural and synthetic rubber) (excluding materials listed below), plasticizer print, scrapable surface coatings, decals, polymeric coated materials (unscrapable), adhesives and sealants (exclude adhesive for stickers), toy nail polish, reusable packaging, electrical plug and cables. Polypropylene (PP), polyethylene (PE), acrylonitrile butadiene styrene (ABS), general purpose polystyrene (MIPS), high-impact polystyrene (HIPS), and super high-impact polystyrene (SHIPS), and their additives as listed in 16 CFR 1308 are exempt from testing, however, they are not exempt from compliance or certification. If material identification is not provided, phthalate testing will be conducted on all plastic materials. Vendor shall be responsible for the compliance of all other accessible materials, including additives in the exempt plastic materials.		-	NA
	* Phthalates content (Continued)	In case of insufficient material for testing found on number of samples specified in the protocol, vendor needs to provide components/parts for testing. Report actual results or include data table within report. Component testing is allowed. Compositing up to 3 like materials is allowed. Product manufactured and imported as of April 25, 2018 must comply.	-	-	NA

Definitions of CPSC Terminologies for CPSIA Phthalate Test:

^{1. &}quot;Children's Toy" means a consumer product designed or intended by the manufacturer for a child 12 years of age or younger for use by the child when the child plays per CPSC Draft Guidance of CPSIA section 108 refer to the use of ASTM F963.

^{2. &}quot;Child care article" means a consumer product designed or intended by the manufacturer to facilitate sleep, or the feeding of a child 3 years of age or younger or to help such children with sucking or teething. Products used directly in the mouth by the child are primary products and are subject to the regulation. Products that have direct contact with the child, but may or may not have direct mouth contact, would also be considered primary products. Products that are not necessarily in direct physical contact with the child, but are in close proximity to the child may or may not be subject to the regulation per CPSC Draft Guidance of CPSIA section 108. Products that are used by the parent, but have no contact with the child, are considered secondary products and would be not be subject to regulation per CPSC Draft Guidance of CPSIA section 108. Products that are used by the parent, but have no contact with the child, are considered secondary products and would not be subject to regulation per CPSC Draft Guidance of CPSIA section 108.



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:	Local	Technician:	William	Report Number:	76124-031457
Start Date:	Mar. 28, 202	4 Finish Date:	Apr. 10, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RESULTS		COMMENTS
			Pass	Fail	

IMPORTANT NOTICE: Please review the Actual Products against the updated Requirements/Regulation. Prior to testing and communicate with clients if additional test required. This protocol is the basic guidelines to follow and does not replace the content of the standard. (For Silverware additional test should be included)

Note: It is the Vendor's responsibility to ensure that the products comply with all United States Federal,

States, and local laws, regulations, and ordinances. A Pass Lab test result does not constitute a certification that a vendor's products meet all legal requirements. It is the vendor's responsibility to manufacture their items to comply with all applicable laws and in conformance with the purchase order Key:

*Additional Charge For This Test

**Mandatory Requirement