

**LAB LOCATION:** VIET NAM  
**REPORT NUMBER:** 76124-031459

**ISSUE DATE:** Apr. 19, 2024  
**PAGE:** 1 of 20

|                   |   |             |   |
|-------------------|---|-------------|---|
| <b>Applicant:</b> | DA FANG WOOD FURNITURE COMPANY LIMITED.   |             |   |
| <b>Address:</b>   | No.6 Road, Ho Nai Industrial Zone – Phase 2, Ho Nai 3 Commune, Trang Bom District, Dong Nai Province, Vietnam             |             |   |
| <b>Contact:</b>   | Ms. Lin Mei Li/ Ms. Hong  |             |   |
| <b>TEL:</b>       | +84-0251-3685506 - 3685507  | <b>FAX:</b> | - |
| <b>E-mail:</b>    | <a href="mailto:dnbc0503@gmail.com">dnbc0503@gmail.com</a> / <a href="mailto:dafang.sp@gmail.com">dafang.sp@gmail.com</a> |             |   |
| <b>Copy To:</b>   | -   |             |   |

|                              |          |
|------------------------------|----------|
| <b><u>OVERALL RATING</u></b> |          |
| <b>PASS</b>                  | <b>X</b> |
| <b>FAIL</b>                  | -        |
| <b>DATA</b>                  | -        |

|                                     |  |  |  |
|-------------------------------------|--|--|--|
| <b>Sample Information</b>           |  |  |  |
| <b>Sample Description</b>           | TWIN FLOOR BED WITH SLATS              |  |  |
| <b>Style Number</b>                 | SWB011-T/ SWB012-T                     |  |  |
| <b>SKU</b>                          | SWB011-T-W/ SWB012-T-G                 |  |  |
| <b>Vendor Name</b>                  | -                                      |  |  |
| <b>Quantity</b>                     | 1                                      | <b>PO Number</b>                       | ALL PO                                 |
| <b>Buyer's Name</b>                 | SHENZHEN SHENGRONGHUI TRADING CO., LTD | <b>Manufacturer/ Manufacturer name</b> | DA FANG WOOD FURNITURE COMPANY LIMITED |
| <b>Country of Origin</b>            | VIETNAM                                | <b>Country of Destination</b>          | USA                                    |
| <b>Code Number</b>                  | -                                      | <b>Dept./Key#</b>                      | -                                      |
| <b>Reference item/ style number</b> | -                                      | <b>Color</b>                           | White, Grey                            |
| <b>Date of Submission</b>           | Mar. 28, 2024                          | <b>Test Performance Dates</b>          | Mar. 28, 2024                          |
| <b>Testing Status</b>               |  |  |  |
| <b>Pre-Shipment Lead Test</b>       | <input type="checkbox"/>               | <b>Test for Protocol</b>               | -                                      |
| <b>Retest</b>                       | <input type="checkbox"/>               | <b>Previous Report No.:</b>            | -                                      |

LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
76124-031459


ISSUE DATE: Apr. 19, 2024  
PAGE: 2 of 20

Sample Photos



**76124-031459**

For and on behalf of  
**Eurofins MTS Consumer Product Testing  
Vietnam Ltd.**



---

**HARRY VU**  
**HARDLINES LAB. ASSISTANT MANAGER**

LAB LOCATION: VIET NAM  
 REPORT NUMBER: 76124-031459

ISSUE DATE: Apr. 19, 2024  
 PAGE: 3 of 20

**EXECUTIVE SUMMARY:**

| <b>TESTING RESULT SUMMARY</b>                       |             |             |             |                 |
|---|-------------|-------------|-------------|-----------------|
| <b>Test Property</b>                                | <b>PASS</b> | <b>FAIL</b> | <b>DATA</b> | <b>COMMENTS</b> |
| FN-016-US_CN Bed (For Trundle and Regular Beds)     | X           | -           | -           | -               |
| SP-014-US CPSIA Requirement                         | X           | -           | -           | -               |
| Total Lead Content in Surface Coating – 16 CFR 1303 | X           | -           | -           | -               |
| Total Lead Content in Substrate                     | X           | -           | -           | -               |
| Phthalates Content                                  | X           | -           | -           | -               |
| Bed Structure                                       | X           | -           | -           | -               |

LAB LOCATION: VIET NAM  
 REPORT NUMBER: 76124-031459

ISSUE DATE: Apr. 19, 2024  
 PAGE: 4 of 20

**COMPONENT BREAKDOWN LIST:**

| Test Item | Component Description  |
|-----------|--|
| 01        | Silvery metal with golden plating (Long Allen head bolt)   |
| 02        | Silvery metal with golden plating (Cross dowel)  |
| 03        | Silvery metal with golden plating (Medium screw)   |
| 04        | Silvery metal with golden plating (Lock)   |
| 05        | Silvery metal with golden plating (Lock)   |
| 06        | Silvery metal with golden plating (Catcher)  |
| 07        | Silvery metal with golden plating (Hinge)  |
| 08        | Silvery metal with golden plating (Hinge)  |
| 09        | Silvery metal with golden plating (Pin - Hinge)  |
| 10        | White coating on wood  |
| 11        | Natural wood   |
| 12        | Plywood  |
| 13        | Grey coating on wood   |
| 14        | Golden coating on metal (Metal plate)  |
| 15        | Silvery metal (Metal plate)  |
| 16        | White paper with black printing with glue backing and transparent plastic laminate (Model Label) |
| 17        | MDF wood   |

Remarks:


- (1) Test Result was transferred from report #76124-020295 Revised 2.
- (2) Test Result was transferred from report #76123-070872.
- (3) Test Result was transferred from report #76124-010130 Revised 2.
- (4) Test Result was transferred from report #76124-011446 Revised 1.
- (5) Test Result was transferred from report #76124-031457.

LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
76124-031459

ISSUE DATE: Apr. 19, 2024  
PAGE: 5 of 20

**EXHIBIT BREAKDOWN:**



LAB LOCATION: VIET NAM  
 REPORT NUMBER: 76124-031459

ISSUE DATE: Apr. 19, 2024  
 PAGE: 6 of 20

**TEST RESULT(S):**

**1. Total Lead Content in Paint or Similar Surface Coating – U.S. CPSC 16 CFR 1303 and U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101**

Test Method: CPSC-CH-E1003-09.1. Analysis was performed by ICP-OES/ ICP-MS.

| Test Item         | Total Lead (Pb) (ppm) |       | Conclusion |
|-------------------|-----------------------|-------|------------|
|                   | Result                | Limit |            |
| 10 <sup>(1)</sup> | ND                    | 90    | PASS       |
| 13 <sup>(1)</sup> | ND                    | 90    | PASS       |
| 14 <sup>(5)</sup> | ND                    | 90    | PASS       |

Note: ND = Not Detected (Lab reporting limit: 10 ppm)  
 ppm = part per million = mg/kg = milligram per kilogram

**2. Total Lead Content in Accessible Substrate – U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101**

Test Method:

- 1) Metal components: CPSC-CH-E1001-08.3. Analysis was performed by ICP-OES/ ICP-MS.
- 2) Non-metal materials including plastics, glass and leather material: CPSC-CH-E1002-08.3. Analysis was performed by ICP-OES/ ICP-MS.

| Test Item         | Total Lead (Pb) (ppm) |       | Conclusion |
|-------------------|-----------------------|-------|------------|
|                   | Result                | Limit |            |
| 01 <sup>(3)</sup> | ND                    | 100   | PASS       |
| 02 <sup>(3)</sup> | ND                    | 100   | PASS       |
| 03 <sup>(3)</sup> | ND                    | 100   | PASS       |
| 04 <sup>(4)</sup> | ND                    | 100   | PASS       |
| 05 <sup>(4)</sup> | ND                    | 100   | PASS       |
| 06 <sup>(4)</sup> | ND                    | 100   | PASS       |
| 07 <sup>(4)</sup> | ND                    | 100   | PASS       |
| 08 <sup>(4)</sup> | ND                    | 100   | PASS       |
| 09 <sup>(4)</sup> | ND                    | 100   | PASS       |
| 11                | NA                    | 100   | NA         |
| 12 <sup>(2)</sup> | ND                    | 100   | PASS       |
| 15 <sup>(5)</sup> | ND                    | 100   | PASS       |
| 16 <sup>(4)</sup> | ND                    | 100   | PASS       |
| 17 <sup>(2)</sup> | ND                    | 100   | PASS       |

Note: ND = Not Detected (Lab reporting limit: 10 ppm)  
 NA = Not Applicable  
 ppm = part per million = mg/kg = milligram per kilogram

**Eurofins MTS Consumer Product Testing Vietnam Ltd.**

Lot II-12, Street 19/5A, Tan Binh Industrial Park, TayThanh Ward, Tan Phu District, HCM City, Vietnam  
 Tel: (+84) 862896363 Fax: (+84) 862896262 Email: info@mtsvietnam.com.vn Website: www.mts-global.com

LAB LOCATION: VIET NAM  
 REPORT NUMBER: 76124-031459

ISSUE DATE: Apr. 19, 2024  
 PAGE: 7 of 20

**3. Phthalates Content - Client's Requirement**

| Test Item         | Phthalates Content (%) |                  | Conclusion |
|-------------------|------------------------|------------------|------------|
|                   | Result                 | Client's limit   |            |
| 10 <sup>(1)</sup> | ND (individual)        | 0.1 (individual) | PASS       |
| 13 <sup>(1)</sup> | ND (individual)        | 0.1 (individual) | PASS       |
| 14 <sup>(5)</sup> | ND (individual)        | 0.1 (individual) | PASS       |
| 16 <sup>(4)</sup> | ND (individual)        | 0.1 (individual) | PASS       |

**List of Phthalates:**

| Chemical Name                        | CAS No.  | Chemical Name                 | CAS No.                   |
|--------------------------------------|----------|-------------------------------|---------------------------|
| Dibutyl phthalate (DBP)              | 84-74-2  | Di-n-octyl phthalate (DNOP)   | 117-84-0                  |
| Butyl benzyl phthalate (BBP)         | 85-68-7  | Di-iso-decyl phthalate (DIDP) | 26761-40-0/<br>68515-49-1 |
| Di-2-ethylhexyl phthalate (DEHP)     | 117-81-7 | Di-iso-nonyl phthalate (DINP) | 28553-12-0/<br>68515-48-0 |
| Dicyclohexyl phthalate (DCHP)        | 84-61-7  | Di-iso-butyl phthalate (DIBP) | 84-69-5                   |
| Di-n-hexyl phthalate (DNHP/ DHEXP)   | 84-75-3  | Diethyl phthalate (DEP)       | 84-66-2                   |
| Dipentyl phthalate (DPP / DPENP)     | 131-18-0 | Mono-n-butylphthalate         | 131-70-4                  |
| Bis(2-methoxyethyl) phthalate (DMEP) | 117-82-8 | /                             | /                         |

Method: Sample was extracted with organic solvent and analyzed by Gas Chromatograph Mass Spectrometer / Liquid Chromatograph Mass Spectrometer.

Note: ND = Not Detected (Lab reporting limit: 0.005%)  
 % = percentage

LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
76124-031459

ISSUE DATE: Apr. 19, 2024  
PAGE: 8 of 20

**4. Bed Structure**

- Over 3years


| EVALUATION    | TEST METHOD                         | TEST REQUIREMENT  | RESULT |
|---------------|-------------------------------------|---|--------|
| Bed Structure | ASTM F1427-21e1 Section 4.8.3 (Mod) | <p>When tested in accordance with 5.7.2, there shall be no openings within the entire boundary of the lower bunk that will permit free passage of the wedge block shown in Fig. 5, unless they are large enough to permit the free passage of a 9 in. (229 mm) diameter rigid sphere. This requirement does not apply to openings that are below the level of the lower bunk foundation support system. This requirement shall apply to that portion of the bed structure that is between the level of the lower bunk foundation support system and the level of the upper bunk foundation support system. Such openings include, but are not limited to, bed end structures, foundation, ladders, desks, or bookshelf components, or a combination thereof, as offered with the bed for purchase and designed to be attached to the bed structure.</p> <p>Modification: Expand to children bed which have occupant entrapment in the bed rails</p> | PASS   |



LAB LOCATION: VIET NAM  
 REPORT NUMBER: 76124-031459

ISSUE DATE: Apr. 19, 2024  
 PAGE: 9 of 20




**EXHIBIT(S):**

|  |   |
|--|---|
| <p align="center"><b>Exhibit 1</b></p>    | <p align="center"><b>Exhibit 2</b></p>    |
| <p align="center"><b>Exhibit 3</b></p>   | <p align="center"><b>Exhibit 4</b></p>   |
| <p align="center"><b>Exhibit 5</b></p>  | <p align="center"><b>Exhibit 6</b></p> <p>Model #: SWB011-T<br/>             Distributed by:<br/>             SHENZHEN SHENGRONGHUI TRADING CO., LTD<br/>             18961 Arenth Ave, City of Industry, CA 91748<br/>             Made in Dong nai, Vietnam<br/>             Manufactured: 04/ 2024<br/>             TSCA Title VI Compliant<br/>             California 93120 Phase 2 Compliant For Formaldehyde</p> |

LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
76124-031459

ISSUE DATE: Apr. 19, 2024  
PAGE: 10 of 20

| Exhibit 7  | Exhibit 8   |                        |                |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
|--|---|------------------------|----------------|-------------|--------------------|--------------------|----------------|----------------|----------------|--------------|----|--------------|----------------|----------------|---------------|----------------|----------------|---|--|--|-----|-----|--|--|--------------------------------------|
| <p>Model #: SWB012-T<br/>Distributed by:<br/><b>SHENZHEN SHENGRONGHUI TRADING CO., LTD</b><br/>18961 Arenth Ave, City of Industry, CA 91748<br/>Made in Dong nai, Vietnam<br/>Manufactured: 04/ 2024<br/>TSCA Title VI Compliant<br/>California 93120 Phase 2 Compliant For Formaldehyde</p>   | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%;">客戶名稱<br/>Tên khách hàng</td> <td style="width:25%;">BO CHANG</td> <td style="width:25%;">代號<br/>Mã số</td> <td style="width:25%;">A520</td> </tr> <tr> <td>品名<br/>Tên sản phẩm</td> <td>箱型<br/>O. Thùng</td> <td>材質<br/>Loại gỗ</td> <td>規格<br/>Quy cách</td> </tr> <tr> <td>1 SWB011-T-W</td> <td>CL</td> <td></td> <td>2040X395X120</td> </tr> <tr> <td>數量<br/>Số lượng</td> <td>才價<br/>Giá gỗ</td> <td>單價<br/>Đơn giá</td> <td>原裝<br/>Mã bán m</td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> </tr> <tr> <td>P/O</td> <td></td> <td></td> <td></td> </tr> </table> <p>24] Item: TWIN FLOOR BED WITH SLATS - WHITE<br/>36] <b>SKU: SWB011-T-W</b><br/>18] P.O.NO.: W1868-20240221-003<br/>12] G.W.: 26.5 KGS<br/>N.W.: 23.5 KGS<br/>MEAS: 207 X 46.5 X 13 CM</p>  <p>18] SKU: SWB011-T-W</p> <p>24] Item: TWIN FLOOR BED WITH SLATS - WHITE<br/>36] <b>SKU: SWB011-T-W</b><br/>18] P.O.NO.: W1868-20240221-003<br/>12] G.W.: 26.5 KGS<br/>N.W.: 23.5 KGS<br/>MEAS: 207 X 46.5 X 13 CM</p>  | 客戶名稱<br>Tên khách hàng | BO CHANG       | 代號<br>Mã số | A520               | 品名<br>Tên sản phẩm | 箱型<br>O. Thùng | 材質<br>Loại gỗ  | 規格<br>Quy cách | 1 SWB011-T-W | CL |              | 2040X395X120   | 數量<br>Số lượng | 才價<br>Giá gỗ  | 單價<br>Đơn giá  | 原裝<br>Mã bán m | 2 |  |  |     | P/O |  |  |                                      |
| 客戶名稱<br>Tên khách hàng   | BO CHANG  | 代號<br>Mã số            | A520           |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| 品名<br>Tên sản phẩm   | 箱型<br>O. Thùng  | 材質<br>Loại gỗ          | 規格<br>Quy cách |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| 1 SWB011-T-W   | CL  |                        | 2040X395X120   |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| 數量<br>Số lượng   | 才價<br>Giá gỗ  | 單價<br>Đơn giá          | 原裝<br>Mã bán m |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| 2  |   |                        |                |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| P/O  |   |                        |                |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| Exhibit 9  | /   |                        |                |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%;">客戶名稱<br/>Tên khách hàng</td> <td style="width:25%;">BO CHANG</td> <td style="width:25%;">代號<br/>Mã số</td> <td style="width:25%;">A520</td> </tr> <tr> <td>品名<br/>Tên sản phẩm</td> <td>箱型<br/>O. Thùng</td> <td>材質<br/>Loại gỗ</td> <td>規格<br/>Quy cách</td> </tr> <tr> <td>1 SWB012-T-G</td> <td>CL</td> <td></td> <td>2040X395X120</td> </tr> <tr> <td>數量<br/>Số lượng</td> <td>才價<br/>Giá gỗ</td> <td>單價<br/>Đơn giá</td> <td>原裝<br/>Mã bán m</td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> </tr> <tr> <td>P/O</td> <td></td> <td></td> <td></td> </tr> </table> <p>24] Item: TWIN FLOOR BED WITH SLATS - GREY<br/>36] <b>SKU: SWB012-T-G</b><br/>18] P.O.NO.: W1868-20240221-003<br/>12] G.W.: 26.5 KGS<br/>N.W.: 23.5 KGS<br/>MEAS: 207 X 46.5 X 13 CM</p>  <p>18] SKU: SWB012-T-G</p> | 客戶名稱<br>Tên khách hàng  | BO CHANG               | 代號<br>Mã số    | A520        | 品名<br>Tên sản phẩm | 箱型<br>O. Thùng     | 材質<br>Loại gỗ  | 規格<br>Quy cách | 1 SWB012-T-G   | CL           |    | 2040X395X120 | 數量<br>Số lượng | 才價<br>Giá gỗ   | 單價<br>Đơn giá | 原裝<br>Mã bán m | 2              |   |  |  | P/O |     |  |  | <p style="text-align: center;">/</p> |
| 客戶名稱<br>Tên khách hàng   | BO CHANG  | 代號<br>Mã số            | A520           |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| 品名<br>Tên sản phẩm   | 箱型<br>O. Thùng  | 材質<br>Loại gỗ          | 規格<br>Quy cách |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| 1 SWB012-T-G   | CL  |                        | 2040X395X120   |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| 數量<br>Số lượng   | 才價<br>Giá gỗ  | 單價<br>Đơn giá          | 原裝<br>Mã bán m |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| 2  |   |                        |                |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |
| P/O  |   |                        |                |             |                    |                    |                |                |                |              |    |              |                |                |               |                |                |   |  |  |     |     |  |  |                                      |

LAB LOCATION:  
REPORT NUMBER:

VIET NAM  
76124-031459

ISSUE DATE: Apr. 19, 2024  
PAGE: 11 of 20

**CORROSION**

|   |   |
|---|---|
| <p align="center"><b>Exhibit 10 Before test</b></p>    | <p align="center"><b>Exhibit 11 After test</b></p>    |
| <p align="center"><b>Exhibit 12 Before test</b></p>   | <p align="center"><b>Exhibit 13 After test</b></p>   |
| <p align="center"><b>Exhibit 14 Before test</b></p>  | <p align="center"><b>Exhibit 15 After test</b></p>  |

LAB LOCATION: VIET NAM  
 REPORT NUMBER: 76124-031459

ISSUE DATE: Apr. 19, 2024  
 PAGE: 12 of 20


**Exhibit 16 Before test**

**Exhibit 17 After test**





**Exhibit 18 Before test**

**Exhibit 19 After test**









**Exhibit 20 Before test**

**Exhibit 21 After test**



LAB LOCATION: VIET NAM  
 REPORT NUMBER: 76124-031459

ISSUE DATE: Apr. 19, 2024  
 PAGE: 13 of 20

|  |   |
|--|---|
| <p align="center"><b>Exhibit 22 Before test</b></p>    | <p align="center"><b>Exhibit 23 After test</b></p>    |
| <p align="center"><b>Exhibit 24 Before test</b></p>   | <p align="center"><b>Exhibit 25 After test</b></p>   |
| <p align="center"><b>Exhibit 26 Before test</b></p>  | <p align="center"><b>Exhibit 27 After test</b></p>  |

LAB LOCATION:  
REPORT NUMBER:VIET NAM  
76124-031459ISSUE DATE: Apr. 19, 2024  
PAGE: 14 of 20

## TSCA Title VI and CARB Declaration of Conformity

### Section A – Sample Information:

*This section must be completed.*

Sample Description: TWIN FLOOR BED WITH SLATS

Item/SKU Number: SWB011-T/ SWB012-T

Indicate if the sample is a:

- Panel  
 Finished Good

### Section B – EPA TSCA Title VI Applicability:

*This section must be completed. The regulation can be viewed at <http://www.epa.gov/formaldehyde>*

- Composite wood **is not** present in the sample.  
*If checked, proceed directly to Section C.*
- Composite wood **is present in the sample and:**  
*If checked, indicate if regulated and/or exempt. Then proceed to Section C.*
- Regulated** according to 40 CFR 770  
*If checked, answer the following three questions and complete the chart in Section D.*
- Indicate the type(s) of regulated composite wood (check all that apply):
    - Hardwood plywood – veneer core (HWPW-VC)
    - Hardwood plywood – composite core (HWPW-CC)
    - Medium-density fiberboard (MDF)
    - Thin medium-density fiberboard (Thin MDF)
    - Particleboard (PB)
  - Indicate laminated product status under §770.4 (effective after March 22, 2024 for laminated portion):
    - Sample **is not** a laminated product
    - Sample **is a laminated product and:**
      - Laminated portion **is not** exempt from the definition of hardwood plywood per §770.4
      - Laminated portion **is** exempt from the definition of hardwood plywood per §770.4(a)(1)
      - Laminated portion **is** exempt from the definition of hardwood plywood per §770.4(a)(2)

LAB LOCATION:  
REPORT NUMBER:VIET NAM  
76124-031459ISSUE DATE: Apr. 19, 2024  
PAGE: 15 of 20**TSCA Title VI and CARB Declaration of Conformity**

3. For finished goods, indicate if labeling is present according to §770.45(c):

- Sample is not a finished good  
 Sample is a finished good and:  
 Labeling is not present  
 Labeling is not present and not required per §770.45(e)  
 Labeling is present

 Exempt according to 40 CFR 770

Indicate the type(s) of exempt composite wood (check all that apply):

- Hardboard  
 Oriented strand board  
 Curved plywood  
 §770.1(d)  
 §770.1(e)(1)  
 §770.1(e)(2)  
 Other List other type(s) of exempt composite wood and explain exemption:

**Section C – CARB §93120 ATCM for Formaldehyde Applicability:**This section must be completed. The regulation can be viewed at: <http://www.arb.ca.gov/toxics/compwood/compwood.htm>

Indicate if the sample will be sold in California. If "No" is checked, complete Section D if necessary from Section B, then proceed to Section E. If "Yes" is checked, complete the remainder of this section.

- No  
 Yes

Composite wood is not present in the sample.  
If checked, proceed directly to Section E.

Composite wood is present in the sample and:  
If checked, indicate if regulated and/or exempt. Then proceed to Section E.

 Regulated according to the ATCM.

If checked, answer the following two questions and complete the chart in Section D.

1. Indicate the type(s) of regulated composite wood (check all that apply):

- Hardwood plywood – veneer core (HWPW-VC)  
 Hardwood plywood – composite core (HWPW-CC)  
 Medium-density fiberboard (MDF)

Page 2 of 4

LAB LOCATION: VIET NAM  
 REPORT NUMBER: 76124-031459

ISSUE DATE: Apr. 19, 2024  
 PAGE: 16 of 20

**TSCA Title VI and CARB Declaration of Conformity**

- Thin medium-density fiberboard (Thin MDF)
- Particleboard (PB)

2. For finished goods, indicate if labeling is present according to §93120.7(d):

- Sample is not a finished good
- Sample is a finished good and:
  - Labeling is not present
  - Labeling is present

Exempt according to the ATCM.

Indicate the type(s) of exempt composite wood (check all that apply):

- Hardboard
- Oriented strand board
- Curved plywood
- §93120.7(b)(1)
- §93120.7(b)(2)(A)
- §93120.7(b)(2)(B)
- Other List other type(s) of exempt composite wood and explain exemption:

**Section D –Regulated Composite Wood Details:**

All fields in this section must be completed if regulated composite wood is present in the sample as declared in Section B and/or Section C. Upon completion of this section, proceed to Section E.

Panel Types and Emission Limits Reference:

- Hardwood plywood (HWPW) ≤ 0.05 ppm
- Medium-density fibreboard (MDF) ≤ 0.11 ppm
- Thin medium-density fibreboard (Thin MDF) ≤ 0.13 ppm
- Particleboard (PB) ≤ 0.09 ppm

Examples of resin type include but are not limited to:

- No-added formaldehyde-based (NAF) resin
- Ultra low-emitting formaldehyde (ULEF) resin
- Phenol-formaldehyde resin

| Component of finished good: | Location on finished good:                             | Panel Type:      | Emission Limit Met (ppm): | Resin Type:                                  | Mill Name:  | TPC Name:         | TPC #: |
|-----------------------------|--|------------------|---------------------------|--|---|-------------------|--------|
| PLYWOOD                     | Side rails, slats, Frame HB/FB, Guard rail, Frame door | 11mm, 15mm, 18mm | 0.05                      | Ultra low-emitting formaldehyde (ULEF) resin | KIM SEN MANUFACTURING AND TRADE JOINT STOCK COMPANY | ICTT Corporation  | TPC-43 |
| MDF                         | Side Panel HB/FB, Side Panel, Panel door               | 5mm              | 0.13                      |  | VRG Dongwha MDF Joint Stock Company                 | SGS Viet Nam Ltd. | TPC-45 |
|                             |  |                  |                           |  |   |                   |        |



**LAB LOCATION:** VIET NAM  
**REPORT NUMBER:** 76124-031459

**ISSUE DATE:** Apr. 19, 2024  
**PAGE:** 17 of 20

**TSCA Title VI and CARB Declaration of Conformity**

**Section E – Declaration Signature:**

*This section must be completed. Print name and provide a hand written signature.*

**19 CFR 12.121 TSCA compliance statement**

Supplier to check the box if they agree with the statement

CERTIFY THAT ALL CHEMICAL SUBSTANCES IN THIS SHIPMENT COMPLY WITH ALL APPLICABLE RULES OR ORDERS UNDER TSCA AND THAT I AM NOT OFFERING A CHEMICAL SUBSTANCE FOR ENTRY IN VIOLATION OF TSCA OR ANY APPLICABLE RULE OR ORDER THEREUNDER.

- EPA TSCA Title VI / 40 CFR 770 is understood and if applicable, portions relevant to this sample have been met.
- CARB §93120 ATCM for Formaldehyde is understood and if applicable, portions relevant to this sample have been met.
- If a Third Party Certifier (TPC) is identified, it has been recognized by EPA and/or CARB.
- The required sections of this form have been completed accurately and truthfully.

Company Name: DA FANG WOOD FURNITURE COMPANY LIMITED.

Company Address: No.6 Road, Ho Nai Industrial Zone - Phase 2, Ho Nai 3 Commune, Trang Bom District, Dong Nai Province, Vietnam.

Date: 25/ 03/ 2024

Name: FANG FANG HSUAN

Title: GENERAL DIRECTOR

Signature: \_\_\_\_\_



**LAB LOCATION:**  
**REPORT NUMBER:**
**VIET NAM**  
**76124-031459**
**ISSUE DATE:** **Apr. 19, 2024**  
**PAGE:** **18 of 20**





Certificate No. VN/EPA/2023/04/1003

The Manufacturer

**VRG DONGWHA MDF JOINT STOCK COMPANY**

Lot G, Minh Hung III Industrial Park, Minh Hung Ward, Chon Thanh Town,  
Binh Phuoc Province, Vietnam

for manufacturing of composite wood products listed below has been certified by  
SGS Viet Nam Ltd. (TPC-45) as meeting 40 CFR 770.15, Title VI, Toxic Substances Control Act.

The Manufacturer demonstrates production of composite wood products listed below  
complying with 40 CFR 770.10, Title VI, Toxic Substances Control Act.

|  |  |
|--|--|
| <b>Certified Composite Wood Product</b><br>Thin Medium Density Fiberboard<br>Medium Density Fiberboard | <b>Certified Thickness Range</b><br>From 2.3mm to 8mm<br>From >8mm to 30mm |
|--|--|

This certificate is for the composite wood products manufacturing at the production facility stated above.  
The production facility meets the quality assurance requirements stated in 40 CFR 770.20-22,  
40 CFR 770.24, 40 CFR 770.40 and 40 CFR 770.45, Title VI, Toxic Substances Control Act.

This certificate is valid only if subsequent verification is conducted and the manufacturer  
continues to meet the requirements stated in 40 CFR 770.20-22, 40 CFR 770.24,  
40 CFR 770.40 and 40 CFR 770.45, Title VI, Toxic Substances Control Act.

This manufacturer has been certified since 27 April 2023  
This certificate (Issue 2) is issued on 09 May 2023 and valid until 27 April 2025

Authorised by



Sze Ming Daster Lai  
Certification Manager  
Product Certification Team

IAS has accredited this certification body (Registration Number PCA-138) under IAS for performing specific product certification activities as listed in its scope of accreditation. This certificate is issued by SGS Vietnam Limited – Product Certification under its terms of IAS accreditation.

SGS Vietnam Ltd.  
Office: 196 Nguyen Thi Minh Khai Street, District 3, Ho Chi Minh City, Vietnam  
Laboratory: Lot III/21, 19/5A Street, Industrial Group III, Tan Binh Industrial Zone, Tay Thanh Ward, Tan Phu District, Ho Chi Minh City, Vietnam  
t + (84 28) 3816 0999 f + (84 28) 3816 0995 www.sgs.com




Page 1 of 1

The certificate is issued by the Company under its General Conditions for Certification Services available at [www.sgs.com/conditions](#) and Terms and Conditions for EPA-TSCA Certification at [www.sgs.com/epa-tscacertification](#). Attention is drawn to the existence of [SGS' Identification and Labelling](#) section defined below. Any holder of the document is advised that information contained herein will be the Company's property at the time of its issuance only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and the document does not constitute proof of a transaction from occurring or that rights and obligations under the transaction document. The document cannot be reproduced, stored, copied, or used for any other purpose without the prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document in whole or in part shall be considered a criminal offence. The latest version of this document is available at [www.sgs.com](#).

LAB LOCATION:  
REPORT NUMBER:VIET NAM  
76124-031459ISSUE DATE: Apr. 19, 2024  
PAGE: 19 of 20

Certification No: CARB/EPA21031

**CERTIFICATE**

Scan to validate

ICTT Corporation (TPC-43) has assessed and certified the manufacturer

***KIM SEN MANUFACTURING AND TRADE JOINT STOCK COMPANY***  
***(Mill No. ICTT-21031)***

The manufacturer's production line at:

***Trung Ha Industrial Zone, Dan Quyen Commune, Tam Nong District, Phu Tho Province, Vietnam***

For the following products

***HWPW-VC (2.5-25mm, 3-18 plies)***

Emission level: CARB Phase 2 and TSCA Title VI

In accordance with

Sections 93120 - 93120.12, California Code of Regulations - to Reduce Formaldehyde Emissions from Composite Wood Products  
and 40 CFR part 770 - Formaldehyde Standards for Composite Wood Products under regulation of TSCA Title VI.

Date of initial certification: June 10, 2021

Updated on June 10, 2023 Valid to June 09, 2024

ICTT Corporation  
U.S. Add: 623 W BRIDGES AVE AUBURNDALE, FL 33823  
China Add: B-22-3 of Gangtian High Rise Building, 2nd Zhongshan Rd, YuZhong, Chongqing, ChinaMark Chan - Vice President-Quality Control  
ICTT Corporation

LAB LOCATION:  
REPORT NUMBER:VIET NAM  
76124-031459ISSUE DATE: Apr. 19, 2024  
PAGE: 20 of 20**NOTE:**

If there is question or concern regarding the above results, please contact the appropriate lab person below:

**Technical questions:**Primary Contact: Allen Hsu  
Back-up Contact: Harry VuTel: +84-28-6289-6363 Ext: 127  
Tel: +84-28-6289-6363 Ext: 175Email: Allen.Hsu@cpt.eurofinsasia.com  
Email: Harry.Vu@cpt.eurofinsasia.com**Concerns About Billing and General Inquiries:**Primary Contact: Vincent Pham  
Back-up Contact: Wendy DoTel: +84-28-6289-6363 Ext: 114  
Tel: +84-28-6289-6363 Ext: 123Email: Vincent.Pham@cpt.eurofinsasia.com  
Email: Wendy.Do@cpt.eurofinsasia.com

*This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer to or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins MTS Consumer Product Testing (Vietnam) Co. Ltd ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF's control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report. As per regulation of China Metrology Accreditation (CMA), a report without CMA accreditation logo will not serve as testimonial to the public for the purpose defined by CMA regulations.*

**SUMMARY OF TEST RESULTS FOR**
**FN - 016 - US / CN**
**Bed (For Trundle and Regular Beds, Adult Use)**

 Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE   | TESTED PROPERTY  | REQUIREMENT   | RESULTS |      | COMMENTS               |
|---|--|---|---------|------|------------------------|
|   |  |   | Pass    | Fail |                        |
| <b>SUPPLEMENTAL PROTOCOLS</b>   |  |   |         |      |                        |
| SP-572-US   | * California Proposition 65  | Shall be reviewed against the requirements of California proposition 65 to determined if additional testing or labeling is required.  | -       | -    | NA                     |
| SP-014-US   | * CPSIA Requirements   | Shall meet the applicable requirement as specified.   | X       |      | See protocol SP-014-US |
| TX-990-US   | * Law Label  | All samples shall be reviewed against the requirements of Law Label Tag supplemental protocol to determine if additional testing or labeling is required.   | -       | -    | NA                     |
| SP-301-US   | * Flammability for Upholstered Furniture (CPSC / California Bureau Of Household Goods And Services) (For all states of US) | Shall comply with applicable requirements in supplemental protocol.   | -       | -    | NA                     |
| SP-300-US/CN  | Upholstery Fabrics, Leather, Vinyl (Indoor/Outdoor)  | Shall comply with applicable requirements in supplemental protocol.   | -       | -    | NA                     |
| <b>Note: Additional cost, sample size &amp; TAT may be required if testing to 1 or more supplemental protocol is necessary. Please refer to the above referenced supplemental protocol(s) for additional information.</b> |  |   |         |      |                        |
| <b>LABELING</b>   |  |   |         |      |                        |
| 16 CFR 500 and Uniform Laws and Regular handbook 130  | ** Labeling - Packaging F.P.&L. Act (16 CFR 500) OR All other Products: NIST Uniform Laws and Regular Handbook 130         | [US]<br>Distributor's Name & Address (City, State & Zip) (See Minimum Labeling Requirements)  | X       |      |                        |
|   |  | [US]<br>Product Identification  | X       |      |                        |
|   |  | [US]<br>Net Quantity of Contents Shall Be Expressed In Terms Of Weight Or Mass, Measure, Numeric Count or combination so as to give accurate information to Facilitate consumer comparison (US & Metric).                                       | X       |      |                        |
| 19 CFR 134  | ** Country of Origin   | [US]<br>Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase. | X       |      |                        |
| Consumer packaging and labeling act R.S., 1985, c. C-38   | ** Product Identity  | [CN]<br>English and French, PDP, Bold, 1.6mm minimum type size  | -       | -    | NA                     |

**SUMMARY OF TEST RESULTS FOR**
**FN - 016 - US / CN**
**Bed (For Trundle and Regular Beds, Adult Use)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE  | TESTED PROPERTY  | REQUIREMENT   | RESULTS |      | COMMENTS |
|--|--|---|---------|------|----------|
|  |  |   | Pass    | Fail |          |
| Consumer packaging and labelling act R.S., 1985, c. C-38   | ** Product Net Quantity  | [CN]<br>Declaration must be in English and French, metric units, on PDP, bold, type size based on PDP size<br><br>Principal Display Panel Minimum Type<br><32cm <sup>2</sup> (5in. <sup>2</sup> ) 1.6mm (1/16in.)<br>>32 but < 258cm <sup>2</sup> (40in. <sup>2</sup> ) 3.2mm (1/8in.)<br>>258 but < 645cm <sup>2</sup> (100in. <sup>2</sup> ) 6.4mm (1/4in.)<br>>645 but < 25.8dm <sup>2</sup> (400in. <sup>2</sup> ) 9.5mm (3/8in.)<br>>25.8dm <sup>2</sup> (400in. <sup>2</sup> ) 12.7mm (1/2in.)  | -       | -    | NA       |
| Consumer packaging and labelling act R.S., 1985, c. C-38   | ** Manufacturer or distributor's name and place of business - city and zip | [CN]<br>Manufacturer or distributor's name & address (City & Postal Code). Minimum 1.6 mm type size.<br>Placed anywhere except bottom – English or French.<br><br>Where a prepackaged product is wholly manufactured or produced in a country other than Canada, the marking shall consist of one of the following:<br><br>-The name and address of a Canadian dealer preceded by the words "imported by" ("importé par") or "imported for" ("importé pour"); or<br>-The statement of geographic origin located immediately adjacent to the name and address of a Canadian dealer; or<br>-The name and address of the dealer outside Canada | -       | -    | NA       |
| Canada Customs Tariff, Marking of Imported Goods Regulations, SOR-94-10 / Marking of Imported Goods Memorandum D11-3-1 | ** Country of origin marking   | [CN]<br>a) Imported goods shall indicate country of origin.<br>b) Must be legible and sufficiently permanent to remain on the goods until it reaches the purchaser.<br>c) For goods from NAFTA countries, the language may be English, French or Spanish.<br>d) For goods from non-NAFTA countries, language may be English or French and marking should appear on individual articles.<br>e) If the packaging conceals the Country of Origin mark, then the packaging must also be marked.<br>f) There is a provision to mark only the container providing that certain conditions are met, such that the ultimate purchaser               | -       | -    | NA       |

**SUMMARY OF TEST RESULTS FOR**
**FN - 016 - US / CN**
**Bed (For Trundle and Regular Beds, Adult Use)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE   | TESTED PROPERTY                          | REQUIREMENT   | RESULTS |      | COMMENTS |
|---|--|---|---------|------|----------|
|   |  |   | Pass    | Fail |          |
| Consumer Packaging and Labeling Regulations, C.R.C., c. 417 section 6 | ** Labeling - Packaging                  | [CN]<br>All mandatory labeling information must be shown in both French and English languages. The type of mandatory labeling that is required includes, but is not limited to, any written statement or warning, product identity, net content and ingredient declarations. The names and address of the manufacturer and country of origin labeling requirements may be presented in either French or English. Other supplemental label information that is considered to be non-mandatory (e.g. directions for use) also does not have to appear in a bilingual manner. However, manufacturers are encouraged to include such information in a bilingual format if plausible | -       | -    | NA       |
| Quebec, R.S.Q., c. C-11   | ** Labeling - Charter of French Language | [CN]<br>Every inscription on a product, on its container or on its wrapping, or on a document or object supplied with it, including the directions for use and the warranty certificates, must be drafted in French. The French inscription may be accompanied with a translation or translations, but no inscription in another language may be given greater prominence than that in French.  | -       | -    | NA       |
| H-10004   | Use Labeling                             | Use / care instructions that are clear and understandable shall be provided in language appropriate to destination countries.   | X       |      |          |
| Visual  | Verify Label Claims                      | Must Comply with All Claims   | X       |      |          |

**SUMMARY OF TEST RESULTS FOR**

**FN - 016 - US / CN**

**Bed (For Trundle and Regular Beds, Adult Use)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE  | TESTED PROPERTY  | REQUIREMENT  | RESULTS |      | COMMENTS                  |
|------------|--|--|---------|------|---------------------------|
|            |  |  | Pass    | Fail |                           |
| 40 CFR 770 | ** EPA TSCA title VI-<br>Composite wood-<br>Declaration form and mill<br>certification                           | [US]<br>If wood of any type is present in the<br>sample, submitter shall provide a<br>completed and signed Sample Declaration<br>Form. Sections A, B, and E of the Sample<br>Declaration Form must always be<br>completed.<br>• If regulated composite wood <b>is not</b><br>present in the sample, result is N/A.<br>• If regulated composite wood <b>is</b><br>present in the sample:<br>- Section D of the Sample Declaration<br>Form must also be completed<br>- Submitter shall provide a copy of the<br>certificate issued by the Third Party<br>Certifier (TPC) for the mill(s) from which<br>the raw panels were purchased<br>- All information on the certificate shall<br>be consistent with the Sample Declaration<br>Form<br><br><b>Notes:</b><br>• Include a copy of the Sample<br>Declaration Form in the report<br>• Regulated composite wood includes:<br>- Hardwood plywood (HWPW)<br>- Medium-density fiberboard (MDF)<br>- Thin medium-density fiberboard<br>(Thin MDF)<br>- Particleboard (PB)<br>• <b>Mill certificate that denotes<br/>compliance with CARB's ATCM for<br/>formaldehyde will be accepted in lieu</b> | X       |      | TSCA Document is provided |
|            | ** EPA TSCA title VI-<br>Composite wood-<br>Declaration form and mill<br>certification<br><br><b>(Continued)</b> | • Rating Schedule:<br>- On or before May 31, 2018:<br>Compliant submission shall be rated as<br>pass<br>Non-compliant submission shall be rated<br>as data<br>- On or after June 1, 2018:<br>Compliant submission shall be rated as<br>pass<br>Non-compliant submission shall be rated   | X       |      | TSCA Document is provided |



**SUMMARY OF TEST RESULTS FOR**

**FN - 016 - US / CN**

**Bed (For Trundle and Regular Beds, Adult Use)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE                    | TESTED PROPERTY  | REQUIREMENT  | RESULTS |      | COMMENTS                  |
|------------------------------|--|--|---------|------|---------------------------|
|                              |  |  | Pass    | Fail |                           |
| 40 CFR<br>770.45(c) &<br>(e) | ** EPA TSCA Title VI-Composite wood-Finished good labeling | [US]<br>Finished goods <b>containing regulated composite wood</b> shall comply with the labeling requirements found in 40 CFR 770.45(c) unless the finished good qualifies for the de minimis exception found in 40 CFR 770.45(e).<br>• A finished good <b>does not</b> require labeling per 40 CFR 770.45(c) if the finished good <b>does</b> qualify for the de minimis exception in 40 CFR 770.45(e). If the finished good does qualify for the de minimis exception, result is N/A.<br>• A finished good <b>does</b> require labeling per 40 CFR 770.45(c) if the finished good <b>does not</b> qualify for the de minimis exception in 40 CFR 770.45(e).<br>- At a minimum, the label must be on the product OR the packaging<br>- The label may be applied as a stamp, tag, or sticker<br>- The label shall include, at a minimum, in legible English text:<br>1. Fabricator's name<br>2. Date the finished good was produced (in month/year format)<br>3. A statement of compliance to denote that the finished good complies with TSCA Title VI<br><br>Example:<br>XXX Company<br>MM/YYYY<br>EPA TSCA Title VI compliant for | X       |      | TSCA Document is provided |

**SUMMARY OF TEST RESULTS FOR**

**FN - 016 - US / CN**

**Bed (For Trundle and Regular Beds, Adult Use)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE                               | TESTED PROPERTY   | REQUIREMENT   | RESULTS |      | COMMENTS                  |
|---|---|---|---------|------|---------------------------|
|   |   |   | Pass    | Fail |                           |
|   | ** EPA TSCA Title VI-Composite wood-Finished good labeling<br><br>(Continued) | <b>Notes:</b> <ul style="list-style-type: none"> <li>A de minimis amount of regulated composite wood is defined as regulated composite wood content not exceeding 144 square inches, based on the surface area of the largest face of the finished good.</li> <li>The de minimis exception is not available to finished goods or component parts that are designed to be used in combination or in multiples to create larger surfaces, finished goods, or component parts.</li> <li><b>When a statement of compliance is necessary, a statement of compliance that denotes the finished good complies with CARB's ATCM for formaldehyde will be accepted in lieu of a TSCA Title VI compliance statement until March 22, 2019.</b></li> <li>Rating Schedule:                             <ul style="list-style-type: none"> <li>On or before May 31, 2018: Compliant submission shall be rated as pass</li> <li>Non-compliant submission shall be rated as data</li> <li>On or after June 1, 2018:</li> </ul> </li> </ul>  | X       |      | TSCA Document is provided |
| Title 17, CA Code of Regulations §93120 | ** CARB-Composite wood-Declaration form and mill certificate                  | <b>[US]</b><br>If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form. Sections A, C, and E of the Sample Declaration Form must always be completed. <ul style="list-style-type: none"> <li>If regulated composite wood is <b>not</b> present in the sample, result is N/A.</li> <li>If regulated composite wood is present in the sample:                             <ul style="list-style-type: none"> <li>Section D of the Sample Declaration Form must also be completed</li> <li>Submitter shall provide a copy of the certificate issued by the Third Party Certifier (TPC) for the mill(s) from which the raw panels were purchased</li> <li>All information on the certificate shall be consistent with the Sample Declaration Form</li> </ul> </li> </ul> <b>Notes:</b> <ul style="list-style-type: none"> <li>Include a copy of the Sample Declaration Form in the report</li> <li>Regulated composite wood includes:                             <ul style="list-style-type: none"> <li>Hardwood plywood (HWPW)</li> <li>Medium-density fiberboard (MDF)</li> </ul> </li> </ul> | X       |      | TSCA Document is provided |

**SUMMARY OF TEST RESULTS FOR**
**FN - 016 - US / CN**
**Bed (For Trundle and Regular Beds, Adult Use)**

 Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE   | TESTED PROPERTY  | REQUIREMENT  | RESULTS |      | COMMENTS                  |
|---|--|--|---------|------|---------------------------|
|   |  |  | Pass    | Fail |                           |
| Title 17, CA<br>Code of<br>Regulations<br>§93120.7(d) | ** CARB—Composite wood-<br>Finished good labeling                    | [US]<br>Finished goods <b>containing regulated composite wood</b> shall comply with the labeling requirements for fabricators found in §93120.7(d).<br><br><ul style="list-style-type: none"> <li>A finished good containing regulated composite wood requires the following:                             <ul style="list-style-type: none"> <li>At a minimum, the label must be on the product OR the packaging</li> <li>The label shall be applied as a stamp, tag, sticker, or bar code</li> <li>The label shall include, at a minimum:                                     <ol style="list-style-type: none"> <li>Fabricator's name</li> <li>Date the finished good was produced (in month/year format)</li> <li>A statement of compliance to denote that the finished good complies with the ATCM</li> </ol> </li> </ul> </li> </ul> Example:<br>XXX Company<br>MM/YYYY | X       |      | TSCA Document is provided |
|   | ** CARB—Composite wood-<br>Finished good labeling<br><br>(Continued) | <b>Notes:</b> <ul style="list-style-type: none"> <li>If a finished good is labeled with the EPA compliance statement, a separate statement of compliance to the CARB ATCM <b>is not</b> required.</li> <li>It <b>is not</b> required for the label to state the level of emissions (Phase 2, NAF, ULEF).<br/>Labels for finished goods should not include the number of the TPC associated with the composite wood products contained in the finished good.</li> </ul>   | X       |      | TSCA Document is provided |
| <b>ANALYTICAL</b>                                     |  |  |         |      |                           |
| CPSC-CH-<br>E1003-09.1                                | * Total lead content in<br>surface coatings                          | All accessible surface coatings in the as received state on items shall not contain lead or lead components in which the lead content is in excess of 0.009% (90ppm) of the weight of the total content.<br><br>Report actual results or include data table within report.<br>Component testing is allowed.<br>Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72 ppm), based on the lowest weight component, individual colors will be analyzed.  | X       |      | See test results          |

**SUMMARY OF TEST RESULTS FOR**

**FN - 016 - US / CN**

**Bed (For Trundle and Regular Beds, Adult Use)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE   | TESTED PROPERTY  | REQUIREMENT  | RESULTS |      | COMMENTS |
|---|--|--|---------|------|----------|
|   |  |  | Pass    | Fail |          |
| Canada<br>Surface<br>Coating<br>Materials<br>Regulations<br>(SOR/2016-193) section<br>2 & 6 | * Total lead content in sticker, film or other similar material, or surface coating materials<br><br>Applicable for:<br>(1) Paint & similar material (varnish, lacquer, etc.) sold in containers and purchased at retail;<br>(2) A sticker, film or other similar material that can be removed, or a surface coating material, that is applied to an accessible part of the following products:<br>(a) Furniture<br>(b) Children's Product (toys, playing/learning devices, furniture, and other articles, etc.)<br>(c) Pencils<br>(d) Art Brushes | [CN]<br>The concentration of total lead present in a surface coating material must not be more than 90 mg/kg.<br><br>Report actual results or include data table within report. Composite up to 3 colors is allowed. If any color in the composite exceeds 80% of the limit (72 mg/kg), based on the lowest weight component, individual colors will be analyzed.<br><br>Note:<br>• SOR/2016-193) section 2:<br>- Applicable to a paint or other similar material that is in its own container and dries to a solid film when a layer of it is applied to a surface. Not applicable to materials that become part of the substrate.<br>- If lead content exceeds the limit, warning label is allowed for paint or other similar material that:<br>-is used as a touch-up coating on metal surfaces;<br>-is used as material, for use by adult, for the purposes of arts, crafts or hobbies.<br><br>• SOR/2016-193) section 6:<br>- Applicable to a sticker, film or other similar material that can be removed, or a surface coating material, that is applied to an accessible part of the following products:<br>(a) Furniture | -       | -    | NA       |
| Canada<br>Surface<br>Coating<br>Materials<br>Regulations<br>(SOR/2016-193) section<br>5     | * Total mercury content in surface coating materials   | [CN]<br>Surface coating material shall not contain mercury in excess of 10 mg/kg when a dried sample of it is tested.<br><br>Report actual results or include data table within report. Composite up to 3 colors is allowed. If any color in the composite exceeds 80% of the limit based on the lowest weight component, individual colors will be analyzed.<br><br>Note:<br>- Applicable to a paint or other similar material that is in its own container and dries to a solid film when a layer of it is applied to a surface. Not applicable to materials that become part of the substrate.  | -       | -    | NA       |
| <b>PHYSICAL CHARACTERISTICS</b>   |  |  |         |      |          |

**SUMMARY OF TEST RESULTS FOR**
**FN - 016 - US / CN**
**Bed (For Trundle and Regular Beds, Adult Use)**

 Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE                                       | TESTED PROPERTY                                  | REQUIREMENT   | RESULTS |      | COMMENTS                                |
|---|--|---|---------|------|---|
|   |  |   | Pass    | Fail |   |
| Visual  | Design or features                               | Design and features of the product should not differ from color box pictures, enclosed instructions, or approval sample in a way that is misleading.  | X       |      |   |
| H-20001   | Dimensions (L x W x H) (cm)                      | Report overall dimensions; shall meet label claims (If applicable) (-0% / +5%).   | -       | -    | No claim<br>Record: 199 x 106 x 54.5 cm |
| H-20001   | Dimensions of mattress support frame (L x W x H) | Report actual; shall meet label claims (If applicable) (-0% / +5%).   | -       | -    | No claim<br>Record: 194 x 100 x 5.5 cm  |
| H-20001   | Weight (kg)                                      | Report overall weight; shall meet label claims (If applicable) (-0% / +5%).   | -       | -    | Data<br>Net Weight: 23.5kgs             |
| Visual  | Accessories                                      | Report all submitted accessories such as carrying bags, carrying straps, pouches, hole covers, end caps, casters, levelers, drawer glides, drawer stops, mounting hardware, hooks, pegs, hardware provided, anchors, screws, etc. Shall comply with any claims. | -       | -    | No claim<br>Record: Hardware            |
| <b>CONSTRUCTION QUALITIES &amp; WORKMANSHIP</b> |  |   |         |      |   |
| 16 CFR 1500.48 and 1500.49 (Mod.)               | Sharp Points/Sharp Edges                         | Shall have no sharp edges or sharp points on any component other than those required for functional use (Mod. = Expanded scope to other products)   | X       |      |   |
| Visual Check                                    | Defects  | Shall have no discernible surface degradation, including crazing, shivering, denting, bubbles, cracks, stains, deformations, chips, fractures, heavy lines, waves, shear marks, scratches, scuff marks, indentations, or blisters.                              | X       |      |   |
| Visual Check                                    | Workmanship                                      | Shall have no components missing, malformed, and/or fractured.  | X       |      |   |
| <b>PERFORMANCE</b>                              |  |   |         |      |   |
| Actual Use                                      | Functionality                                    | Shall function as intended as received.   | X       |      |   |
| H-41012   | Effects of Extreme temperature                   | 24 Hours at -32° F and 140° F - No failure or visual change (Report piece/section/ whole unit placed in Chamber) <b>Note: When pieces/Section were tested, to be sure the tested part should be properly cover/protected in cutting process.</b>                | X       |      |   |

**SUMMARY OF TEST RESULTS FOR**
**FN - 016 - US / CN**
**Bed (For Trundle and Regular Beds, Adult Use)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE             | TESTED PROPERTY  | REQUIREMENT  | RESULTS |      | COMMENTS                   |
|-----------------------|--|--|---------|------|----------------------------|
|                       |  |  | Pass    | Fail |                            |
| H-41007               | Effect of Humidity   | No Change after 24 Hours at 95% RH and 100 °F - Also. If pieces/sections were tested, list which piece/section, indicate pass or fail for each piece/section, and include before and after pictures of each piece/section. <b>Note: When pieces/Section were tested, to be sure the tested part should be properly cover/protected in cutting process.</b> | X       |      |                            |
| ASTM B117-19 modified | Resistance to corrosion  | [Applicable to samples / sample components constructed of metal or samples with metallic coatings that can be exposed to the environment]<br><br>Shall withstand 24 hours in 1% salt spray (fog) with no noticeable oxidation / corrosion changes.<br><br>Modification = 1% salt spray (fog).  | X       |      |                            |
| Actual Use            | Cycling Test   | Shall function as intended after operation for 100 cycles  | X       |      |                            |
| Scratching            | Surface scratching - wood panel  | No scratching of surface (3 cycles of 6" back and forth)   | X       |      |                            |
| H-41063               | Moisture Content (%) (Wood Only)                                       | Shall be between 8%-12%. Report the actual moisture content.   | X       |      | Record: 10 %               |
| ASTM D5034            | Cap removal strength - caps on end of tube or cap covers on screw ends | Shall not separate minimum holding force @ 5.0 lbs.<br>Modification = Expanded scope to other products.  | -       | -    | NA                         |
| H-41030               | Distributed load capacity test   | No structural failure or greater than 1/4 inch permanent deformation after loading for 60 minutes<br><br>Single - 500 lbs<br>Full/Queen/King - 800 lbs<br>Modification = Expanded scope to other products  | X       |      | Single Load test : 500 lbs |

**SUMMARY OF TEST RESULTS FOR**

**FN - 016 - US / CN**

**Bed (For Trundle and Regular Beds, Adult Use)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE | TESTED PROPERTY   | REQUIREMENT  | RESULTS |      | COMMENTS |
|-----------|---|--|---------|------|----------|
|           |   |  | Pass    | Fail |          |
| H-43012   | Distributed Load Test (For storage units, except magazine, shoe, coat or wine racks)                        | Apply distributed test loads to all units, elements, and top surface.<br><br>There shall be no structural failure or permanent deformation greater than 1/4inch.<br><br>< 8 in. Depth (3 lbs X Shelf / Top Width)<br>8 - 16 in. Depth (5 lbs X Shelf / Top Width)<br>> 16 in. Depth (7 lbs X Shelf / Top Width) or<br><br>1.5 x Claimed Capacity<br><br>Report load for each element and total load on unit for period of 60 minutes, 24 hours | -       | -    | NA       |
| H-43012   | Display Shelf Loading (For light weight or glass shelves intended only for display of small or light items) | Shall withstand distributed loading of 1.5 times claimed capacity or (if no claim made) 1.5 lb per inch of width, with no structural failure or permanent deformation greater than 1/4 inch. Report test load used.  | -       | -    | NA       |
| H-41033   | End Drop Test   | No breakage or separation; One end dropped from 10" (Unit fully assembled).<br>Modification = Expanded scope to other products.  | X       |      |          |

**IMPORTANT NOTICE:** Please review the Actual Products against the updated Requirements/Regulation. Prior to testing and communicate with clients if additional test required. This protocol is the basic guidelines to follow and does not replace the content of the standard.

**Note:** It is the Vendor's responsibility to ensure that the products comply with all local laws, regulations and ordinances of Countries and States where products will be sold. A Pass Lab test result does not constitute a certification that a vendor's products meet all legal requirements. It is the vendor's responsibility to manufacture their items to comply with all applicable laws and in conformance with the purchase order terms and conditions.

Key:

\*Additional Charge For This Test

\*\*Mandatory Requirement

**SUMMARY OF TEST RESULTS FOR**

**SP - 014 - US**

**CPSIA Requirement (Supplement)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE   | TESTED PROPERTY                                   | REQUIREMENT  | RESULTS |      | COMMENTS |
|---|---|--|---------|------|----------|
|   |   |  | Pass    | Fail |          |
| <p><b>SCOPE: This protocol applies to toys, children products and child care articles as defined by CPSIA, all furniture, including adult furniture, and household paint.</b></p> |   |  |         |      |          |
| <p><b>LABELING REQUIREMENTS</b></p>   |   |  |         |      |          |
| <p>Consumer Product Safety Improvement Act of 2008</p>  | <p>* Tracking labels for children's products</p>  | <p>A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product.</p> <p><b>Verified the Presence and verified the format accuracy. If internal coding is used, de-code system shall also be submitted for verification.</b></p> <p><b>Note: Internal coding for manufacturer or private labeler on the tracking label is not accepted.</b></p>  | X       |      |          |
| <p>CPSIA section 104(d) / 16 CFR 1130</p>   | <p>* Registration for durable nursery product</p> | <p>Consumer registration requirement: Required to provide consumers with a postage-paid consumer registration form with each such product and to permanently place the manufacturer name and contact information, model name and number, and the date of manufacture on each durable infant or toddler product.</p> <p>Requirements for registration form:<br/>                     The registration form shall<br/>                     (A) include spaces for a consumer to provide the consumer's name, address, telephone number, and e-mail address;<br/>                     (B) include space sufficiently large to permit easy, legible recording of all desired information;<br/>                     (C) Be attached to the surface of each durable infant or toddler product so that, as a practical matter, the consumer must notice and handle the form after purchasing the product;<br/>                     (D) include the manufacturer's name, model name and number for the product, and the date of manufacture;<br/>                     (E) include a message explaining the purpose of the registration designed to encourage consumers to complete the registration.</p> | -       | -    | NA       |



**SUMMARY OF TEST RESULTS FOR**
**SP - 014 - US**
**CPSIA Requirement (Supplement)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE  | TESTED PROPERTY  | REQUIREMENT  | RESULTS |      | COMMENTS         |
|--|--|--|---------|------|------------------|
|  |  |  | Pass    | Fail |                  |
| CPSIA<br>section<br>104(d) / 16<br>CFR 1130  | * Registration for durable<br>nursery product<br><br>(Continued) | (F) include an option for consumers to register through the Internet; and<br>(G) include a statement that information provided by the consumer shall not be used for any purpose other than to facilitate a recall of or safety alert regarding that product.<br><br>"Durable infant or toddler product" means full-size cribs and nonfull-size cribs, toddler beds, high chairs, booster chairs, hook-on chairs, bath seats, gates and other enclosures for confining a child, play yards, stationary activity centers, infant carriers, strollers, walkers, swings, bassinets and cradles, children's folding chairs, changing tables, bouncers, infant bath tubs, bed rails and infant sling.   | -       | -    | NA               |
|  | <b>ANALYTICAL</b>  |  |         |      |                  |
| Consumer<br>Product<br>Safety<br>Improvement<br>Act of 2008 /<br>16 CFR<br>1303 /<br>AOAC<br>974.02(mod) | * Total lead content in<br>surface coatings                      | All accessible surface coatings, before and after use and abuse testing, on items intended for children ages 12 and under shall not contain lead or lead components in which the lead content is in exceed of 0.009%(90ppm) of the weight of the total content.<br><br>In case of insufficient coating for testing found on number of samples specified in the protocol, vendor needs to provide additional samples for testing. Report actual results or include data table within report.<br>Report actual results or include data table within report<br>Issue a third party test report.<br><br>Component testing is allowed.<br><br>Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72ppm), based on the lowest weight component, individual colors will be analyzed. | X       |      | See test results |

**SUMMARY OF TEST RESULTS FOR**
**SP - 014 - US**
**CPSIA Requirement (Supplement)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE  | TESTED PROPERTY                          | REQUIREMENT   | RESULTS |      | COMMENTS         |
|--|--|---|---------|------|------------------|
|  |  |   | Pass    | Fail |                  |
| Consumer Product Safety Improvement Act of 2008 / 16 CFR 1303 / AOAC 974.02(mod) | * Total lead content in surface coatings | <p>All accessible surface coatings in the assembled state on adult furniture [exempt factory applied coatings on metal components/parts] and household paint shall not contain lead or lead components in which the lead content is in exceed of 0.009% (90ppm) of the weight of the total content.</p> <p>In case of insufficient coating for testing found on number of samples specified in the protocol, vendor needs to provide dipped parts or components/parts for testing.</p> <p>Report actual results or include data table within report<br/>                     Issue a program audit report<br/>                     Component testing is allowed<br/>                     Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72ppm), based on the lowest weight component, individual colors will be analyzed</p> | -       | -    | NA               |
| Consumer Product Safety Improvement Act of 2008                                  | * Total lead content in substrates       | <p>All accessible substrates, before and after use and abuse testing, on items intended for children ages 12 and under shall not contain lead in excess of 0.01% (100ppm) of the weight of the total content.</p> <p>In case of insufficient material for testing found on number of damples specified in the protocol, vendor needs to provide components/parts for testing.</p> <p>Report actual results or include data table within report.<br/>                     Issue a program audit reprot (until December 2011).</p> <p>Component testing is allowed.</p> <p>Compositing up to 3 like materials is allowed except metal.</p>  | X       |      | See test results |

**SUMMARY OF TEST RESULTS FOR**
**SP - 014 - US**
**CPSIA Requirement (Supplement)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE                                       | TESTED PROPERTY                                | REQUIREMENT   | RESULTS |      | COMMENTS |
|---|--|---|---------|------|----------|
|   |  |   | Pass    | Fail |          |
| Consumer Product Safety Improvement Act of 2008 | * CPSIA Total lead in children's metal jewelry | Any accessible metal component of items intended for children ages 12 and under shall not contain lead in excess of 0.03% (300ppm) of the weight of the total content.<br><br>Note: The lead limit will be reduced, if technologically feasible, to 0.01% (100ppm) on Aug. 14, 2011.<br><br>Components composed of surgical steel, stainless steel within UNS S13800 – S66286, excluding 303Pb (UNS S30360); gold (at least 10 karat), sterling silver (at least 925/1000), platinum, palladium, rhodium, osmium, iridium, ruthenium, and titanium are exempt. Any non-precious metal components such as solder, base metal in electroplate and fill are not included in these exemptions and must comply.<br><br>Report actual results or include data table within report<br>Issue a third party test report<br>Compositing is not allowed<br>Component testing is not allowed<br>Documentation of component testing is not | -       | -    | NA       |

**SUMMARY OF TEST RESULTS FOR**

**SP - 014 - US**

**CPSIA Requirement (Supplement)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE  | TESTED PROPERTY                     | REQUIREMENT  | RESULTS |      | COMMENTS |
|--|-------------------------------------|--|---------|------|----------|
|  |                                     |  | Pass    | Fail |          |
| Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.3 (Mod) | * Phthalates content                | <p>Children's toys and childcare articles, before and after use and abuse testing, shall not contain concentrations of more than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP or DCHP individually.</p> <p>Actual testing would be conducted on all accessible plastics materials (including natural and synthetic rubber) (excluding materials listed below), plasticizer print, scrapable surface coatings, decals, polymeric coated materials (unscrapable), adhesives and sealants (exclude adhesive for stickers), toy nail polish, reusable packaging, electrical plug and cables. Polypropylene (PP), polyethylene (PE), acrylonitrile butadiene styrene (ABS), general purpose polystyrene (GPPS), medium-impact polystyrene (MIPS), high-impact polystyrene (HIPS), and super high-impact polystyrene (SHIPS), and their additives as listed in 16 CFR 1308 are exempt from testing, however, they are not exempt from compliance or certification.</p> <p>If material identification is not provided, phthalate testing will be conducted on all plastic materials.</p> <p>Vendor shall be responsible for the compliance of all other accessible materials, including additives in the</p> | -       | -    | NA       |
|  | * Phthalates content<br>(Continued) | <p>In case of insufficient material for testing found on number of samples specified in the protocol, vendor needs to provide components/parts for testing.</p> <p>Report actual results or include data table within report.<br/>Component testing is allowed.<br/>Compositing up to 3 like materials is allowed.</p> <p>Product manufactured and imported as of April 25, 2018 must comply.</p>  | -       | -    | NA       |

1. "Children's Toy" means a consumer product designed or intended by the manufacturer for a child 12 years of age or younger for use by the child when the child plays per CPSC Draft Guidance of CPSIA section 108 refer to the use of ASTM F963.  
 2. "Child care article" means a consumer product designed or intended by the manufacturer to facilitate sleep, or the feeding of a child 3 years of age or younger or to help such children with sucking or teething. Products used directly in the mouth by the child are primary products and are subject to the regulation. Products that have direct contact with the child, but may or may not have direct mouth contact, would also be considered primary products. Products that are not necessarily in direct physical contact with the child, but are in close proximity to the child may or may not be subject to the regulation per CPSC Draft Guidance of CPSIA section 108. Products that are used by the parent, but have no contact with the child, are considered secondary products and would be not be subject to regulation per CPSC Draft Guidance of CPSIA section 108. Products that are used by the parent, but have no contact with the child, are considered secondary products and would not be subject to regulation per CPSC Draft Guidance of CPSIA section 108.

**SUMMARY OF TEST RESULTS FOR**

**SP - 014 - US**

**CPSIA Requirement (Supplement)**

Client Code: Local Technician: William Report Number: 76124-031459  
 Start Date: Mar. 28, 2024 Finish Date: Apr. 19, 2024 Result Reviewed by: HA

| TEST CODE | TESTED PROPERTY | REQUIREMENT | RESULTS |      | COMMENTS |
|-----------|-----------------|-------------|---------|------|----------|
|           |                 |             | Pass    | Fail |          |
|           |                 |             |         |      |          |

**IMPORTANT NOTICE:** Please review the Actual Products against the updated Requirements/Regulation. Prior to testing and communicate with clients if additional test required. This protocol is the basic guidelines to follow and does not replace the content of the standard. (For Silverware additional test should be included)

**Note: It is the Vendor's responsibility to ensure that the products comply with all United States Federal, States, and local laws, regulations, and ordinances. A Pass Lab test result does not constitute a certification that a vendor's products meet all legal requirements. It is the vendor's responsibility to manufacture their items to comply with all applicable laws and in conformance with the purchase order**

Key:

\*Additional Charge For This Test

\*\*Mandatory Requirement