

**Item # : RH900KHB/KFB/SR & RH900QHB/QFB/SR / 524-140/ 141/ 142/ 143/ 144**

**Description : RHAPSODY KING & QUEEN HEADBOARD  
RHAPSODY KING & QUEEN FOOTBOARD  
RHAPSODY SIDE RAILS KING & QUEEN**

**Product size : King size: 79.5" x 3.75" x 74"H / 84.5" x 5.5" x 23"H / 82" x 1.75" x 7.75"H  
Queen size: 63.5" x 3.75" x 71.75"H / 68.5" x 5.5" x 23"H / 82" x 1.75" x 7.75"H**

Your furniture purchase is an investment. Here are a few tips to maximize the lifetime of your furniture with a minimum amount of effort. Properly caring for your furniture can help ensure that it looks great year after year.

**Wood Furniture Maintenance:**

- Always dust, wipe, and clean *with* the grain of the wood.
- Dust with a soft cloth. Dust will scratch the furniture surface if not removed properly.
- Use the same type of polish consistently as interchanging oil-based and wax-based polishes will cause a build-up and result in a foggy or cloudy appearance.
- If a polished surface becomes foggy, rub it with a cloth dipped in a solution of one tablespoon vinegar to one quart of water. Rub softly with the grain until the surface is completely dry.
- Soap and water are not advisable for wood surfaces. Water can penetrate the finish and raise the grain on wood, causing damage.
- Remember to change dusting cloths frequently as dirty cloths may scratch your furniture's surface.

**The Enemies of Wood:**

- Moisture is wood's worst enemy. Liquid spills should be gently wiped up immediately. Coasters should be used under all beverages.
- Do not allow rubber or vinyl materials to lie on the furniture. Chemicals in rubber may leave a stain. Put a strip of felt or leather under accessories that have rubber or vinyl.
- Heat creates a chemical change in the furniture's finish, which results in a white spot. Use protective pads under hot dishes, appliances, etc.
- Sunlight's ultraviolet rays can damage the finish of furniture. Do not place furniture directly against a heater or radiator and do not place in the path of hot streams of air from central heating. This will cause extreme localized drying of the wood.

**High Gloss Resin Table Maintenance:**

- Resin tabletops have approximately 1/8" of a resin coat on the top face of the table, which will resist ice, water, wine, liquor, food, cleaning fluids, and warm or hot liquids; however, cups, glasses, etc. containing hot liquids should not be left on the table without a coaster for protection.
- Resin tabletops will scratch just the same as any other glossy surface and basic precautions should be taken.
- For lasting shine, the resin table should be waxed with a car wax that does not contain silicon. Maintaining this wax build-up will result in a high gloss shine.
- When wiping down the table, a soft, clean rag should be used. Do not use a heavy paper.

**Granite Top Maintenance:**

The surface of the granite on your table has been polished or sealed to create a generally non-porous surface. The stone has many natural characteristics including: veining, hairline cracks, and color variations - which make up the stone's beauty.

To maintain the beauty of your granite:

- Protect surfaces from scratching, staining and etching by:
    - \* Keeping them free of debris or sharp objects
    - \* Wiping up spills immediately
    - \* Avoiding contact with chemicals (particularly acid-based materials)
  - Clean with pH neutral products or those especially formulated for use on stone.
  - It is not recommended to use a water-based solvent for dark granite as it will remove the polish from the surface.
  - After a period of use, apply a penetrating sealer to prevent contaminants from being absorbed into the stone.
  - Remove stains with special absorbent poultices formulated for use on stone.
  - Renew the surface on polished granite (granite with a high gloss surface ) by buffing with special stone polish , powder or cream .
- Do not use granite polish on granite with a matte finish, which has been honed rather than polished. (Penetrating sealer may be used on both polished and honed granite.)

**Marble Top Maintenance:**







Marble may be stone, but it is porous stone and can stain easily. Treating marble surfaces the same as wood surfaces is a great rule of thumb.

- It is recommended to seal the tops on a regular basis (every 6 to 12 months). A good quality stone sealer can be purchased from any tiles/stone store or any homecare store and should be applied according to the manufacturer's recommendation.
- When sealed properly, marble tops can be used indoors and outdoors and can withstand any weather conditions except internal freezing. Snow or freezing rain will penetrate the table and cause cracks.

**Caring for the Fabric on Upholstered Furniture:**

- Frequent vacuuming of the entire upholstered area will prevent dust from settling into the fibers.
- Professional cleaning is always recommended for all upholstered pieces.
- Always pre-test a small area of fabric in an inconspicuous area when cleaning before proceeding.
- Do not use cleaning products containing brightening agents.

**VERY IMPORTANT !!**

<p><b>NEVER</b> USE GLASS CLEANERS ON FINISHED SURFACE AMMONIA WILL CHEMICALLY ATTACK THE FINISH.</p>	<p>DO NOT WRITE DIRECTLY ON SURFACE  PREVENT MARKING</p>	<p>DO NOT PLACE DIRECTLY IN SUNLIGHT  PREVENT FADING</p>	<p>DO NOT WRITE PLACEMATS WITH RUBBER BASES  PREVENT DISCOLORING</p>
<p><b>NEVER</b> ALLOW LIQUIDS OF ANY KIND TO LINGER ON SURFACE ABSORPTION CAUSES THE WOOD TO WARP AND THE FINISH TO DELAMINATE</p>	<p>DO NOT USE COMMERCIAL POLISHES AND WAXES  PREVENT YELLOWING</p>	<p>DO NOT PLACE HOT POST, ETC ON SURFACE  PREVENT DAMAGE TO FINISH</p>	<p>DO NOT USE COMMERCIAL POLISHES AND WAXES  PREVENT SPLITTING</p>

# RH900KHB/KFB/SR / 524-143/ 144/ 142

# RH900QHB/QFB/SR / 524-140/ 141/ 142

## ASSEMBLY INSTRUCTIONS


**Step 1:** Attach Stretcher(F), to the Left Leg (D) and Right Leg (E) by using Bolts (2), Spring Washer (3), Flat Washer (4) into the holes on the Left Leg (D) and Right Leg (E). Secure by Allen key (1). Fully tighten all bolts.

**Step 2:** Attach Left Leg (D), Right Leg (E) to the Headboard (A) by using Bolts (5), Spring Washer (6), Flat Washer (7) into the holes on the Headboard (A). Secure by Allen key (1). Fully tighten all bolts.









**Step 3:** Loosen the assembled bolts on the Headboard Legs (D/E) & Footboard (B). Attached the Side Rail (C) to Left/Right Headboard Legs (D/E) & Footboard (B) by hooking on the loose bolts. Then tighten bolts again.

**Step 4:** Attach Support Leg (H) to the bottom Slats (G) with the hanger bolt at top of the Support Leg.



**Step 5:** Attach Slats (G) to the Side Rail (C) by using Screw (8). Assembly products is now completed.




# PARTS LIST


<p>(A) HEADBOARD (1PC)</p> 	<p>(B) FOOTBOARD (1 PC)</p> 
<p>(C) SIDE RAIL (2PCS)</p> 	<p>(D) LEFT LEG (1PC)</p> 
<p>(E) RIGHT LEG (1PC)</p> 	<p>(F) STRETCHER (1PC)</p> 
<p>(G) SLATS (5PCS)</p> 	<p>(H) SUPPORT LEG (10PCS)</p> 

## Hardware Pack # : PRH900H

NO.:	HARDWARE LIST FOR HEADBOARD (PRH900KHB) & (PRH900QHB)		Q'TY
1		(L57x4MM) ALLEN KEY	1 piece
2		(Ø1/4*13*1-1/2"L) BOLT	2 pieces
3		(Ø1/4*13*1.2MM) SPRING WASHER	2 pieces
4		(Ø1/4*19*1.8MM) FLAT WASHER	2 pieces
5		(Ø 5/16*13*2"L) BOLT	6 pieces
6		(Ø5/16*13*1.2MM) SPRING WASHER	6 pieces
7		(Ø5/16*19*1.8MM) FLAT WASHER	6 pieces

HARDWARE BAG FOR FOOTBOARD (PRH900KFB) & (PRH900QFB)			
8		8*30MM SCREW	10 pieces

**PARTS FOR RH900KHB/KFB/SR / 524-143/ 144/ 142 P. 4/4**  
**RH900QHB/QFB/SR / 524-140/ 141/ 142**  
**COMPLETE HARDWARE#: PRH900H**



**HEADBOARD PRODUCT DETAILS**

TOP APRON	PU OAK VENEER ON MDF
PRODUCT SIZE	KING SIZE: 79.5" x 3.75" x 74"H
	QUEEN SIZE: 63.5" x 3.75" x 71.75"H
CARTON SIZE	KING SIZE: 83.25" x 58.25" x 5.5"
	QUEEN SIZE: 66.75" x 55.75" x 5.75"
NET WEIGHT	KING SIZE: 84.7 LBS
	QUEEN SIZE: 70.4 LBS
GROSS WEIGHT	KING SIZE: 107.8 LBS
	QUEEN SIZE: 88 LBS
CUFT	KING SIZE: 15.43'
	QUEEN SIZE: 12.38'

**FOOTBOARD PRODUCT DETAILS**

TOP APRON	PU OAK VENEER ON MDF
PRODUCT SIZE	KING SIZE: 84.5" x 5.5" x 23"H
	QUEEN SIZE: 68.5" x 5.5" x 23"H
CARTON SIZE	KING SIZE: 88.25" x 29.25" x 8.25"
	QUEEN SIZE: 72.25" x 29.25" x 8.25"
NET WEIGHT	KING SIZE: 70.4 LBS
	QUEEN SIZE: 60.5 LBS
GROSS WEIGHT	KING SIZE: 85.8 LBS
	QUEEN SIZE: 72.6 LBS
CUFT	KING SIZE: 12.32'
	QUEEN SIZE: 10.09'

**SIDERAILS PRODUCT DETAILS**

TOP APRON	OAK VENEER ON MDF
PRODUCT SIZE	82" x 1.75" x 7.75"H
CARTON SIZE	86.75" x 10.25" x 6"
NET WEIGHT	29.7 LBS
GROSS WEIGHT	34.1 LBS
CUFT	3.08'

**MADE IN VIETNAM**

**Item # : RH900NS / 524-150**  
**Description : RHAPSODY NIGHTSTAND**  
**Product size : 31.25" x 18.25" x 29"H**

Your furniture purchase is an investment. Here are a few tips to maximize the lifetime of your furniture with a minimum amount of effort. Properly caring for your furniture can help ensure that it looks great year after year.

**Wood Furniture Maintenance:**

- Always dust, wipe, and clean *with* the grain of the wood.
- Dust with a soft cloth. Dust will scratch the furniture surface if not removed properly.
- Use the same type of polish consistently as interchanging oil-based and wax-based polishes will cause a build-up and result in a foggy or cloudy appearance.
- If a polished surface becomes foggy, rub it with a cloth dipped in a solution of one tablespoon vinegar to one quart of water. Rub softly with the grain until the surface is completely dry.
- Soap and water are not advisable for wood surfaces. Water can penetrate the finish and raise the grain on wood, causing damage.
- Remember to change dusting cloths frequently as dirty cloths may scratch your furniture's surface.

**The Enemies of Wood:**

- Moisture is wood's worst enemy. Liquid spills should be gently wiped up immediately. Coasters should be used under all beverages.
- Do not allow rubber or vinyl materials to lie on the furniture. Chemicals in rubber may leave a stain. Put a strip of felt or leather under accessories that have rubber or vinyl.
- Heat creates a chemical change in the furniture's finish, which results in a white spot. Use protective pads under hot dishes, appliances, etc.
- Sunlight's ultraviolet rays can damage the finish of furniture. Do not place furniture directly against a heater or radiator and do not place in the path of hot streams of air from central heating. This will cause extreme localized drying of the wood.

**High Gloss Resin Table Maintenance:**

- Resin tabletops have approximately 1/8" of a resin coat on the top face of the table, which will resist ice, water, wine, liquor, food, cleaning fluids, and warm or hot liquids; however, cups, glasses, etc. containing hot liquids should not be left on the table without a coaster for protection.
- Resin tabletops will scratch just the same as any other glossy surface and basic precautions should be taken.
- For lasting shine, the resin table should be waxed with a car wax that does not contain silicon. Maintaining this wax build-up will result in a high gloss shine.
- When wiping down the table, a soft, clean rag should be used. Do not use a heavy paper.

**Granite Top Maintenance:**

The surface of the granite on your table has been polished or sealed to create a generally non-porous surface. The stone has many natural characteristics including: veining, hairline cracks, and color variations - which make up the stone's beauty.

To maintain the beauty of your granite:

- Protect surfaces from scratching, staining and etching by:
    - \* Keeping them free of debris or sharp objects
    - \* Wiping up spills immediately
    - \* Avoiding contact with chemicals (particularly acid-based materials)
  - Clean with pH neutral products or those especially formulated for use on stone.
  - It is not recommended to use a water-based solvent for dark granite as it will remove the polish from the surface.
  - After a period of use, apply a penetrating sealer to prevent contaminants from being absorbed into the stone.
  - Remove stains with special absorbent poultices formulated for use on stone.
  - Renew the surface on polished granite (granite with a high gloss surface ) by buffing with special stone polish , powder or cream .
- Do not use granite polish on granite with a matte finish, which has been honed rather than polished. (Penetrating sealer may be used on both polished and honed granite.)

**Marble Top Maintenance:**







Marble may be stone, but it is porous stone and can stain easily. Treating marble surfaces the same as wood surfaces is a great rule of thumb.

- It is recommended to seal the tops on a regular basis (every 6 to 12 months). A good quality stone sealer can be purchased from any tiles/stone store or any homecare store and should be applied according to the manufacturer's recommendation.
- When sealed properly, marble tops can be used indoors and outdoors and can withstand any weather conditions except internal freezing. Snow or freezing rain will penetrate the table and cause cracks.

**Caring for the Fabric on Upholstered Furniture:**


- Frequent vacuuming of the entire upholstered area will prevent dust from settling into the fibers.
- Professional cleaning is always recommended for all upholstered pieces.
- Always pre-test a small area of fabric in an inconspicuous area when cleaning before proceeding.
- Do not use cleaning products containing brightening agents.

## VERY IMPORTANT !!

<p><b>NEVER</b> USE GLASS CLEANERS ON FINISHED SURFACE AMMONIA WILL CHEMICALLY ATTACK THE FINISH.</p>	<p>DO NOT WRITE DIRECTLY ON SURFACE  <b>PREVENT MARKING</b></p>	<p>DO NOT PLACE DIRECTLY IN SUNLIGHT  <b>PREVENT FADING</b></p>	<p>DO NOT WRITE PLACEMATS WITH RUBBER BASES  <b>PREVENT DISCOLORING</b></p>
<p><b>NEVER</b> ALLOW LIQUIDS OF ANY KIND TO LINGER ON SURFACE ABSORPTION CAUSES THE WOOD TO WARP AND THE FINISH TO DELAMINATE</p>	<p>DO NOT USE COMMERCIAL POLISHES AND WAXES  <b>PREVENT YELLOWING</b></p>	<p>DONOT PLACE HOT POST, ETC ON SURFACE  <b>PREVENT DAMAGE TO FINISH</b></p>	<p>DO NOT USE COMMERCIAL POLISHES AND WAXES  <b>PREVENT SPLITTING</b></p>

# PARTS FOR RH900NS / 524-150


## COMPLETE HARDWARE#: PRH900NS



PRH900NSUSAP  
USB ADAPTER

**Notice:** there is a USB device at the back side of the case, please connect the adapter to the USB cable then plug it into the electric outlet before using.

USB  
Adapter



PRH900NSDRWF  
DRAWER WITH FELT

PRH900NSDRW  
DRAWER

PRH900CTHD  
HANDLE

### PRODUCT DETAILS

TOP	OAK VENEER ON MDF
APRON	OAK VENEER ON PB
FOOT	POPLAR WOOD
PRODUCT SIZE	31.25" x 18.25" x 29"H
CARTON SIZE	34.25" x 21.5" x 33.5"
NET WEIGHT	68.2 LBS
GROSS WEIGHT	90.2 LBS
CUFT	14.29'

**MADE IN VIETNAM**

**Item # : RH900CT / 524-130**  
**Description : RHAPSODY LIFT TOP CHEST**  
**Product size : 41.75" x 19.5" x 54"H**

Your furniture purchase is an investment. Here are a few tips to maximize the lifetime of your furniture with a minimum amount of effort. Properly caring for your furniture can help ensure that it looks great year after year.

**Wood Furniture Maintenance:**

- Always dust, wipe, and clean *with* the grain of the wood.
- Dust with a soft cloth. Dust will scratch the furniture surface if not removed properly.
- Use the same type of polish consistently as interchanging oil-based and wax-based polishes will cause a build-up and result in a foggy or cloudy appearance.
- If a polished surface becomes foggy, rub it with a cloth dipped in a solution of one tablespoon vinegar to one quart of water. Rub softly with the grain until the surface is completely dry.
- Soap and water are not advisable for wood surfaces. Water can penetrate the finish and raise the grain on wood, causing damage.
- Remember to change dusting cloths frequently as dirty cloths may scratch your furniture's surface.

**The Enemies of Wood:**

- Moisture is wood's worst enemy. Liquid spills should be gently wiped up immediately. Coasters should be used under all beverages.
- Do not allow rubber or vinyl materials to lie on the furniture. Chemicals in rubber may leave a stain. Put a strip of felt or leather under accessories that have rubber or vinyl.
- Heat creates a chemical change in the furniture's finish, which results in a white spot. Use protective pads under hot dishes, appliances, etc.
- Sunlight's ultraviolet rays can damage the finish of furniture. Do not place furniture directly against a heater or radiator and do not place in the path of hot streams of air from central heating. This will cause extreme localized drying of the wood.

**High Gloss Resin Table Maintenance:**

- Resin tabletops have approximately 1/8" of a resin coat on the top face of the table, which will resist ice, water, wine, liquor, food, cleaning fluids, and warm or hot liquids; however, cups, glasses, etc. containing hot liquids should not be left on the table without a coaster for protection.
- Resin tabletops will scratch just the same as any other glossy surface and basic precautions should be taken.
- For lasting shine, the resin table should be waxed with a car wax that does not contain silicon. Maintaining this wax build-up will result in a high gloss shine.
- When wiping down the table, a soft, clean rag should be used. Do not use a heavy paper.

**Granite Top Maintenance:**

The surface of the granite on your table has been polished or sealed to create a generally non-porous surface. The stone has many natural characteristics including: veining, hairline cracks, and color variations - which make up the stone's beauty.

To maintain the beauty of your granite:

- Protect surfaces from scratching, staining and etching by:
    - \* Keeping them free of debris or sharp objects
    - \* Wiping up spills immediately
    - \* Avoiding contact with chemicals (particularly acid-based materials)
  - Clean with pH neutral products or those especially formulated for use on stone.
  - It is not recommended to use a water-based solvent for dark granite as it will remove the polish from the surface.
  - After a period of use, apply a penetrating sealer to prevent contaminants from being absorbed into the stone.
  - Remove stains with special absorbent poultices formulated for use on stone.
  - Renew the surface on polished granite (granite with a high gloss surface ) by buffing with special stone polish , powder or cream .
- Do not use granite polish on granite with a matte finish, which has been honed rather than polished. (Penetrating sealer may be used on both polished and honed granite.)

**Marble Top Maintenance:**







Marble may be stone, but it is porous stone and can stain easily. Treating marble surfaces the same as wood surfaces is a great rule of thumb.

- It is recommended to seal the tops on a regular basis (every 6 to 12 months). A good quality stone sealer can be purchased from any tiles/stone store or any homecare store and should be applied according to the manufacturer's recommendation.
- When sealed properly, marble tops can be used indoors and outdoors and can withstand any weather conditions except internal freezing. Snow or freezing rain will penetrate the table and cause cracks.

**Caring for the Fabric on Upholstered Furniture:**


- Frequent vacuuming of the entire upholstered area will prevent dust from settling into the fibers.
- Professional cleaning is always recommended for all upholstered pieces.
- Always pre-test a small area of fabric in an inconspicuous area when cleaning before proceeding.
- Do not use cleaning products containing brightening agents.

## VERY IMPORTANT !!

<p><b>NEVER</b> USE GLASS CLEANERS ON FINISHED SURFACE AMMONIA WILL CHEMICALLY ATTACK THE FINISH.</p>	<p>DO NOT WRITE DIRECTLY ON SURFACE  <b>PREVENT MARKING</b></p>	<p>DO NOT PLACE DIRECTLY IN SUNLIGHT  <b>PREVENT FADING</b></p>	<p>DO NOT WRITE PLACEMATS WITH RUBBER BASES  <b>PREVENT DISCOLORING</b></p>
<p><b>NEVER</b> ALLOW LIQUIDS OF ANY KIND TO LINGER ON SURFACE ABSORPTION CAUSES THE WOOD TO WARP AND THE FINISH TO DELAMINATE</p>	<p>DO NOT USE COMMERCIAL POLISHES AND WAXES  <b>PREVENT YELLOWING</b></p>	<p>DONOT PLACE HOT POST, ETC ON SURFACE  <b>PREVENT DAMAGE TO FINISH</b></p>	<p>DO NOT USE COMMERCIAL POLISHES AND WAXES  <b>PREVENT SPLITTING</b></p>

# PARTS FOR RH900CT / 524-130

## COMPLETE HARDWARE#: PRH900CT



PRODUCT DETAILS	
TOP	OAK VENEER ON MDF
APRON	OAK VENEER ON PB
FOOT	POPLAR WOOD
PRODUCT SIZE	41.8" x 19.5" x 53.9"H
CARTON SIZE	45" x 23.25" x 58.25"
NET WEIGHT	163.9 LBS
GROSS WEIGHT	200.2 LBS
CUFT	35.26'

**MADE IN VIETNAM**



**Item # : RH900DR/ MR / 524-110/120**

**Description : RHAPSODY DRESSER/ RHAPSODY MIRROR**

**Product size : 67.75" x 19.5" x 38.25"H & 46" x 1.75" x 45.5"H**

Your furniture purchase is an investment. Here are a few tips to maximize the lifetime of your furniture with a minimum amount of effort. Properly caring for your furniture can help ensure that it looks great year after year.

**Wood Furniture Maintenance:**

- Always dust, wipe, and clean *with* the grain of the wood.
- Dust with a soft cloth. Dust will scratch the furniture surface if not removed properly.
- Use the same type of polish consistently as interchanging oil-based and wax-based polishes will cause a build-up and result in a foggy or cloudy appearance.
- If a polished surface becomes foggy, rub it with a cloth dipped in a solution of one tablespoon vinegar to one quart of water. Rub softly with the grain until the surface is completely dry.
- Soap and water are not advisable for wood surfaces. Water can penetrate the finish and raise the grain on wood, causing damage.
- Remember to change dusting cloths frequently as dirty cloths may scratch your furniture's surface.

**The Enemies of Wood:**

- Moisture is wood's worst enemy. Liquid spills should be gently wiped up immediately. Coasters should be used under all beverages.
- Do not allow rubber or vinyl materials to lie on the furniture. Chemicals in rubber may leave a stain. Put a strip of felt or leather under accessories that have rubber or vinyl.
- Heat creates a chemical change in the furniture's finish, which results in a white spot. Use protective pads under hot dishes, appliances, etc.
- Sunlight's ultraviolet rays can damage the finish of furniture. Do not place furniture directly against a heater or radiator and do not place in the path of hot streams of air from central heating. This will cause extreme localized drying of the wood.

**High Gloss Resin Table Maintenance:**

- Resin tabletops have approximately 1/8" of a resin coat on the top face of the table, which will resist ice, water, wine, liquor, food, cleaning fluids, and warm or hot liquids; however, cups, glasses, etc. containing hot liquids should not be left on the table without a coaster for protection.
- Resin tabletops will scratch just the same as any other glossy surface and basic precautions should be taken.
- For lasting shine, the resin table should be waxed with a car wax that does not contain silicon. Maintaining this wax build-up will result in a high gloss shine.
- When wiping down the table, a soft, clean rag should be used. Do not use a heavy paper.

**Granite Top Maintenance:**

The surface of the granite on your table has been polished or sealed to create a generally non-porous surface. The stone has many natural characteristics including: veining, hairline cracks, and color variations - which make up the stone's beauty.

To maintain the beauty of your granite:

- Protect surfaces from scratching, staining and etching by:
    - \* Keeping them free of debris or sharp objects
    - \* Wiping up spills immediately
    - \* Avoiding contact with chemicals (particularly acid-based materials)
  - Clean with pH neutral products or those especially formulated for use on stone.
  - It is not recommended to use a water-based solvent for dark granite as it will remove the polish from the surface.
  - After a period of use, apply a penetrating sealer to prevent contaminants from being absorbed into the stone.
  - Remove stains with special absorbent poultices formulated for use on stone.
  - Renew the surface on polished granite (granite with a high gloss surface ) by buffing with special stone polish , powder or cream .
- Do not use granite polish on granite with a matte finish, which has been honed rather than polished. (Penetrating sealer may be used on both polished and honed granite.)

**Marble Top Maintenance:**







Marble may be stone, but it is porous stone and can stain easily. Treating marble surfaces the same as wood surfaces is a great rule of thumb.

- It is recommended to seal the tops on a regular basis (every 6 to 12 months). A good quality stone sealer can be purchased from any tiles/stone store or any homecare store and should be applied according to the manufacturer's recommendation.
- When sealed properly, marble tops can be used indoors and outdoors and can withstand any weather conditions except internal freezing. Snow or freezing rain will penetrate the table and cause cracks.


**Caring for the Fabric on Upholstered Furniture:**

- Frequent vacuuming of the entire upholstered area will prevent dust from settling into the fibers.
- Professional cleaning is always recommended for all upholstered pieces.
- Always pre-test a small area of fabric in an inconspicuous area when cleaning before proceeding.
- Do not use cleaning products containing brightening agents.

## VERY IMPORTANT !!

<p><b>NEVER</b> USE GLASS CLEANERS ON FINISHED SURFACE AMMONIA WILL CHEMICALLY ATTACK THE FINISH.</p>	<p>DO NOT WRITE DIRECTLY ON SURFACE  <b>PREVENT MARKING</b></p>	<p>DO NOT PLACE DIRECTLY IN SUNLIGHT  <b>PREVENT FADING</b></p>	<p>DO NOT WRITE PLACEMATS WITH RUBBER BASES  <b>PREVENT DISCOLORING</b></p>
<p><b>NEVER</b> ALLOW LIQUIDS OF ANY KIND TO LINGER ON SURFACE ABSORPTION CAUSES THE WOOD TO WARP AND THE FINISH TO DELAMINATE</p>	<p>DO NOT USE COMMERICAL POLISHES AND WAXES  <b>PREVENT YELLOWING</b></p>	<p>DONOT PLACE HOT POST, ETC ON SURFACE  <b>PREVENT DAMAGE TO FINISH</b></p>	<p>DO NOT USE COMMERCIAL POLISHES AND WAXES  <b>PREVENT SPLITTING</b></p>





# RH900DR/MR / 524-110/120 ASSEMBLY INSTRUCTIONS








Back side of dresser and mirror

Place the Mirror (B) on the top of Dresser(A). Attach the Mirror (B) to the Dresser (A) with connecting stretcher (C), using Bolt (2), Spring Washer (3), Flat Washer (4), secure by Allen Key (5). Assembly product is now completed.

## PARTS LIST


<p>(A) DRESSER(1PC)</p> 	<p>(B) MIRROR(1PC)</p> 
<p>(C) CONNECTING STRETCHER (2PCS)</p> 	<p>(D) SUPPORT LEG (1PC)</p> 

Hardware Pack # : PRH900DRH / 524-120

NO.	Description			Q'TY
1		TIPPING RESTRAINT KIT		1SET
2		ALLEN KEY	L57 * 4MM	1PC
3		BOLT	Ø 1/4" * 1 1/2"	8 PCS
4		SPRING WASHER	Ø 1/4" * Ø13* 1.5	8 PCS
5		FLAT WASHER	Ø 1/4" * Ø19 * 1.5	8 PCS

# PARTS FOR RH900DR/MR / 524-110/120

## COMPLETE HARDWARE#: PRH900DR/MR



### DRESSER PRODUCT DETAILS

TOP	OAK VENEER ON MDF
APRON	OAK VENEER ON PB
FOOT	POPLAR WOOD
PRODUCT SIZE	67.75" x 19.5" x 38.25"H
CARTON SIZE	70.75" x 23" x 42.25"
NET WEIGHT	162.8 LBS
GROSS WEIGHT	212.3 LBS
CUFT	39.78'

### MIRROR PRODUCT DETAILS

TOP	MIRROR
APRON	PU ON MDF
PRODUCT SIZE	46" x 1.75" x 45.5"H
CARTON SIZE	49.5" x 49.5" x 4.75"
NET WEIGHT	41.8 LBS
GROSS WEIGHT	50.6 LBS
CUFT	6.73'

**MADE IN VIETNAM**