

## **ASSEMBLY INSTRUCTION**

# 9PCS Patio Dining Set




WF300001, WF300002

Page: 1/11



#### Note:


- 50% Tighten before fixing all screws, Allen wrench is recommended instead
  of an electric drill.
- 2. Place the item on a flat ground to adjust and make sure it remains stable.
- 3. Tighten up all screw with tools gradually.
- 4. If screw are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
- 5. If the item is not stable, please loosen all screws, adjust it on a flat ground and tighten up all screws again.
- 6. Note: If one or some screws are fully tighten during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.




#### **Part List:** (A)x2 (C)x2 (D)x4 (B)x1 Top Table Leg Table Side Leg Table Arm Right Chair F)x4 Gx4 E)x4 (H)x4 Arm Left Chair Behind Chair Back Chair Seat Chair (L)x8 (J)x4 **(K**)x4 Leg Stool Support Stool Seat Stool Chair Cushion (M)x4 Seat Stool Cushion

### **Hardware List:**


① x 36 pcs Extra 2 pcs	② x 16 pcs Extra 2 pcs	③ x 36 pcs Extra 2 pcs	4) x 2 pcs Extra 1 pcs
9	0	0	0
BOLT M6 x 20MM	BOLT M6 x 30MM	BOLT M6 x 40MM	BOLT M6 x 55MM
⑤ x 100 pcs	6 x 2 pcs	7 x 2 pcs	8 x 1 pcs
WASHER M6	Nut M6	ALLEN KEY	KEY




Connect The Arm Right Chair (E) & Behind Chair (F), tighten Bolt (3), Flat Washer (5) with Allen Key (7).



Connect The Part from STEP 1 & Back Chair (G).




Connect The Part from STEP 2 & Arm Right Chair (D), tighten Bolt (3), Flat Washer (5) with Allen Key (7).




Connect The Part from STEP 3 & Seat Chair (H), tighten Bolt (1),(3), Flat Washer (5) with Allen Key (7).


Page: 6/11




Put the Chair upright and make sure all legs are level, then firmly tighten Bolts with Allen Key (7)



Put on Chair Cushion (L) to finish Chair.




Connect The Seat Stool (J) & Leg Stool (I), tighten Bolt (2), Flat Washer (5) with Allen Key (7) Connect The Part from STEP 7 & Support Stool (K), tighten Bolt (1), Flat Washer (5) with Allen Key (7).




Put the Stool upright and make sure all legs are level, then firmly tighten Bolts with Allen Key (7)

Put on Seat Stool Cushion (M) & to finish Stool.

Page: 8/11




Connect The two Top Table (A), tighten Bolt (5), Flat Washer (5), Nut (6) with Allen Key (7), Key (8).




Connect The Part from STEP 11 & Leg Table (B), tighten Bolt (1), Flat Washer (5) with Allen Key (7).

Page: 9/11




Connect The Part from Step 12 & Side leg Table (C), tighten Bolt (1), Flat Washer (5) with Allen Key (7).




Connect The Part from STEP 13 & Side Leg Table (C), tighten Bolt (1), Flat Washer (5) with Allen Key (7).

Page: 10/11



Put the Table upright and make sure all legs are level, then firmly tighten Bolts with Allen Key (7)



Finish