ARMOUR BENCH USER MANUAL

IMPORTANT - PLEASE READ THESE INSTRUCTIONS FULLY BEFORE ASSEMBLY OR USE

These instructions contain important information which will help you get the best from your equipment and ensure safe and correct assembly, use and maintenance.

Please keep this manual for future reference.

MODEL NO.
ARMOUR BENCH




TABLE OF CONTENTS

| SAFETY INFORMATION | 3 |
|-----------------------|--------|
| COMPONENTS - PARTS | 4 |
| EXPLODED DIAGRAM VIEW | 5 |
| ASSEMBLY INSTRUCTIONS | 6 - 11 |

| SPECIFICATIONS FOR ARMOUR BENCH | | | | | |
|--|--|--|--|--|--|
| EXERCISE FUNCTION | DUMBBELL BENCH PRESS, DUMBBELL FLYS & TRICEP CURLS | | | | |
| MUSCLE GROUP | CHEST, ARMS, SHOULDERS, ABDOMINALS & BACK | | | | |
| PRODUCT SIZE | L 1720 x W 830 x H 1180 mm | | | | |
| TOTAL MAX WEIGHT (INCLUDES USER & LOAD WEIGHT) | 135KG | | | | |

SAFETY INFORMATION

IMPORTANT - TO REDUCE THE RISK OF SERIOUS INJURY, READ THE ENTIRE MANUAL BEFORE YOU ASSEMBLE OR OPERATE THE ARMOUR BENCH. IN PARTICULAR, NOTE THE FOLLOWING SAFETY PRECAUTIONS.

WARNING: Before beginning any exercise program, consult your physician. This is especially important for individuals over the age of 35 or with pre-existing health problems. You **MUST** read all instructions before using any exercise equipment. The manufacturer and its associates and partners take no responsibility for personal injury or property damage sustained by or through the use of this product.

PHYSICIAN WARNING: Not all exercise equipment and training programs are suitable for everyone. It is recommended that you consult your physician before using this equipment or beginning any training program.

ASSEMBLY:

- Check that you have all of the components and tools listed, bearing in mind that for ease of assembly, some components are pre-assembled.
- Keep children and animals away from the work area as small parts could be a choking hazard if swallowed.
- Make sure you have enough space to layout the parts before starting.
- Assemble the equipment on a clear and level surface.
- Position the equipment on a clear and level surface.
- · Dispose of all packaging carefully and responsibly.

USE:


- It is the responsibility of the owner to ensure that all users of this equipment are properly informed as to how to use this equipment safely.
- This equipment is intended for domestic use only.
 Not for use in any commercial, rental or institutional setting.
- Before using the equipment to exercise, always stretch first to properly warm up.
- If the user experiences dizziness, nausea, chest pain or any other abnormal symptoms stop the workout and seek immediate medical attention.
- Only one person should use the equipment at a time.
- · Keep hands away from all moving parts.
- Always wear appropriate workout clothing when exercising. DO NOT wear loose or baggy clothing as it may get caught in the equipment. Always wear athletic shoes to protect your feet while exercising.
- DO NOT place any sharp objects around the equipment.
- Disabled persons should not use the equipment without a qualified person or doctor in attendance.
- Total max weight (user weight and load weight): 135KG

COMPONENT - PARTS

IMPORTANT - PLEASE CHECK THAT YOU HAVE ALL OF THE PARTS LISTED BELOW NOTE: SOME OF THE SMALLER PARTS MAY BE PRE-ASSEMBLED TO LARGER COMPONENTS. PLEASE CHECK CAREFULLY BEFORE CONTACTING US REGARDING ANY MISSING PARTS.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|--------------------------------|------------------------------|-----------------------------------|---------------------------|------------------------|----------------------|--|
| | | | | | | |
| Upper Bar 2PCS | Upright 2PCS | Backrest Support | Crossbar 1PCS | Frame 1PCS | Support 1PCS | Front Leg |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| | | | | \Diamond | | 0 |
| Leg Lever | Pad Tube 2PCS | Backrest Tube | Backrest 1PCS | Seat 1PCS | Foam Pad 4PCS | Pad Cap (Pre-assembled) 8 PCS |
| 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| Cap (Pre-assembled) 6PCS | Inner Cap (Pre-assembled) | Plastic Spacer (Pre-assembled) | M10*50 Screw Knobs 2PCS | M6*20 Screw 4PCS | M6*40 Screw 4PCS | M8*15 Screw 4PCS |
| 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| M10*70 Bolt 1PCS | M10*65 Bolt 4PCS | M10*200 Bolt 1PCS | F6 Washer 8PCS | F8 Washer 8PCS | M8 Nut 3PCS | M10 Nut 6PCS |
| 29 | 30 | 31 | 32 | 33 | | |
| F10 Washer 10PCS | ©8*70 Pin 2PCS | Inner Cap (Pre-assembled) | M8*55 Bolt 1PCS | Plastic cap 1PCS | | |

EXPLODED DIAGRAM VIEW




IMPORTANT - ASSEMBLE WITH ALL NUTS AND BOLTS LOOSE AT FIRST, ONLY TIGHTEN AFTER COMPLETING ALL ASSEMBLY STEPS. UNPACK THE BOX AND PLACE ALL PARTS ON THE FLOOR. CAREFULLY REMOVE ALL PACKAGING MATERIAL AND CHECK EACH PART AGAINST THE MANUAL FIRST. REMEMBER SOME PARTS ARE PRE-ASSEMBLED TO LARGER COMPONENTS.

STEP 1

- 1.) Attach the Crossbar (4) between the Uprights (2) with 4 pc M10 x 60mm Bolts (23), 8 pc Washers (29) and 4 pc M10 Lock Nuts (28).
- 2.) Insert the Backrest Support (3) into one of the four sets of holes in the Uprights (2).
- 3.) Insert the Upper Bar (1) to the Uprights (2) with 2 pc Screw Knobs (18).


NOTE: DO NOT tighten the bolts yet.



STEP 2


- 1.) Connect the Frame (5) to the Front Leg (7) with 2 pc M8 x 15mm Bolts (21), 4 pc Washers (26) and 2 pc Nuts (27).
- 2.) Fix the Support (6) onto the Frame (5) and Front Leg (7) with 2 pc M8 x 15mm Bolts (21) and 2 pc Washers (26).

NOTE: Do NOT tighten the bolts yet.




STEP 3

1.) Attach the Frame (5) to the Crossbar (4) with 1 pc Pin (30),1 pc Bolt (32), 2 pc Washers (26) and 1 pc Nut (27).




STEP 4

- 1.) Attach the Leg Lever (8) to the Front Leg (7) with the M10 x 70mm Bolts (22) and 2 pc Washers (29) and an M10 Locknut (28). Place the Plastic Cap (33) onto the end of the Bolt (22). Insert 1 pc Pin (30) through the hole. Do not over-tighten the Locknut, the Leg Lever must pivot easily.
- 2.) Insert a Pad Tube (9) into the Leg Lever (8). Slide a Foam Pad (13) onto each end of the Pad Tube. Repeat this step with the other Pad Tube (9).




STEP 5

1.) Attach the Backrest Tubes (10) to the Backrest (11) with 4 pc M6 x 40mm Screws (20) and 4 pc F6 Washers (25).



STEP 6

1.) Attach the Backrest Tubes (**10**) as assembled above, to the welded tube on the Frame (**5**) with the M10 x 200mm Bolt (**24**), and 1 pc M10 Locknut (**28**). Do not over-tighten the Locknut; the Backrest Tubes must pivot easily.



STEP 7

1.) Attach the Seat (12) to the Frame (5) with 4 pc M6 x 15mm Screws (19).and 4 pc F6 Washers (25)

NOTE: MAKE SURE THAT ALL PARTS ARE PROPERLY TIGHTENED BEFORE YOU USE THE WEIGHT BENCH.

