

ASSEMBLY INSTRUCTIONS

FULL DAYBED WITH TRUNDLE




WF295131



Part List

WF295131



Hardware List


	2	3
(Ø15)1/4"*100mm	(Ø15)1/4"*80mm	1/4"*15 (9.5mm)
Hex-Head bolts (12pcs)	Hex-Head bolts (12pcs)	Horizontal-Hole bolts(24pcs)
4	5	6
(1/4")4.5*58mm	Ø4*30mm	100*63*20mm
Allen key (1pc)	Wood screws (46pcs)	Wheels (4pcs)
7	8	9
95*95*18*3mm	ø3.5*12 mm	40*18*18*2mm
Metal bracket (2pcs)	Wood screws (16pcs)	Metal bracket (2pcs)


ASSEMBLY TOOLS REQUIRED (NOT INCLUDED)







PLEASE BE CAREFUL DO NOT DAMAGE THE HOLE POSITION WHEN YOU USE POWER TOOLS!








Note: Do not lock the screws of the bed slats to the outermost edge of the bed slats, you need to leave a certain space at the edges, otherwise it will cause the board to break. Do not lock the bed slats on the edge of the wood, please hold firmly before screwing, hold it in place with one hand, then lock the screw.







Note: Do not lock the screws of the bed slats to the outermost edge of the bed slats, you need to leave a certain space at the edges, otherwise it will cause the board to break.


Do not lock the bed slats on the edge of the wood, please hold firmly before screwing, hold it in

Do not lock the bed slats on the edge of the wood, please hold firmly before screwing, hold it in place with one hand, then lock the screw.





STEP 10:



Push Trundle under the bottom of Bunkbed.