

**Test Report**

Number: SHAH01507207

Applicant: SHANGHAI HAPPY CHILDREN FACTORY  
NO.1002,XINJIANFENG,JINGYANG VILLAGE,  
LANG XIA TOWN, JIN SHAN DISTRICT,SHANGHAI

Date: 14 Nov, 2022

Sample Description:

One( 1)Group of submitted sample said to be :  
Item Name : Battery Operated car, Ride-On Car  
Item No. : Aprilia Dorsoduro 900/A007  
Labelled Age Group : 3+ Years  
Packaging Provided By Applicant : Yes  
Country of Origin : China

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

Tested Sample	Standard	Result
Submitted Sample	U.S. ASTM F963-17 For Physical And Mechanical Tests Excluding 4.25, 5.15.1, 6.5, 6.6,7.2	Pass
Submitted Sample	U.S. ASTM F963-17 For Flammability Test of Materials Other Than Textile Materials	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 for heavy metal elements test on surface coating material	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 section 4.3.5.2(2)(a)(b) for heavy metal elements test on non-surface coating materials	Pass
Tested Components Of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating	Pass
Tested Components Of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate)	Pass
Tested Components Of Submitted Sample	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.



Peter Chen  
General Manager



**Test Report**

Number: SHAH01507207

Tests Conducted

1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Applicant's Specified Age Group for Testing: Over 3 years

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations: -

<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Impact Test	Section 1500.53(b)	4 x 3.0 ft
Torque Test	Section 1500.53(e)	4 in-lbf
Tension Test	Section 1500.53(f)	15 lbf
Compression Test	Section 1500.53(g)	30 lbf

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.1	Material Quality	P
4.5	Sound-Producing Toys	P
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	P
4.8	Projections	P
4.9	Accessible Points	P
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	P
4.12	Plastic Film	P
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	P
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	P
4.18	Holes, Clearance, and Accessibility of Mechanisms	P
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NR#
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA



## Test Report

Number: SHAH01507207

### Tests Conducted

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P#
6	Instructional Literature	P#
7	Producer's Markings	
	- Name of Producer/Distributor	Yes
	- Address	Yes

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass                      NR=Not Request                      NA = Not Applicable

#1 As applicant's request, section 4.25, 5.15.1, 6.5, 6.6,7.2 for Battery-powered Ride-on Toys was not assessed

Date Sample Received: 14 Oct, 2022

Testing Period: 14 Oct, 2022 to 19 Oct, 2022

### 2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-17.

Result = Did Not Ignite

Date Sample Received: 14 Oct, 2022

Testing Period: 14 Oct, 2022 to 19 Oct, 2022

\*\*\*\*\*



## Test Report

Number: SHAH01507207

### Tests Conducted

#### 3 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	<u>Result (ppm)</u>				<u>Limit (ppm)</u>
	(33)	(34)	(35)	(36)	
Sol. Barium (Ba)	<5	<5	331	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	25

Remark: Sol. = soluble  
ppm = parts per million = mg/kg

Tested components: See component list in the last section of this report.

Date sample received: 14 Oct, 2022

Testing period: 14 Oct, 2022 to 10 Nov, 2022

#### 4 Heavy Metal Elements Analysis In Non-Surface Coating Materials (Substrate Except Modelling Clay)

As per section 4.3.5.2(2)(a)(b) of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 and acid extraction method were used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	<u>Result (ppm)</u>										<u>Limit (ppm)</u>
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

\*\*\*\*\*



## Test Report

Number: SHAH01507207

### Tests Conducted

	<u>Result (ppm)</u>										<u>Limit (ppm)</u>
	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result (ppm)</u>										<u>Limit (ppm)</u>
	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result (ppm)</u>										<u>Limit (ppm)</u>
	(31)	(32)	(37)	(38)	(39)	(40)	(41)	(42)	(43)	(44)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	7	7	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

	<u>Result (ppm)</u>			<u>Limit (ppm)</u>
	(45)	(46)	(47)	
Sol. Barium (Ba)	<5	13	<5	1000
Sol. Lead (Pb)	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	25

Remark: Sol. = soluble  
ppm = parts per million = mg/kg

Tested components: See component list in the last section of this report.

Date sample received: 14 Oct, 2022

Testing period: 14 Oct, 2022 to 10 Nov, 2022

\*\*\*\*\*



**Test Report**

Number: SHAH01507207

Tests Conducted

5 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(33)	<20	90
(34)	<20	90
(35)	<20	90
(36)	<20	90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested components: See component list in the last section of this report.

Date sample received: 14 Oct, 2022

Testing period: 14 Oct, 2022 to 10 Nov, 2022

6 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(1+2+3)	<10	100
(4+15)	<10	100
(5+6+7)	14	100
(8+9+10)	<10	100
(11+12+13)	24	100
(14+16)	<10	100
(17+18)	12	100
(19)	<10	100
(20)	<10	100
(21)	<10	100
(22)+(23)	<10	100
(24+25)	<10	100
(26)	<10	100
(27+28)	<10	100
(29)	<10	100
(30)	<10	100
(31)	<10	100
(32)	<10	100
(37)	<10	100

\*\*\*\*\*



**Test Report**

Number: SHAH01507207

Tests Conducted

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(38)	<10	100
(39)	<10	100
(40)	<10	100
(41)	<10	100
(42)	<10	100
(43)	<10	100
(44)	<10	100
(45)	<10	100
(46)	<10	100
(47)	<10	100
(48+49+50)	<10	100
(51+52)	<10	100
(53+54)	<10	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested components: See component list in the last section of this report.

Date sample received: 14 Oct, 2022

Testing period: 14 Oct, 2022 to 10 Nov, 2022

7 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

<u>Test item</u>	<u>Result (%)</u>				<u>Limit (%) (Max.)</u>
	(1+2+3)	(4+15)	(5+6+7)	(8+9+10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	0.01	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1

\*\*\*\*\*



**Test Report**

Number: SHAH01507207

Tests Conducted

Test item	Result (%)				Limit (%) (Max.)
	(11+12+13)	(14+16)	(17+18)	(19)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	0.02	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1

Test item	Result (%)				Limit (%) (Max.)
	(20)	(21)	(22)+(23)	(24+25)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1

Test item	Result (%)				Limit (%) (Max.)
	(26)	(27+28)	(29)	(30)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1

\*\*\*\*\*





**Test Report**

Number: SHAH01507207

Tests Conducted

Test item	Result (%)				Limit (%) (Max.)
	(31)	(32)	(33)	(34)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1

Test item	Result (%)				Limit (%) (Max.)
	(35)	(36)	(37)	(38)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1

Test item	Result (%)				Limit (%) (Max.)
	(40)	(41)	(42)	(43)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1

\*\*\*\*\*



**Test Report**

Number: SHAH01507207

Tests Conducted

<u>Test item</u>	<u>Result (%)</u>			<u>Limit (%) (Max.)</u>
	(45)	(46)	(47)	
Dibutyl phthalate (DBP)	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected  
Detection Limit = 0.01%

Tested components: See component list in the last section of this report.

Date sample received: 14 Oct, 2022

Testing period: 14 Oct, 2022 to 10 Nov, 2022

\*\*\*\*\*




**Test Report**

Number: SHAH01507207

Tests Conducted

Photo



The Samples Were Submitted By The Client, Only For Reference



\*\*\*\*\*



## Test Report

Number: SHAH01507207

### Tests Conducted

#### Components List:

- (1) Bright black plastic(body).
- (2) Red plastic(on body).
- (3) Grey plastic(front body).
- (4) Transparent plastic(front light).
- (5) Red transparent plastic(tail light).
- (6) Black plastic(key).
- (7) Black plastic(music player button).
- (8) Black plastic(handlebar).
- (9) Black plastic(handlebar cover).
- (10) Black plastic(seat).
- (11) Grey plastic(accelerator pedal).
- (12) Black plastic(foot pedal).
- (13) Black plastic(wheel hub).
- (14) Black plastic(wheels).
- (15) White plastic(coupling of wheel).
- (16) Beige plastic(connected part of wire).
- (17) White plastic(washer of nut).
- (18) Black plastic(battery box under seat).
- (19) Black plastic with white printing(button).
- (20) Black plastic with beige printing(charger).
- (21) Black soft plastic(wheel antiskid part).
- (22) Black soft plastic(kickstand).
- (23) Transparent soft plastic film(damping device cover).
- (24) Orange soft plastic with black printing(wire covering).
- (25) Blue soft plastic with black printing(wire covering).
- (26) Yellow soft plastic with black printing(wire covering).
- (27) Green soft plastic(wire covering).
- (28) Red soft plastic(wire covering).
- (29) Black soft plastic with white printing(wire covering).
- (30) Black soft plastic with white printing(heat shrink tubing).
- (31) Black soft plastic with white printing(charger wire).
- (32) Black soft plastic(charger wire end).
- (33) Bright silver coating on plastic(seat tail).
- (34) Silver grey coating on plastic(wheel hub).
- (35) Orange coating on metal(front body).
- (36) Black coating on metal(frame).
- (37) Reflect sticker(rearview mirror).
- (38) Transparent adhesive plastic film with black, white printing(music player).
- (39) Silver soft plastic with transparent adhesive(front body sticker, beside foot pedal).
- (40) Red laser sticker(front body).
- (41) Transparent adhesive plastic film with white printing(beside front wheel hub).
- (42) White adhesive plastic film with red, black printing(on body).
- (43) White adhesive plastic film with red, black, green printing(seat tail).

\*\*\*\*\*



**Test Report**

Number: SHAH01507207

Tests Conducted

- (44) White adhesive plastic film with orange, yellow printing(warning sticker of charger).
- (45) White adhesive plastic film with black printing(warning sticker under seat).
- (46) White adhesive plastic film with yellow, black, red printing(warning sticker under seat).
- (47) White adhesive plastic film with black, grey printing(sticker).
- (48) Silver color metal(key).
- (49) Silver color metal(key hole).
- (50) Silver color metal excluding coating(kickstand).
- (51) Black color metal(screw).
- (52) Silver color meta excluding coating(front frame).
- (53) Silver color metal(nut).
- (54) Silver color metal(spring).

\*\*\*\*\*  
End Of Report

*The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band  $w = U$ ) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.*

*The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.*

