Assembly Instructions

aution : You must read this before you proceed

S.	•	Not for	commercia	l use.	For r	residential	use o	inly.

Furniture may scratch floors. We recommend using furniture pads to protect your floors.
 □ Do not put hot items directly on furniture surface.
 □ Do not dean furniture with harsh cleansers or polish.

Do not place furniture under direct sunlight.


Do not place furniture near heating or cooling vents.

Do not write on furniture without a padded barrier to protect the surface.

⊘ ⊕
 Do not place furniture outside . For indoor use only.


 Stains may be removed with mild soap solution and damp cloth. 0 \$

10 Dust and pick-up spills using a clean, non-colored, lint-free cloth.




Parts List										
Label	Picture	Description	QTY							
A		Seat	1							
В	o C	Left Leg	2							
С	f1 0	Right Leg	2							
D	=	Front Rail	2							
E	\longrightarrow	Side Rail	2							
F	\Diamond	Seat Base Cover	1							
Hardware										
Label	Picture	Description	QTY							
1		Bolt (M8*55mm)	9							
2	٠	Spring Washer	9							
3	0	Washer	9							
4	ſ	Allen Wrench	1							
5	*	Screw(M4 x45 mm)	9							
6		Screwdriver	1							

Adds Beer Ren Familians III.



This Bar/Counter Stool has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the Bar Stool parts, the above picture is t help you put the various parts into perspective. Please read through the instructions harehabut to familiaries the parts and stane hadrox assembly.

Male Rosse State Formidation LE




Place the Seat(A), Right Leg(C) onto a soft surface to avoid any scratches or demages to the product.

See 1.2 Allach the Right Leg (C) to the BarCounter Sloot Seat (A) and secure with 2 Beltic C,2 Spring Washer 0 and 2 Flat Washer 0 per each leg with Allen Weren.co.

See 1.3 Repeat the step of step 1.1, assembly the other Left Leg(B),Right Leg(C) as the picture shown.

Do not fully tighten Bolts ⊕ on this step.



Step 2.1 lineart the Front Rail (D) into round housing of the Right Leg (C) &Left Leg (B) as shown above.


Lad (B) as shown above.

Caudion/You may need to apply a tiltle pressure to the leg pushing udwards, so as to enable the Front Rail(D) to be slothed into position. If the distance is not enough, need to po back toose the screw on step 1, makes the foot pole has enough space to insert the rail.

Step 2.2 (Secure With 2 Strew® per each rail 1D&E).

Tighten Screw® only using Screwdiner®.

WARNING !! LOOSELY TIGHTEN. OVER TIGHTENING COULD LEAD TO DAMAGE OF THE PRODUCT. TIGHTEN ONLY UNTIL SECURE.




Place the Bar/Counter Stod on a Level Surface to check if it wobbles. If if neobles, lift he Bar/Counter Stod some 30m to 50m high from the ground, keep your feet and bees well away from the drop zone, and drop the Bar/Counter Stod feetly and vectically with the four laps, hitting the ground at the same time. This Drop Test will help be remove that all the botts and gaps to all resch full Test again for exerces on Level Surface.

If no wobbles are found, proceed to tighten all the Botts.

Caution: When tightening the Bolts, tighten sequentially.

Do not tighten any screw fully and then towards the next one,this would cause the frame to warp. If I still wobbies, loosen the totts and execute this same drop test. If the BarCounter Stools is not Sable it could lead to damage to the product.



Place the Seat Base Cover(F) back as shown in picture. Smooth the Seat Base Cover down with your hand on all four sides at the edge of the seat. Inspect and make sure all parts are connected. The BarlCounter Stool is ready for use.

Caution:This bar/counter stool can only be used on a flat, level surface.

Questions & Answers about Proposition 65

What is Proposition 65?

TWIRL IS PROJECTION TO A TOPIC TO THE PROJECTION TO THE PROJECTION TO THE PROJECTION TO THE PROJECTION THE PROJ

Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water.

Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 500 chemicals since it was first published in 1967.

What types of chemicals are on the Proposition 65 list?

If a warning is placed on a product label or posted or distributed at a workplace, a business, or in rental housing, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals.

By law, a warning must be given for listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm.

Where can I get more information on Proposition 65?

If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHA's Proposition 65 program at P65.Questions@oehha.ca.gov, or by phone at (916) 445-6900.