




D		Bottom Acrylic Base Pole	1
E		Canopy Sunshade (Preattached with Curved Support Pole)	1
F		Canopy Sunshade Cap	1
G		Base Pole Cap	1
Hardware			
Label	Picture	Description	QTY
1	0	Washer	5
2	()	Nut	5
3		Screw With Acrylic Cap	1
4		Wrench	1






Insert Base Pole Cap(G) onto Base Pole(B).Ensure the label marked "2" is at the bottom.Note: The Base Pole Cap(G) may require additional force to attach completely.If necessary please use a rubber mallet or wooden hammer to gently tap them into place.

Step 5




Screw on the Canopy Sunshade Cap(F) into the top of the Canopy Sunshade(E).




into the mounting positions of(E) and (B) to ensure that the pole is tightly secured to the base. Your Canopy Sunshade is fully assembled.

Caution: The Canopy Sunshade can only be used on a flat, level surface.




To use the Canopy Sunshade, you need to apply a 3 step process. These are :Step A - First push the lever of the Hand Grip upwards to unlock the CurvedSupport Pole.Step B - Then slide the Hand Grip upwards along the pole about one meterabove the ground. Step C - To lock, pull down the lever of the Hand Grip to lock onto the CurvedSupport Pole into position.



Open the Canopy Sunshade by rotating the Crank clockwise. To close, rotate the Crank counterclockwise.

Step 3



To adjust the Canopy Sunshade angle, push the Curved Support Pole upwardsor downwards until you reach the desired height.

