

Tested For: Mr. Onur Gumus
 BRN Sleep Products LLC.
 3771 Cameron Road
 Orangeburg, SC 29115
 USA

Phone:
Fax:
Mobile:
PO#:
Email: ogumus@brnbed.com

Received: 8/6/2021
Completed: 8/18/2021
Code: T
Test Report: 3-44749-0

Key Test: CFR 16 Part 1633 3 Sets

930

Client's Identification:

Style: KLS14GH. (see continuation)

Category: Mattress set, open flame test (CPSC) LE 2019; V 7/21 DK PC: 48H CODE: 310/620/930 bb

TEST PERFORMED: CFR Title 16 Part 1633 - Standard for the Flammability (Open Flame) of Mattress Sets

CLIENT'S IDENTIFICATION (Continuation):

Mattress:

Identification #: Klaussner 14" Gel Hybrid Mattress

Type: Smooth; Tufted; Quilted; Other: _____

Specimen Composite:

Covering Material (Ticking): Knitted Fabric

Fire Blocking Layer (Interliner): Cotton Fire Wadding

Filling Material(s): INSBC

Insulator Pad: Non Woven

Core: Pocket Coil + Foam Layer

Foundation: Not supplied; Supplied

Identification #: _____

Specimen Composite:

Covering Material (Ticking): _____

Fire Blocking Layer (Interliner): _____

Other Material(s): _____

INSBC = Information not supplied by client

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

Tested For: Mr. Onur Gumus
 BRN Sleep Products LLC.
 3771 Cameron Road
 Orangeburg, SC 29115
 USA

Phone:
Fax:
Mobile:
PO#:
Email: ogumus@brnbed.com

Received: 8/6/2021
Completed: 8/18/2021
Code: T
Test Report: 3-44749-0

Key Test: CFR 16 Part 1633 3 Sets

930

TEST CATEGORY REQUESTED:

- Qualified Prototype (3 mattress sets)
- Confirming Prototype (1 mattress set)
- Production Quality Assurance (1 mattress set)
- Experimental
- Subordinate Prototype (1 mattress set):
 - Ticking Substitution
 - Other Component Substitution (explain): _____
 - Manufacturer Specification Change (explain): _____
- Objective Data Prototype (explain): _____

Note: As defined by CFR Title 16 Part 1633, a "mattress set" can either be a mattress without a foundation or a mattress with a foundation. The sale of mattresses tested without foundations might be limited to that configuration.

TEST ROOM (CONFIGURATION):

Dimensions: 10 ft. x 12 ft. x 8 ft. high

<u>Conditions:</u>	<u>Set #1</u>	<u>Set #2</u>	<u>Set #3</u>
Temperature (°F): (Specified: >59 °F and <80.6 °F)	72	72	76
Humidity (% RH): (Specified <75% RH)	58	57	59
Time lag between conditioning room and test start (minutes): (Specified: 20 min max)	4	6	6

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

Tested For: Mr. Onur Gumus
BRN Sleep Products LLC.
3771 Cameron Road
Orangeburg, SC 29115
USA

Phone:
Fax:
Mobile:
PO#:
Email: ogumus@brnbed.com

Received: 8/6/2021
Completed: 8/18/2021
Code: T
Test Report: 3-44749-0

Key Test: CFR 16 Part 1633 3 Sets

930

BRIEF DESCRIPTION OF TEST: A mattress set is placed on a support system. Flames from a multi-hole propane burner impinge on the side of the mattress set for a period of 50 seconds, and flames from a second multi-hole burner impinge on the top of the mattress set for a period of 70 seconds. The recording instrumentation in the exhaust duct evaluates the combustion product and a formula calculates the highest heat release value recorded during the test period. It also records the total heat released during the entire test. The test continues until failure occurs or 30 minutes have elapsed.

TEST CATEGORIES:

Qualified Prototype:

Three mattress sets must demonstrate compliance with the Acceptance Criteria.

Confirmed Prototype:

One mattress set must demonstrate compliance with the Acceptance Criteria, and the manufacturing specifications (construction and components) of the mattress set must be the same as the manufacturing specifications for an existing Qualified Prototype mattress set.

Subordinate Prototype:

A mattress set that is based on a Qualified Prototype or Confirmed Prototype. There is no requirement for a Subordinate Prototype to be tested. This test exemption is qualified by section 1633.4, which comments upon the use of different tickings; different components; different materials; different designs; or different methods of assembly. The qualification to permit these changes states that a reasonable basis should be offered to indicate that such changes would not cause the test criteria to be exceeded. Therefore, it is assumed that a test conducted on one set of a Subordinate Prototype would support the reasonable basis theory.

Production Quality Control:

This test is an ongoing quality control test to determine if one or more actual production mattress sets conform to the Qualified Prototype.

Experimental:

Experimental mattress set to evaluate manufacturing specifications.

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

Tested For: Mr. Onur Gumus
 BRN Sleep Products LLC.
 3771 Cameron Road
 Orangeburg, SC 29115
 USA

Phone:
Fax:
Mobile:
PO#:
Email: ogumus@brnbed.com

Received: 8/6/2021
Completed: 8/18/2021
Code: T
Test Report: 3-44749-0

Key Test: CFR 16 Part 1633 3 Sets

930

RESULTS:

Categories		Set #1	Set #2	Set #3
Rate of Heat Release	Peak (kW):	31.8	31.1	31.3
	Time Peak Rate occurred (seconds):	48	55	50
	Total Heat Release (MJ) at 10 minutes [or test end, if sooner than 10 minutes]:	3.4	3.7	3.7
Test End	Time (mm:ss):	30:00	30:00	30:00
	Code:	(2)	(2)	(2)

CODES EXPLAINED:

- (1) Extinguished by technician when maximum criteria values were exceeded.
- (2) Maximum test period (30 minutes).

ABBREVIATIONS WHICH MAY BE USED:

- NT = Not tested, as noncompliance was found with a previous set
- NA = Not available
- NR = Not required to be tested

ACCEPTANCE CRITERIA: For each mattress set --

Peak Rate of Heat Release	Total Heat Release at 10 minutes
200 kW maximum	15 MJ maximum

CONCLUSION: Based on the reported Results and cited Acceptance Criteria:

3 Mattress set/s demonstrate/s COMPLIANCE with the Acceptance Criteria
 0 Mattress set/s demonstrate/s NONCOMPLIANCE with the Acceptance Criteria

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

Tested For: Mr. Onur Gumus
 BRN Sleep Products LLC.
 3771 Cameron Road
 Orangeburg, SC 29115
 USA

Phone:
Fax:
Mobile:
PO#:
Email: ogumus@brnbed.com

Received: 8/6/2021
Completed: 8/18/2021
Code: T
Test Report: 3-44749-0

Key Test: CFR 16 Part 1633 3 Sets

930

REMARKS: None.

OBSERVATIONS (all observations are stated in relationship to flame impingement point):

<u>Set #</u>	<u>Time (mm:ss)</u>	<u>Observations</u>
1	00:07	Cover material ignited
	01:10	Burner removed; fire burning on top and front side of mattress
	05:00	Light fire burning on front side of mattress
	10:00	Light fire continues burning on front side of mattress
	15:00	Tiny fire burning on right side of mattress
	20:00	No visible fire or smoke
	30:00	End of test
2	00:07	Cover material ignited
	01:10	Burner removed; fire burning on top and front side of mattress
	05:00	Light fire burning along front side of mattress
	10:00	Light fire continues to burn along front side of mattress
	15:00	Little smoke being produced by mattress
	20:00	Small fire still burning on right side of mattress
	25:00	No visible fire or smoke
30:00	End of test	
3	00:07	Cover material ignited
	01:10	Burner removed; fire burning on top and front side of mattress
	05:00	Light fire burning across front side of mattress
	10:00	Small fire continues to burn on front side of mattress
	15:00	Light smoke coming off of mattress
	20:00	Small fire still burning on front side of mattress
	21:45	No visible fire or smoke
	30:00	End of test

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

Tested For: Mr. Onur Gumus
BRN Sleep Products LLC.
3771 Cameron Road
Orangeburg, SC 29115
USA


Phone:
Fax:
Mobile:
PO#:
Email: ogumus@brnbed.com

Received: 8/6/2021
Completed: 8/18/2021
Code: T
Test Report: 3-44749-0

Key Test: CFR 16 Part 1633 3 Sets

930

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified above.



AUTHORIZED SIGNATURE
SGS NORTH AMERICA
/jab
/gb

Jillian Guillem

Test Technician: Vincent Timmons

AUG 20 2021

Enclosures: Graph (Rate of Heat Release vs. Time)
Summary
Video

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.



Test # 1

Program: (Version 0.4.0)

Test Specification : CFR 1633
Report # : 3-44749-0-
Client : BRN SLEEP PRODUCTS LLC
Mattress ID # : KLS14GH
Test Date : 8/18/2021
Test Time : 11:49 AM
Operator : Vinny Timmons

Initial Room Conditions

Temperature : 72 °F
Humidity : 58 %

Results

Peak Rate of Heat Release : 31.8 kW Peak Time : 48 seconds
Total Heat Release at 10 minutes : 3.4 MJ

Failure Criteria

- Peak rate of heat release exceeds 200 kW
- Total heat release at 10 minutes exceeds 15MJ
- Test terminated early by operator

Conclusion : Based on the above results, the item tested:

Passes Fails

CERTIFICATION : I certify that the above results were obtained after testing the specimens in accordance with the procedures and equipment specified by 16 CFR 1633


Vinny Timmons

AUTHORIZED SIGNATURE




Test Method : CFR 1633
Test Report # : 3-44749-0-

Rate of Heat Release vs Time



Total Heat Release vs Time





Program: (Version 0.4.0)

Test Specification : CFR 1633
Report # : 3-44749-0--
Client : BRN SLEEP PRODUCTS LLC
Mattress ID # : KLS14GH
Test Date : 8/18/2021
Test Time : 12:32 PM
Operator : Vinny Timmons

Initial Room Conditions

Temperature : 72 °F
Humidity : 57 %

Results

Peak Rate of Heat Release : 31.1 kW Peak Time : 55 seconds
Total Heat Release at 10 minutes : 3.7 MJ

Failure Criteria

- Peak rate of heat release exceeds 200 kW
- Total heat release at 10 minutes exceeds 15MJ
- Test terminated early by operator

Conclusion : Based on the above results, the item tested:

Passes Fails

CERTIFICATION : I certify that the above results were obtained after testing the specimens in accordance with the procedures and equipment specified by 16 CFR 1633

Vinny Timmons


AUTHORIZED SIGNATURE




Test Method
Test Report #

: CFR 1633
: 3-44749-0--

Rate of Heat Release vs Time



Total Heat Release vs Time





Test Specification : CFR 1633
Report # : 3-44749-0---
Client : BRN SLEEP PROUCTS LLC
Mattress ID # : KLS14GH
Test Date : 8/18/2021
Test Time : 1:54 PM
Operator : Vinny Timmons

Initial Room Conditions

Temperature : 76 °F
Humidity : 59 %

Results

Peak Rate of Heat Release : 31.3 kW Peak Time : 50 seconds
Total Heat Release at 10 minutes : 3.7 MJ

Failure Criteria

- Peak rate of heat release exceeds 200 kW
- Total heat release at 10 minutes exceeds 15MJ
- Test terminated early by operator

Conclusion : Based on the above results, the item tested:

Passes Fails

CERTIFICATION : I certify that the above results were obtained after testing the specimens in accordance with the procedures and equipment specified by 16 CFR 1633


Vinny Timmons

AUTHORIZED SIGNATURE



Test Method : CFR 1633
Test Report # : 3-44749-0---

Rate of Heat Release vs Time



Total Heat Release vs Time

