



Tested For: Michael Haltiwanger BRN Sleep Products USA, LLC. 3771 Cameron Road Orangeburg, SC 29115 USA	Phone: (803) 413-8418 Fax: Mobile: PO#: Email: michael.haltiwanger@brnbed.com	Received: 9/12/2022 Completed: 9/26/2022 Code: S Test Report: 3-48964-0
--	--	--

Key Test: CFR 16 Part 1633 3 Sets

990

Client's Identification:

Style: Go Sleep - 8 inch. Identification #: INSBC. (see continuation)

Category: Mattress set, open flame test (CPSC) LE 2019; V 7/21 DK PC: 48H CODE: 330/660/990 bb

TEST PERFORMED: CFR Title 16 Part 1633 - Standard for the Flammability (Open Flame) of Mattress Sets

CLIENT'S IDENTIFICATION (Continuation):

MattresType: Smooth; Tufted; Quilted; Other: _____

Specimen Composite:

Covering Material (Ticking): INSBC

Fire Blocking Layer (Interliner): INSBC

Filling Material(s): INSBC

Insulator Pad: INSBC

Core: Bonnell Coil

Additional Information: Zippered Outer

Foundation: Not supplied; Supplied

Identification #: _____

Specimen Composite:

Covering Material (Ticking): _____

Fire Blocking Layer (Interliner): _____

Other Material(s): _____

INSBC = Information not supplied by client

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.



Tested For: Michael Haltiwanger BRN Sleep Products USA, LLC. 3771 Cameron Road Orangeburg, SC 29115 USA	Phone: (803) 413-8418 Fax: Mobile: PO#: Email: michael.haltiwanger@brnbed.com	Received: 9/12/2022 Completed: 9/26/2022 Code: S Test Report: 3-48964-0
--	--	--

Key Test: CFR 16 Part 1633 3 Sets

990

TEST CATEGORY REQUESTED:

- Qualified Prototype (3 mattress sets)
- Confirming Prototype (1 mattress set)
- Production Quality Assurance (1 mattress set)
- Experimental
- Subordinate Prototype (1 mattress set):
 - Ticking Substitution
 - Other Component Substitution (explain): _____
 - Manufacturer Specification Change (explain): _____
- Objective Data Prototype (explain): _____

Note: As defined by CFR Title 16 Part 1633, a "mattress set" can either be a mattress without a foundation or a mattress with a foundation. The sale of mattresses tested without foundations might be limited to that configuration.

TEST ROOM (CONFIGURATION):

Dimensions: 10 ft. x 12 ft. x 8 ft. high

<u>Conditions:</u>	<u>Set #1</u>	<u>Set #2</u>	<u>Set #3</u>
Temperature (°F): (Specified: >59 °F and <80.6 °F)	72	71	72
Humidity (% RH): (Specified <75% RH)	47	49	50
Time lag between conditioning room and test start (minutes): (Specified: 20 min max)	8	8	7

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.



Tested For: Michael Haltiwanger BRN Sleep Products USA, LLC. 3771 Cameron Road Orangeburg, SC 29115 USA	Phone: (803) 413-8418 Fax: Mobile: PO#: Email: michael.haltiwanger@brnbed.com	Received: 9/12/2022 Completed: 9/26/2022 Code: S Test Report: 3-48964-0
--	--	--

Key Test: CFR 16 Part 1633 3 Sets

990

BRIEF DESCRIPTION OF TEST: A mattress set is placed on a support system. Flames from a multi-hole propane burner impinge on the side of the mattress set for a period of 50 seconds, and flames from a second multi-hole burner impinge on the top of the mattress set for a period of 70 seconds. The recording instrumentation in the exhaust duct evaluates the combustion product and a formula calculates the highest heat release value recorded during the test period. It also records the total heat released during the entire test. The test continues until failure occurs or 30 minutes have elapsed.

TEST CATEGORIES:

Qualified Prototype:

Three mattress sets must demonstrate compliance with the Acceptance Criteria.

Confirmed Prototype:

One mattress set must demonstrate compliance with the Acceptance Criteria, and the manufacturing specifications (construction and components) of the mattress set must be the same as the manufacturing specifications for an existing Qualified Prototype mattress set.

Subordinate Prototype:

A mattress set that is based on a Qualified Prototype or Confirmed Prototype. There is no requirement for a Subordinate Prototype to be tested. This test exemption is qualified by section 1633.4, which comments upon the use of different tickings; different components; different materials; different designs; or different methods of assembly. The qualification to permit these changes states that a reasonable basis should be offered to indicate that such changes would not cause the test criteria to be exceeded. Therefore, it is assumed that a test conducted on one set of a Subordinate Prototype would support the reasonable basis theory.

Production Quality Control:

This test is an ongoing quality control test to determine if one or more actual production mattress sets conform to the Qualified Prototype.

Experimental:

Experimental mattress set to evaluate manufacturing specifications.

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.



Tested For: Michael Haltiwanger
BRN Sleep Products USA, LLC.
3771 Cameron Road
Orangeburg, SC 29115
USA

Phone: (803) 413-8418
Fax:
Mobile:
PO#:
Email: michael.haltiwanger@brnbed.com

Received: 9/12/2022
Completed: 9/26/2022
Code: S
Test Report: 3-48964-0

Key Test: CFR 16 Part 1633 3 Sets

990

RESULTS:

Categories		Set #1	Set #2	Set #3
Rate of Heat Release	Peak (kW):	35.1	34.3	35.0
	Time Peak Rate occurred (seconds):	44	50	55
	Total Heat Release (MJ) at 10 minutes [or test end, if sooner than 10 minutes]:	4.0	3.5	4.4
Test End	Time (mm:ss):	30:00	30:00	30:00
	Code:	(2)	(2)	(2)

CODES EXPLAINED:

- (1) Extinguished by technician when maximum criteria values were exceeded.
- (2) Maximum test period (30 minutes).
- (3) All combustion ceased – Thermal Imaging Camera used.

ABBREVIATIONS WHICH MAY BE USED:

NT = Not tested, as noncompliance was found with a previous set
NA = Not available
NR = Not required to be tested

ACCEPTANCE CRITERIA: For each mattress set --

Peak Rate of Heat Release	Total Heat Release at 10 minutes
200 kW maximum	15 MJ maximum

CONCLUSION: Based on the reported Results and cited Acceptance Criteria:

3 Mattress set/s demonstrate/s COMPLIANCE with the Acceptance Criteria
0 Mattress set/s demonstrate/s NONCOMPLIANCE with the Acceptance Criteria

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

**Tested For:** Michael Haltiwanger

BRN Sleep Products USA, LLC.

3771 Cameron Road

Orangeburg, SC 29115

USA

Phone: (803) 413-8418**Fax:****Mobile:****PO#:****Email:** michael.haltiwanger@brnbed.com**Received:** 9/12/2022**Completed:** 9/26/2022**Code:** S**Test Report:** 3-48964-0**Key Test:** CFR 16 Part 1633 3 Sets

990

REMARKS: None.

OBSERVATIONS (all observations are stated in relationship to flame impingement point):

Set #	Time (mm:ss)	Observations
1	00:06	Cover material ignited
	01:10	Burner removed; smoke from top of mattress
	05:00	Small fire on top and front of mattress with very light smoke conditions
	10:00	Small fire spreading outward on top and front of mattress
	15:00	Small fire continuously burning and spreading outward
	20:00	Small fire spreading leftward on front of mattress only
	25:00	Small fire remains on front of mattress with very light smoke conditions
	30:00	End of test
2	00:06	Cover material ignited
	01:10	Burner removed; smoke from top of mattress
	05:00	Very small fire on top and front of mattress with very light smoke conditions
	10:00	Small fire spreading outward on top and front of mattress
	15:00	Small fire continues to burn and spread outward on top and front of mattress
	20:00	Small fire spreading leftward on top and front with very light smoke conditions
	25:00	Small fire continues to burn and spread leftward on top and front of mattress
	30:00	End of test
3	00:06	Cover material ignited
	01:10	Burner removed; smoke from top of mattress
	05:00	Small fire burning on top and front of mattress
	10:00	Small fire spreading outward on top and front of mattress
	15:00	Small fire continues to spread outward with light smoke coming from top of mattress
	20:00	Fire continuously spreading outward with increasing smoke conditions
	25:00	Fire continues to burn on top and front of mattress with continued increasing smoke
	30:00	End of test

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.



Tested For: Michael Haltiwanger BRN Sleep Products USA, LLC. 3771 Cameron Road Orangeburg, SC 29115 USA	Phone: (803) 413-8418 Fax: Mobile: PO#: Email: michael.haltiwanger@brnbed.com	Received: 9/12/2022 Completed: 9/26/2022 Code: S Test Report: 3-48964-0
--	--	--

Key Test: CFR 16 Part 1633 3 Sets

990

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified above.

DocuSigned by:

Theresa MacMillan

28F70AF28D7845C...

10/3/2022

Test Technician: Vincent Timmons

AUTHORIZED SIGNATURE
SGS NORTH AMERICA
/jab /dv

DS
Tm

Enclosures: Graph (Rate of Heat Release vs. Time)
Summary
Videos (see below links)

Test #1: <https://vimeo.com/753926597>Test #2: <https://vimeo.com/753939157>Test #3: <https://vimeo.com/753991034>

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.



Program: Main Fireroom Application (Version 1.1.6.0)

Test Method : CFR 1633
 Report # : 3-48964-0
 Client : BRN Sleep Products USA, LLC
 Mattress ID # : Go Sleep - 8"
 Test Date : 9/26/2022
 Test Time : 11:38 AM
 Operator : Vinny Timmons

Results

Specimen	1	2	3
Initial Room Temperature (°F)	72	71	72
Initial Room Humidity (%)	47	49	50
Peak Rate of Heat Release (kW)	35.1	34.3	35.0
Peak RHR Time (s)	44	50	55
Total Heat Release at 10 minutes (MJ)	4.0	3.5	4.4
Peak RHR exceeds 200 kW	No	No	No
Total HR at 10 min exceeds 15 MJ	No	No	No
Test terminated early by operator	No	No	No

Conclusion : Based on the above results:

Passes Fails

CERTIFICATION : I certify that the above results were obtained after testing the specimens in accordance with the procedures and equipment specified by 16 CFR 1633

Vinny Timmons


AUTHORIZED SIGNATURE



Program: Main Fireroom Application (Version 1.1.6.0)


Test Method : CFR 1633
Test Report # : 3-48964-0

Rate of Heat Release vs Time



— Specimen 1 — Specimen 2 — Specimen 3

Total Heat Release vs Time



— Specimen 1 — Specimen 2 — Specimen 3